

Preisliste in Euro, Januar 2016

zum Katalog

VICI / VALCO Cheminert Catalog inklusive VICI-Jour



Preise für VICI / VALCO
Fittings, Adapter, Edelstahl und PEEK
Ventile (manuell, pneumatisch, elektrisch)
Mikropumpen
VICI-Jour Artikel

Anfragen und Bestellungen bitte an:

Chromatographie Handel Müller GmbH
Haag 5 83413 Fridolfing
Tel: 08685-313 Fax: 7407 info@c-h-m.de
Internet und Onlinepreise: www.c-h-m.de

alle Preise in EUR zzgl. MwSt.
Lieferung frei Haus
Zahlung 14 Tage 2%, 30 Tage netto

Chromatographie Handel Müller GmbH



Gerne senden wir Ihnen den VICI / VALCO Katalog zu. Bitte einfach anfordern !

Die schnelle Bestellung bei Chromatographie Handel Müller
Einfach per Fax an: 08685-7407 oder im Fensterkuvert per Post

Lieferadresse:

Chromatographie Handel Müller GmbH
Haag 5

83413 Fridolfing

Rechnungsadresse (wenn abweichend):

BESTELLUNG Nr.: _____

Menge	Artikel-Nr.	Artikel-Bezeichnung	EUR einzeln	EUR gesamt

Preise zuzüglich Mehrwertsteuer

_____ Datum

_____ Unterschrift

Lieferung in Deutschland versandkostenfrei ! Zahlung: 14 Tage 2% Skonto, 30 Tage netto.

VICI / VALCO Preislste in Euro, Stand Januar 2016

2FR-5.5	Frit 1-32", 0.2 micron:25mm thick, 316SS, 5-pkg	77.00	2SF6MWE	6 mpos flow-through, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-E	1356.60
5FR-5.5	Frit 1-32", 0.5 micron:25mm thick, 316SS, 5-pkg	36.80	2SOA	Standoff assembly 2" for 2 pos actuators	66.20
5FR1-10	Frit 1-16", 0.5 micron:75mm thick, 316SS, 10-pkg	18.50	2SOAMP	Standoff assembly 2", keyed-for m-electric actuator	102.90
5FR1HC-10	Frit 1-16", 0.5 micron:75mm thick, HC, 10-pkg	64.70	2SOAMP	Standoff assembly 2" for mpos actuator	66.20
5FR2-10	Frit 1-8", 0.5 micron:1mm thick, 316SS, 10-pkg	18.50	2SOAMP	Standoff assembly 2" for M series pumps	80.90
5FR2HC-10	Frit 1-8", 0.5 micron:1mm thick, HC, 10-pkg	92.40	2SR-5-10	Screen 1-32", 2 micron, 316SS, 10-pkg:	18.50
5FR4-10	Frit 1-4", 0.5 micron:1mm thick, 316SS, 10-pkg	18.50	2SR1-10	Screen 1-16", 2 micron, 316SS, 10-pkg:	18.50
5SR-5.10	Screen 1-32" OD, 0.5 micron, 316SS, 10-pkg:	30.80	2SR2-10	Screen 1-8", 2 micron, 316SS, 10-pkg:	18.50
5SR1-10	Screen 1-16" OD, 0.5 micron, 316SS, 10-pkg:	30.80	2SR4-10	Screen 1-4", 2 micron, 316SS, 10-pkg:	21.60
5SR2-10	Screen 1-8" OD, 0.5 micron, 316SS, 10-pkg:	30.80	2ST10MWE	10 mpos trapping path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-E	1469.60
5SR4-10	Screen 1-4", 0.5 micron, 316SS, 10-pkg:	70.80	2ST12MWE	12 mpos trapping path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-E	1576.00
10FR1-10	Frit 1-16", 10 micron:75mm thick, 316SS, 10-pkg	18.50	2ST16MWE	16 mpos trapping path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-E	1576.00
10FR2-10	Frit 1-8", 10 micron:1mm thick, 316SS, 10-pkg	18.50	2ST6MWE	6 mpos trapping path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-E	1356.60
10FR4-10	Frit 1-4", 10 micron:1mm thick, 316SS, 10-pkg	18.50	2ST10MWE	10 mpos trap-flow path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-	1516.20
10FR4HC-10	Frit 1-4", 10 micron:1mm thick, HC, 10-pkg	92.40	2ST12MWE	12 mpos trap-flow path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-	1622.60
10SR-5.10	Screen 1-32", 10 micron, 316SS, 10-pkg:	37.00	2ST16MWE	16 mpos trap-flow path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-	1622.60
10SR1-10	Screen 1-16", 10 micron, 316SS, 10-pkg:	18.50	2ST6MWE	6 mpos trap-flow path, MW, manual-2"so:1-8"1mm, 200C-200psi gas, N60-E	1403.10
10SR2-10	Screen 1-8", 10 micron, 316SS, 10-pkg:	18.50	3SOAMP	Standoff assembly 3" for M series pumps	80.90
10SR4-10	Screen 1-4", 10 micron, 316SS, 10-pkg:	21.60	410UWE	10 port 2-pos valve, manual-4"so:1-8"75mm, 225C-400psi gas, N60-E	1017.40
1FR2-10	Frit 1-8", 1 micron:0.4" thick, 316SS, 10-pkg	18.50	410UWT	10 port 2-pos valve, manual-4"so:1-8"75mm, 330C-300psi gas, N60-T	1017.40
1FR2HC-10	Frit 1-8", 1 micron:0.4" thick, HC, 10-pkg	92.40	44UWE	4 port 2-pos valve, manual-4"so:1-8"75mm, 225C-400psi gas, N60-E	871.20
1SR-5.10	Screen 1-32" OD, 1 micron, 316SS, 10-pkg:	26.20	44UWT	4 port 2-pos valve, manual-4"so:1-8"75mm, 330C-300psi gas, N60-E	871.20
1SR1-10	Screen 1-16" OD, 1 micron, 316SS, 10-pkg:	26.20	46UWE	6 port 2-pos valve, manual-4"so:1-8"75mm, 225C-400psi gas, N60-E	944.30
1SR2-10	Screen 1-8" OD, 1 micron, 316SS, 10-pkg:	26.20	46UWT	6 port 2-pos valve, manual-4"so:1-8"75mm, 330C-300psi gas, N60-T	944.30
1SR4-10	Screen 1-4", 1 micron, 316SS, 10-pkg:	67.80	48UWE	8 port 2-pos valve, manual-4"so:1-8"75mm, 225C-400psi gas, N60-E	1017.40
210UW	10 port 2-pos valve, manual-2"so:1-8"75mm, 75C-5000psi liq, N60-H	1123.80	48UWT	8 port 2-pos valve, manual-4"so:1-8"75mm, 330C-300psi gas, N60-T	1017.40
24UW	4 port 2-pos valve, manual-2"so:1-8"75mm, 75C-5000psi liq, N60-H	977.60	4C10UWE	10 port 2-pos valve, manual-4"so:1-16"75mm, 225C-400psi gas, N60-E	1017.40
26UW	6 port 2-pos valve, manual-2"so:1-8"75mm, 75C-5000psi liq, N60-H	1050.70	4C10UWT	10 port 2-pos valve, manual-4"so:1-16"75mm, 330C-300psi gas, N60-T	1017.40
28UW	8 port 2-pos valve, manual-2"so:1-8"75mm, 75C-5000psi liq, N60-H	1123.80	4C10WE	10 port 2-pos valve, manual-4"so:1-16"4mm, 225C-400psi gas, N60-E	1017.40
2C10UW	10 port 2-pos valve, manual-2"so:1-16"75mm, 75C-5000psi liq, N60-H	1123.80	4C10WT	10 port 2-pos valve, manual-4"so:1-16"4mm, 330C-300psi gas, N60-T	1017.40
2C4UW	4 port 2-pos valve, manual-2"so:1-16"75mm, 75C-5000psi liq, N60-H	977.60	4C4UWE	4 port 2-pos valve, manual-4"so:1-16"75mm, 225C-400psi gas, N60-E	871.20
2C6UW	6 port 2-pos valve, manual-2"so:1-16"75mm, 75C-5000psi liq, N60-H	1050.70	4C4UWT	4 port 2-pos valve, manual-4"so:1-16"75mm, 330C-300psi gas, N60-T	871.20
2C8UW	8 port 2-pos valve, manual-2"so:1-16"75mm, 75C-5000psi liq, N60-H	1123.80	4C4WE	4 port 2-pos valve, manual-4"so:1-16"4mm, 225C-400psi gas, N60-E	871.20
2CIAUW.2	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 75C-5000psi liq,	1044.00	4C4WT	4 port 2-pos valve, manual-4"so:1-16"4mm, 330C-300psi gas, N60-T	871.20
2CIAUW.5	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 75C-5000psi liq, 1	1044.00	4C8UWE	6 port 2-pos valve, manual-4"so:1-16"75mm, 225C-400psi gas, N60-E	944.30
2CIAUW.2	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 75C-5000psi liq, 1	1044.00	4C8UWT	6 port 2-pos valve, manual-4"so:1-16"75mm, 330C-300psi gas, N60-T	944.30
2CIAUW.2	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 75C-5000psi liq, 2	1044.00	4C8WE	6 port 2-pos valve, manual-4"so:1-16"4mm, 225C-400psi gas, N60-E	944.30
2CIAUWE.2	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 175C-1000psi liq,	937.60	4C8WT	6 port 2-pos valve, manual-4"so:1-16"4mm, 330C-300psi gas, N60-T	944.30
2CIAUWE.5	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 175C-1000psi liq,	937.60	4C8UWE	8 port 2-pos valve, manual-4"so:1-16"75mm, 225C-400psi gas, N60-E	1017.40
2CIAUWE1	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 175C-1000psi liq,	937.60	4C8UWT	8 port 2-pos valve, manual-4"so:1-16"75mm, 330C-300psi gas, N60-T	1017.40
2CIAUWE2	4 port 2-pos int vol valve, manual-2"so:1-16"75mm, 175C-1000psi liq,	937.60	4C8WE	8 port 2-pos valve, manual-4"so:1-16"4mm, 225C-400psi gas, N60-E	1017.40
2CIAWE.06	4 port 2-pos int vol valve, manual-2"so:1-16"4mm, 175C-1000psi liq,	937.60	4C8WT	8 port 2-pos valve, manual-4"so:1-16"4mm, 330C-300psi gas, N60-T	1017.40
2CIAWE.1	4 port 2-pos int vol valve, manual-2"so:1-16"4mm, 175C-1000psi liq,	937.60	4N10WE	10 port 2-pos valve, manual-4"so:1-32"25mm, 225C-400psi gas, N60-E	1183.70
2CIAWE.2	4 port 2-pos int vol valve, manual-2"so:1-16"4mm, 175C-1000psi liq,	937.60	4N10WT	10 port 2-pos valve, manual-4"so:1-32"25mm, 330C-300psi gas, N60-T	1183.70
2CIAWE.5	4 port 2-pos int vol valve, manual-2"so:1-16"4mm, 175C-1000psi liq,	937.60	4N4WE	4 port 2-pos valve, manual-4"so:1-32"25mm, 225C-400psi gas, N60-E	1037.40
2CSC10MWE	10 mpos common outlet path, MW, manual-2"so:1-16"1mm, 200C-200psi gas,	1310.00	4N4WT	4 port 2-pos valve, manual-4"so:1-32"25mm, 330C-300psi gas, N60-T	1037.40
2CSC12MWE	12 mpos common outlet path, MW, manual-2"so:1-16"1mm, 200C-200psi gas,	1416.40	4N6WE	6 port 2-pos valve, manual-4"so:1-32"25mm, 225C-400psi gas, N60-E	1110.60
2CSC16MWE	16 mpos common outlet path, MW, manual-2"so:1-16"1mm, 200C-200psi gas,	1416.40	4N6WT	6 port 2-pos valve, manual-4"so:1-32"25mm, 330C-300psi gas, N60-T	1110.60
2CSC6MWE	6 mpos common outlet path, MW, manual-2"so:1-16"1mm, 200C-200psi gas,	1197.00	4N8WE	8 port 2-pos valve, manual-4"so:1-32"25mm, 225C-400psi gas, N60-E	1183.70
2CSD10MWE	10 mpos dead-end path, MW, manual-2"so:1-16"75mm, 200C-400psi gas, N6	1270.10	4N8WT	8 port 2-pos valve, manual-4"so:1-32"25mm, 330C-300psi gas, N60-T	1183.70
2CSD12MWE	12 mpos dead-end path, MW, manual-2"so:1-16"75mm, 200C-400psi gas, N6	1376.60	4SOA	Standoff assembly 4" for 2 pos actuators	66.20
2CSD16MWE	16 mpos dead-end path, MW, manual-2"so:1-16"75mm, 200C-400psi gas, N6	1376.60	4SOAMP	Standoff assembly 4" for mpos actuators	66.20
2CSD6MWE	6 mpos dead-end path, MW, manual-2"so:1-16"75mm, 200C-400psi gas, N60	1157.10	4SOAMP	Standoff assembly 4" for M series pumps	80.90
2CSF10MWE	10 mpos flow-through, MW, manual-2"so:1-16"1mm, 200C-200psi gas, N60-E	1469.60	4SOAMP	Standoff assembly 4" for M series pumps	80.90
2CSF12MWE	12 mpos flow-through, MW, manual-2"so:1-16"1mm, 200C-200psi gas, N60-E	1576.00	4SOUTH	Handle with 4" standoff, Valco UW-type2-pos valve with 1 or 2 mountin	95.60
2CSF16MWE	16 mpos flow-through, MW, manual-2"so:1-16"1mm, 200C-200psi gas, N60-E	1576.00	4SOUTHMP	Handle with 4" standoff, Valco UW-type2-pos valve with no mounting ho	95.60
2CSF6MWE	6 mpos flow-through, MW, manual-2"so:1-16"1mm, 200C-200psi gas, N60-E	1356.60	4SOWK	4" standoff assy for 2 pos viv W-WK with 1 or 2 mounting holes	102.90
2CT10MWE	10 mpos trapping path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N6	1469.60	4SOWKMP	4" Standoff assy for 2 pos viv W-WK with no mounting holes and Chemine	102.90
2CT12MWE	12 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N	1576.00	4UWE	4 port 2-pos valve, manual-1-8"75mm, 225C-400psi gas, N60-E	804.60
2CT16MWE	16 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N	1576.00	4VLMWE2	4 port 2-pos valve, MW, manual-4"so:1-4"4mm, 75C-100psi gas, N60-E2	1622.60
2CT6MWE	6 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N6	1356.60	4VLMWE2	6 port 2-pos valve, MW, manual-4"so:1-4"4mm, 75C-100psi gas, N60-E2	1695.80
2CTSF10MWE	10 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N	1516.20	4VLMWE2	8 port 2-pos valve, MW, manual-4"so:1-4"4mm, 75C-100psi gas, N60-E2	1768.90
2CTSF12MWE	12 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N	1622.60	6SOAMP	Standoff assembly 6" for M series pumps	80.90
2CTSF16MWE	16 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N	1622.60	6UWE	6 port 2-pos valve, manual-1-8"75mm, 225C-400psi gas, N60-E	877.80
2CTSF6MWE	6 mpos trap-flow path, MW, manual-2"so:1-16"75mm, 200C-200psi gas, N6	1403.10	8UWE	8 port 2-pos valve, manual-1-8"75mm, 225C-400psi gas, N60-E	951.00
2FR-5.5	Frit 1-32", 2 micron:25mm thick, 316SS, 5-pkg	9.50	A10	Air actuator 10 mpos, close mount:36 deg rotation	566.60
2FR1-10	Frit 1-16", 2 micron:75mm thick, 316SS, 10-pkg	18.50	A102	Air actuator 10 mpos, 2" standoff:36 deg rotation	566.60
2FR1HC-10	Frit 1-16", 2 micron:75mm thick, HC, 10-pkg	70.80	A10S	Air actuator 10 mpos, for standoff:36 deg rotation	510.70
2FR1K	Frit 1", 2 micron:1.5mm thick, 316SS	3.50	A10UW	10 port 2-pos valve, air actuated:1-8"75mm, 75C-5000psi liq, N60-H	1303.40
2FR1KHC	Frit 1", 2 micron:1.5mm thick, HC	13.90	A12	Air actuator 12 mpos, close mount:30 deg rotation	566.60
2FR1KT1	Frit 1", 2 micron:0.40" thick, Titanium	27.70	A122	Air actuator 12 mpos, 2" standoff:30 deg rotation	566.60
2FR1TI-10	Frit 1-16", 2 micron:75mm thick, Titanium, 10-pkg	107.80	A12S	Air actuator 12 mpos, for standoff:30 deg rotation	510.70
2FR2-10	Frit 1-8", 2 micron:1mm thick, 316SS, 10-pkg	18.50	A16	Air actuator 16 mpos, close mount:22.5 deg rotation	566.60
2FR2HC-10	Frit 1-8", 2 micron:1mm thick, HC, 10-pkg	35.40	A162	Air actuator 16 mpos, 2" standoff:22.5 deg rotation	566.60
2FR2TI-10	Frit 1-8", 2 micron:1mm thick, Titanium, 10-pkg	138.60	A16S	Air actuator 16 mpos, for standoff:22.5 deg rotation	510.70
2FR4-10	Frit 1-4", 2 micron:1mm thick, 316SS, 10-pkg	18.50	A2CIAUWE.2	4 port 2-pos int vol valve, air act-2"so:1-16"75mm, 175C-1000psi liq,	1157.10
2FR4HC-10	Frit 1-4", 2 micron:1mm thick, HC, 10-pkg	92.40	A2CIAUWE.5	4 port 2-pos int vol valve, air act-2"so:1-16"75mm, 175C-1000psi liq,	1157.10
2FR4TI-10	Frit 1-4", 2 micron:1mm thick, Titanium, 10-pkg	184.80	A2CIAUWE1	4 port 2-pos int vol valve, air act-2"so:1-16"75mm, 175C-1000psi liq,	1157.10
2FR6	Frit 3-8", 2 micron:1mm thick, 316SS	2.00	A2CIAUWE2	4 port 2-pos int vol valve, air act-2"so:1-16"75mm, 175C-1000psi liq,	1157.10
2FR6HC	Frit 3-8", 2 micron:1mm thick, HC	7.00	A2CIAWE.1	4 port 2-pos int vol valve, air act-2"so:1-16"4mm, 175C-1000psi liq,	1157.10
2FR6TI	Frit 3-8", 2 micron:1mm thick, Titanium	18.50	A2CIAWE.2	4 port 2-pos int vol valve, air act-2"so:1-16"4mm, 175C-1000psi liq,	1157.10
2FR8	Frit 1-2", 2 micron:1mm thick, 316SS	2.80	A2CIAWE.5	4 port 2-pos int vol valve, air act-2"so:1-16"4mm, 175C-1000psi liq,	1157.10
2FR8HC	Frit 1-2", 2 micron:1mm thick, HC	10.80	A2CSC10MWE	10 mpos common outlet path, MW, air act-2"so:1-16"1mm, 200C-200psi gas,	1649.20
2FR8TI	Frit 1-2", 2 micron:1mm thick, Titanium	21.60	A2CSC12MWE	12 mpos common outlet path, MW, air act-2"so:1-16"1mm, 200C-200psi gas,	1755.60
2IAUWE.2	4 port 2-pos int vol valve, manual-2"so:1-8"75mm, 175C-1000psi liq,	937.60	A2CSC16MWE	16 mpos common outlet path, MW, air act-2"so:1-16"1mm, 200C-200psi gas,	1755.60
2IAUWE.5	4 port 2-pos int vol valve, manual-2"so:1-8"75mm, 175C-1000psi liq,	937.60	A2CSD10MWE	10 mpos dead-end path, MW, air act-2"so:1-16"75mm, 200C-400psi gas, N	1609.30
2IAUWE1	4 port 2-pos int vol valve, manual-2"so:1-8"75mm, 175C-1000psi liq, 1	937.60	A2CSD12MWE	12 mpos dead-end path, MW, air act-2"so:1-16"75mm, 200C-400psi gas, N	1715.70
2IAUWE2	4 port 2-pos int vol valve, manual-2"so:1-8"75mm, 175C-1000psi liq, 2	937.60	A2CSD16MWE	16 mpos dead-end path, MW, air act-2"so:1-16"75mm, 200C-400psi gas, N	1715.70
2L10UW	10 port 2-pos valve, manual-2"so:1-8"1.0mm, 75C-5000psi liq, N60-H	1157.10	A2CSD6MWE	6 mpos dead-end path, MW, air act-2"so:1-16"75mm, 200C-400psi gas, N6	1496.20
2L4UW	4 port 2-pos valve, manual-2"so:1-8"1.7mm, 75C-5000psi liq, N60-H	1010.80	A2CSF10MWE	10 mpos flow-through, MW, air act-2"so:1-16"1mm, 200C-200psi gas, N60-	1808.80
2L6UW	6 port 2-pos valve, manual-2"so:1-8"1.7mm, 75C-5000psi liq, N60-H	1084.00	A2CSF12MWE	12 mpos flow-through, MW, air act-2"so:1-16"1mm, 200C-200psi gas, N60-	1915.20
2L8UW	8 port 2-pos valve, manual-2"so:1-8"1.3mm, 75C-5000psi liq, N60-H	1157.10	A2CSF16MWE	16 mpos flow-through, MW, air act-2"so:1-16"1mm, 200C-200psi gas, N60-	1915.20
2NI4WE.06	4 port 2-pos int vol valve, manual-2"so:1-32"25mm, 175C-1000psi liq,	1103.90	A2CST10MWE	10 mpos trapping path, MW, air act high torq-2"so:1-16"75mm, 200C-20	1808.80
2NI4WE.1	4 port 2-pos int vol valve, manual-2"so:1-32"25mm, 175C-1000psi liq,	1103.90	A2CST12MWE	12 mpos trapping path, MW, air act high torq-2"so:1-16"75mm, 200C-20	1915.20
2NI4WE.2	4 port 2-pos int vol valve, manual-2"so:1-32"25mm, 175C-1000psi liq,	1103.90	A2CST16MWE	16 mpos trapping path, MW, air act high torq-2"so:1-16"75mm, 200C-20	1915.20
2NI4WE.5	4 port 2-pos int vol valve, manual-2"so:1-32"25mm, 175C-1000psi liq,	1103.90	A2CSTF10MWE	10 mpos trap-flow path, MW, air act high t-2"so:1-16"75	

VICI / VALCO Preisliste in Euro, Stand Januar 2016

A2SC16MWE	16 mpos common outlet path, MW, air act-2"so:1-8"1mm, 200C-200psi gas,	1755.60	AH2VLS06MWE2	6 mpos dead-end path, MW, air act high torq-2"so:1-4"4mm, 75C-100psi g	2467.20
A2SD10MWE	10 mpos dead-end path, MW, air act-2"so:1-8"1mm, 200C-200psi gas, N60-	1609.30	AH2VLS08MWE2	8 mpos dead-end path, MW, air act high torq-2"so:1-4"4mm, 75C-100psi g	2580.20
A2SD12MWE	12 mpos dead-end path, MW, air act-2"so:1-8"1mm, 200C-200psi gas, N60-	1715.70	AH2VLSF4MWE2	4 mpos flow-through, MW, air act high torq-2"so:1-4"4mm, 75C-100psi ga	2606.80
A2SD16MWE	16 mpos dead-end path, MW, air act-2"so:1-8"1mm, 200C-200psi gas, N60-	1715.70	AH2VLSF6MWE2	6 mpos flow-through, MW, air act high torq-2"so:1-4"4mm, 75C-100psi ga	2680.00
A2SD6MWE	6 mpos dead-end path, MW, air act-2"so:1-8"1mm, 200C-400psi gas, N60-E	1496.20	AH2VLSF8MWE2	8 mpos flow-through, MW, air act high torq-2"so:1-4"4mm, 75C-100psi ga	2793.00
A2SF10MWE	10 mpos flow-through, MW, air act-2"so:1-8"1mm, 200C-200psi gas, N60-E	1808.80	AHCS34UW	4 mpos dead-end path, air act high torque:1-16"4mm, 75C-5000psi liq,	1802.20
A2SF12MWE	12 mpos flow-through, MW, air act-2"so:1-8"1mm, 200C-200psi gas, N60-E	1915.20	AHCS6DUW	6 mpos dead-end path, air act high torque:1-16"4mm, 75C-5000psi liq,	1875.30
A2SF16MWE	16 mpos flow-through, MW, air act-2"so:1-8"1mm, 200C-200psi gas, N60-E	1915.20	AHSD4UW	4 mpos dead-end path, air act high torque:1-8"75mm, 75C-5000psi liq,	1802.20
A2ST10MWE	10 mpos trapping path, MW, air act high torq-2"so:1-8"1mm, 200C-200ps	1808.80	AHSD6UW	6 mpos dead-end path, air act high torque:1-8"75mm, 75C-5000psi liq,	1875.30
A2ST12MWE	12 mpos trapping path, MW, air act high torq-2"so:1-8"1mm, 200C-200ps	1915.20	AL10UW	10 port 2-pos valve, air actuated:1-8"1.0mm, 75C-5000psi liq, N60-H	1376.60
A2ST16MWE	16 mpos trapping path, MW, air act high torq-2"so:1-8"1mm, 200C-200ps	1915.20	AL4UW	4 port 2-pos valve, air actuated:1-8"1.7mm, 75C-5000psi liq, N60-H	1230.20
A2STF10MWE	10 mpos trap-flow path, MW, air act high t-2"so:1-8"1mm, 200C-200psi	1855.40	AL6UW	6 port 2-pos valve, air actuated:1-8"1.7mm, 75C-5000psi liq, N60-H	1303.40
A2STF12MWE	12 mpos trap-flow path, MW, air act high t-2"so:1-8"1mm, 200C-200psi	1961.80	AL8UW	8 port 2-pos valve, air actuated:1-8"1.3mm, 75C-5000psi liq, N60-H	1376.60
A2STF16MWE	16 mpos trap-flow path, MW, air act high t-2"so:1-8"1mm, 200C-200psi	1961.80	ASDUW	8 mpos dead-end path, air actuated:1-8"75mm, 75C-5000psi liq, N60-E	1675.80
A30	Air actuator 2-pos, close mount:30 deg rotation	349.80	ASDV	Prime-Purge valve, air actuated-1"so:3"1-16"50 mm, 100C-10000psi, SS	359.10
A304	Air actuator 2-pos, 4" standoff:30 deg rotation	349.80	ASDV2HT	Prime-Purge valve, air actuated-1"so:3"1-8"150 mm, 300C-2000psi, SS	505.40
A30S	Air actuator 2-pos, for standoff:30 deg rotation	293.90	ASDV2HT4	Prime-Purge valve, air actuated-4"so:3"1-8"150 mm, 300C-2000psi, SS	585.20
A36	Air actuator 2-pos, close mount:36 deg rotation	349.80	ASFAV40K5	auf Anfrage:Prime-purge valve, air actuated-1.625"so:3"1-16"15 mm bor	.00
A364	Air actuator 2-pos, 4" standoff:36 deg rotation	349.80	ASFAV40K1	Prime-purge valve, air actuated-1.625"so:3"1-16"15 mm bore, 50C-40"	1041.40
A36S	Air actuator 2-pos, for standoff:36 deg rotation	293.90	ASFAV40K360	auf Anfrage:Prime-purge valve, air actuated-1.625"so:3"1-16"15 mm bo	.00
A4	Air actuator 4 mpos, close mount:90 deg rotation	566.60	ASFAVHT	Prime-Purge valve, air actuated-1"so:3"1-16"50 mm, 300C-6000psi, SS	425.60
A410UWE	10 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60	1236.90	ASFAVHT4	Prime-Purge valve, air actuated-4"so:3"1-16"50 mm, 300C-6000psi, SS	505.40
A410UWT	10 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60	1236.90	ASFAVLT	Prime-Purge valve, air actuated-1"so:3"1-16"75 mm, 100C-10000psi, SS	399.00
A42	Air actuator 4 mpos, 2" standoff:90 deg rotation	566.60	ASFAVLT4	Prime-Purge valve, air actuated-4"so:3"1-16"75 mm, 300C-6000psi, SS	485.40
A44UWE	4 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60-	1090.60	ASFAVLT4	Prime-Purge valve, air actuated-4"so:3"1-16"75 mm, 300C-6000psi, SS	532.00
A44UWT	4 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60-	1090.60	ASFAVLT4	Prime-Purge valve, air actuated-4"so:3"1-16"75 mm, 300C-6000psi, SS	532.00
A45	Air actuator 2-pos, close mount:45 deg rotation	349.80	ASFVO	On-Off valve, air actuated-1"so:2"1-16"50 mm bore, 100C-10000 psi, S	359.10
A454	Air actuator 2-pos, 4" standoff:45 deg rotation	349.80	ASFVO2HT	On-Off valve, air actuated-2"so:2"1-16"50 mm bore, 300C-2000 psi, SS	505.40
A45S	Air actuator 2-pos, for standoff:45 deg rotation	293.90	ASFVO2HT4	On-Off valve, air actuated, 4" so:2"1-8"150 mm bore, 300C-2000 psi,	585.20
A46UWE	6 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60-	1163.80	ASFVO40K5	auf Anfrage:On-Off valve, air actuated-1.625"so:2"1-32"15 mm bore, 50	.00
A46UWT	6 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60-	1163.80	ASFV00K1	On-Off valve, air actuated-1.625"so:2"1-16"15 mm bore, 50C-40000 p	998.80
A48UWE	8 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60-	1236.90	ASFV040K360	auf Anfrage:On-Off valve, air actuated-1.625"so:2"360um, 15 mm bore, 5	.00
A48UWT	8 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60-	1236.90	ASFVOD40K5	auf Anfrage:Dual On-Off valve, air actuated-1.625"so:3"1-32"15 mm bor	.00
A4C10UWE	10 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N6	1236.90	ASFVOD40K1	Dual On-Off valve, air actuated-1.625"so:3"1-16"15 mm bore, 50C-4000	1759.60
A4C10UWT	10 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N6	1236.90	ASFVOD40K360	auf Anfrage:Dual On-Off valve, air actuated-1.625"so:3"1-360um, 15 mm bo	.00
A4C10WE	10 port 2-pos valve, air actuated-4"so:1-16"4mm, 225C-400psi gas, N60	1236.90	ASFOHT	On-Off valve, air actuated-2"so:2"1-16"50 mm bore, 300C-6000 psi, SS	425.60
A4C10WT	10 port 2-pos valve, air actuated-4"so:1-16"4mm, 350C-300psi gas, N60	1236.90	ASFOHT4	On-Off valve, air actuated-4"so:2"1-16"50 mm bore, 300C-6000psi, SS	505.40
A4CUWE	4 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60	1090.60	ASFOVLT	On-Off valve, air actuated-1"so:2"1-16"75 mm bore, 100C-10000 psi, S	399.00
A4CUWT	4 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60	1090.60	ASFOVLT4	On-Off valve, air actuated-4"so:2"1-16"75 mm bore, 300C-6000 psi, S	485.40
A4C4WE	4 port 2-pos valve, air actuated-4"so:1-16"4mm, 225C-400psi gas, N60-	1090.60	ASFOVLT4	On-Off valve, air actuated, 4" so:2"1-16"75 mm bore, 300C-6000 psi,	532.00
A4C4WT	4 port 2-pos valve, air actuated-4"so:1-16"4mm, 350C-300psi gas, N60-	1090.60	AT10	Air actuator 10 mpos high T, close mount:36 deg rotation	566.60
A4C6UWE	6 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60	1163.80	AT104	Air actuator 10 mpos high T, 4" standoff:36 deg rotation	566.60
A4C6UWT	6 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60	1163.80	AT10S	Air actuator 10 mpos high T, for standoff:36 deg rotation	510.70
A4C8UWE	8 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60-	1163.80	AT12	Air actuator 12 mpos high T, close mount:30 deg rotation	566.60
A4C8UWT	8 port 2-pos valve, air actuated-4"so:1-16"75mm, 350C-300psi gas, N60-	1163.80	AT124	Air actuator 12 mpos high T, 4" standoff:30 deg rotation	566.60
A4C8WT	8 port 2-pos valve, air actuated-4"so:1-16"4mm, 225C-400psi gas, N60	1163.80	AT12S	Air actuator 12 mpos high T, for standoff:30 deg rotation	510.70
A4C8WWT	8 port 2-pos valve, air actuated-4"so:1-16"4mm, 350C-300psi gas, N60	1163.80	AT16	Air actuator 16 mpos high T, close mount:22.5 deg rotation	566.60
A4C8UWE	8 port 2-pos valve, air actuated-4"so:1-16"75mm, 225C-400psi gas, N60	1236.90	AT164	Air actuator 16 mpos high T, 4" standoff:22.5 deg rotation	566.60
A4C8UWT	8 port 2-pos valve, air actuated-4"so:1-16"75mm, 330C-300psi gas, N60	1236.90	AT16S	Air actuator 16 mpos high T, for standoff:22.5 deg rotation	510.70
A4C8WT	8 port 2-pos valve, air actuated-4"so:1-16"4mm, 225C-400psi gas, N60-	1236.90	AT30	Air actuator 2-pos high T, close mount:30 deg rotation	349.80
A4C8WWT	8 port 2-pos valve, air actuated-4"so:1-16"4mm, 350C-300psi gas, N60-	1236.90	AT302	Air actuator 2-pos high T, 2" standoff:30 deg rotation	349.80
A4N10UWE	10 port 2-pos valve, air actuated-4"so:1-32"25mm, 225C-400psi gas, N6	1403.10	AT30S	Air actuator 2-pos high T, for standoff:30 deg rotation	293.90
A4N10WT	10 port 2-pos valve, air actuated-4"so:1-32"25mm, 350C-300psi gas, N6	1403.10	AT36	Air actuator 2-pos high T, close mount:36 deg rotation	349.80
A4N4WE	4 port 2-pos valve, air actuated-4"so:1-32"25mm, 225C-400psi gas, N60	1256.80	AT362	Air actuator 2-pos high T, 2" standoff:36 deg rotation	349.80
A4N4WT	4 port 2-pos valve, air actuated-4"so:1-32"25mm, 350C-300psi gas, N60	1256.80	AT36S	Air actuator 2-pos high T, for standoff:36 deg rotation	293.90
A4N6WE	6 port 2-pos valve, air actuated-4"so:1-32"25mm, 225C-400psi gas, N60	1330.00	AT4	Air actuator 4 mpos high T, close mount:90 deg rotation	566.60
A4N6WWT	6 port 2-pos valve, air actuated-4"so:1-32"25mm, 350C-300psi gas, N60	1330.00	AT44	Air actuator 4 mpos high T, 4" standoff:90 deg rotation	566.60
A4N8WE	8 port 2-pos valve, air actuated-4"so:1-32"25mm, 225C-400psi gas, N60	1403.10	AT45	Air actuator 2-pos high T, close mount:45 deg rotation	349.80
A4N8WWT	8 port 2-pos valve, air actuated-4"so:1-32"25mm, 350C-300psi gas, N60	1403.10	AT452	Air actuator 2-pos, high T, 2" standoff:45 deg rotation	349.80
A4S	Air actuator 4 mpos, for standoff:90 deg rotation	510.70	AT45S	Air actuator 2-pos high T, for standoff:45 deg rotation	293.90
A4UW	4 port 2-pos valve, air actuated:1-8"75mm, 75C-5000psi liq, N60-H	1157.10	AT4S	Air actuator 4 mpos high T, for standoff:90 deg rotation	510.70
A4VL4MWE2	4 port 2-pos valve, MW, air act-4"so:1-4"4mm, 75C-100psi gas, N60-E2	1742.30	AT6	Air actuator 6 mpos high T, close mount:60 deg rotation	566.60
A4VL6MWE2	6 port 2-pos valve, MW, air act-4"so:1-4"4mm, 75C-100psi gas, N60-E2	1815.40	AT60	Air actuator 2-pos high T, close mount:60 deg rotation	349.80
A4VL8MWE2	8 port 2-pos valve, MW, air act-4"so:1-4"4mm, 75C-100psi gas, N60-E2	1888.60	AT602	Air actuator 2-pos, high T, 2" standoff:60 deg rotation	349.80
A6	Air actuator 6 mpos, close mount:60 deg rotation	566.60	AT60S	Air actuator 2-pos high T, for standoff:60 deg rotation	293.90
A60	Air actuator 2-pos, close mount:60 deg rotation	349.80	AT64	Air actuator 6 mpos high T, 4" standoff:60 deg rotation	566.60
A604	Air actuator 2-pos, 4" standoff:60 deg rotation	349.80	AT6S	Air actuator 6 mpos high T, for standoff:60 deg rotation	510.70
A60S	Air actuator 2-pos, for standoff:60 deg rotation	293.90	AT8	Air actuator 8 mpos high T, close mount:45 deg rotation	566.60
A62	Air actuator 6 mpos, 2" standoff:60 deg rotation	566.60	AT84	Air actuator 8 mpos high T, 4" standoff:45 deg rotation	566.60
A6S	Air actuator 6 mpos, for standoff:60 deg rotation	510.70	AT8S	Air actuator 8 mpos high T, for standoff:45 deg rotation	510.70
A6UW	6 port 2-pos valve, air actuated:1-8"75mm, 75C-5000psi liq, N60-H	1230.20	AT90	Air actuator 2-pos high T, close mount:90 deg rotation	349.80
A8	Air actuator 8 mpos, close mount:45 deg rotation	566.60	AT902	Air actuator 2-pos, high T, 2" standoff:90 deg rotation	349.80
A82	Air actuator 8 mpos, 2" standoff:45 deg rotation	566.60	AT90S	Air actuator 2-pos high T, for standoff:90 deg rotation	293.90
A8S	Air actuator 8 mpos, for standoff:45 deg rotation	510.70	BNV1	Micrometering needle valve, bulkhead, 2-225 ml-min:1-16"tube, 18"-45cm,	191.80
A8UW	8 port 2-pos valve, air actuated:1-8"75mm, 75C-5000psi liq, N60-H	1303.40	BNV1-D	Micrometering needle valve, bulkhead, 2-225 ml-min:1-16" tube, 18"-45cm	228.20
A90	Air actuator 2-pos, close mount:90 deg rotation	349.80	BNV1-KZ	Micrometering needle valve, bulkhead, 2-225 ml-min:1-16" tube, 18"-45c	251.40
A904	Air actuator 2-pos, 4" standoff:90 deg rotation	349.80	BNV1LF	Micrometering needle valve, bulkhead, 2-90 ml-min:1-16"tube, 18"-45cm,2	198.80
A90S	Air actuator 2-pos, for standoff:90 deg rotation	293.90	BNV1LF-D	Micrometering needle valve, bulkhead, 2-90 ml-min:1-16"tube, 18"-45cm,2	235.20
AC10UW	10 port 2-pos valve, air actuated:1-16"75mm, 75C-5000psi liq, N60-H	1303.40	BNV1LF-KZ	Micrometering needle valve, bulkhead, 2-90 ml-min:1-16"tube, 18"-45cm,2	259.30
AC10W	10 port 2-pos valve, air actuated:1-16"75mm, 75C-5000psi liq, N60-H	1236.90	C10UWE	10 port 2-pos valve, manual:1-16"75mm, 225C-400psi gas, N60-E	951.00
AC4UW	4 port 2-pos valve, air actuated:1-16"75mm, 75C-5000psi liq, N60-H	1157.10	C10W	10 port 2-pos valve, manual:1-16"4mm, 75C-5000psi liq, N60-H	951.00
AC4W	4 port 2-pos valve, air actuated:1-16"4mm, 75C-5000psi liq, N60-H	1090.60	C10WE	10 port 2-pos valve, manual:1-16"4mm, 225C-400psi gas, N60-E	951.00
AC6UW	6 port 2-pos valve, air actuated:1-16"75mm, 75C-5000psi liq, N60-H	1230.20	C1-10R6	Rotor seal 6 port 2-pos valve:1-16"25mm, 75C-5000psi liq, H	106.40
AC6W	6 port 2-pos valve, air actuated:1-16"4mm, 75C-5000psi liq, N60-H	1163.80	C1-13R6	Rotor seal 6 port 2-pos valve PAEK:1-16"25mm, 50C-5000psi liq, E	106.40
AC8UW	8 port 2-pos valve, air actuated:1-16"75mm, 75C-5000psi liq, N60-H	1303.40	C1-20R6	Rotor seal 6 port 2-pos valve:1-16"4mm, 75C-5000psi liq, H	106.40
AC8W	8 port 2-pos valve, air actuated:1-16"4mm, 75C-5000psi liq, N60-H	1236.90	C12-310	Rotor seal 10 port 2-pos C22-C22Z-valve:1-16"75mm tube, 75C-250psi li	73.50
AC14UW.2	4 port 2-pos int vol valve, air actuated:1-16"75mm, 75C-5000psi liq,	1223.60	C12-314	Rotor seal 4 port 2-pos C22-C22Z-valve:1-16"75mm tube, 75C-250psi liq	73.50
AC14UW.5	4 port 2-pos int vol valve, air actuated:1-16"75mm, 75C-5000psi liq,	1223.60	C12-316	Rotor seal 6 port 2-pos C22-C22Z-valve:1-16"75mm tube, 75C-250psi liq	73.50
AC14UW1	4 port 2-pos int vol valve, air actuated:1-16"75mm, 75C-5000psi liq,	1223.60	C12-318	Rotor seal 8 port 2-pos C22-C22Z-valve:1-16"75mm tube, 75C-250psi liq	73.50
AC14UW2	4 port 2-pos int vol valve, air actuated:1-16"75mm, 75C-5000psi liq,	1223.60	C1-23R6	Rotor seal 6 port 2-pos valve PAEK:1-16"4mm, 50C-5000psi liq, E	106.40
AC14W.06	4 port 2-pos int vol valve, air actuated:1-16"4mm, 75C-5000psi liq,	1157.10	C15-310	Rotor seal mpos dead-end path C15-C25Z-v:1-16"75mm, 75C-250psi liq, E	73.50
AC14W.1	4 port 2-pos int vol valve, air actuated:1-16"4mm, 75C-5000psi liq,	1157.10	C-1C00H	Stator 10 port 2-pos (180BC) C2-valve:1-16"25mm, N60	691.80
AC14W.2	4 port 2-pos int vol valve, air actuated:1-16"4mm, 75C-5000psi liq,	1157.10	C-1C04	Stator 4 port 2-pos C2-valve:1-16"25mm, N60	538.60
AC14W.5	4 port 2-pos int vol valve, air actuated:1-16"4mm, 75C-5000psi liq,	1157.10	C-1C06	Stator 6 port 2-pos C2-valve:1-16"25mm, N60	538.60
ACSD10UW	10 mpos dead-end path, air actuated:1-16"4mm, 75C-5000psi liq, N60-E	1675.80	C-1C08H	Stator 8 port 2-pos (180BC) C2-valve:1-16"25mm, N60	614.50
ACST4UW	4 mpos trapping path, air actuated:1-16"4mm, 75C-5000psi liq, N60-E	1609.30	C-1C30H	Stator 10 port 2-pos (180BC) C2-valve:1-16"25mm, Ti	1097.20
ACST6UW	6 mpos trapping path, air actuated:1-16"4mm, 75C-5000psi liq, N60-E	1682.40	C-1C34	Stator 4 port 2-pos C2-valve:1-16"25mm, Ti	943.00
AH2SC6MWE	6 mpos common outlet path, MW-air act high tor-2"so:1-16"1mm, 200C-200p	1848.70	C-1C		

VICI / VALCO Preislste in Euro, Stand Januar 2016

Table with 3 columns: Part Number, Description, and Price. It lists various industrial valves and seals, including models like C1CF1-2346, C2-1004, C2-1004A, etc., up to C25G-24528D.

VICI / VALCO Preislste in Euro, Stand Januar 2016

C25G-24528EMT	28 mpos dead-end path, m-electric :1-16".65mm, 50C-100psi liq, PEEK-M	2553.60	C2V-1006A	6 port 2-pos vv, air act. vert. port injection:1-16".25mm, 75C-5000ps	1210.30
C25G-24R20	Rotor seal mpos dead-end path C25G-valve :1-16".65mm tube, 50C-100psi	162.40	C2V-1006D	6 port 2-pos vv, replacement vert. port injection:1-16".25mm, 75C-5000	857.80
C25G-24R24	Rotor seal mpos dead-end path C25G-valve:1-16".65mm tube, 50C-100psi l	162.40	C2V-1006EH	6 port 2-pos vv, m-elect vert. port injection:1-16".25mm, 75C-5000psi	1895.20
C25G-2C520	Stator 20 mpos dead-end path valve :1-16".65mm, 50C-100psi liq, PEEK	665.00	C2V-1346	6 port 2-pos vv, manual vert. port injector:1-16".25mm, 50C-5000psi l	1017.40
C25G-2C524	Stator 24 mpos dead-end path valve:1-16".65mm, 50C-100psi liq, PEEK	744.80	C2V-1346A	6 port 2-pos vv, air act. vert. port injector:1-16".25mm, 50C-5000psi l	1369.90
C25G-2C528	Stator 28 mpos dead-end path valve :1-16".65mm, 50C-100psi liq, PEEK	784.70	C2V-1346D	6 port 2-pos vv, air replacement vert. port injector:1-16".25mm, 50C-5000	1017.40
C25Z-3180A	10 mpos dead-end path, air actuated:1-16".75mm, 75C-250psi liq, PPS-E2	1077.30	C2V-1346EH	6 port 2-pos vv, m-elect vert. port injector:1-16".25mm, 50C-5000psi	2054.80
C25Z-3180D	10 mpos dead-end path, replacement:1-16".75mm, 75C-250psi liq, PPS-E2	512.00	C2V-1C06	Stator 6 port 2-pos C2-valve, vertical:1-16".25mm, N60	614.50
C25Z-3180EMH	10 mpos dead-end path, m-electric:1-16".75mm, 75C-250psi liq, PPS-E2	1868.60	C2V-1C46	Stator 6 port 2-pos C2-valve, vertical:1-16".25mm, PAEK	768.70
C25Z-3181A	14 mpos dead-end path, manual:1-16".75mm, 75C-250psi liq, PPS-E2	658.40	C2V-2006	6 port 2-pos vv, manual vert. port injector:1-16".4mm, 75C-5000psi li	638.40
C25Z-31814A	OBSOLETE:	00	C2V-2006A	6 port 2-pos vv, air act. vert. port injector:1-16".4mm, 75C-5000psi	990.80
C25Z-31814D	14 mpos dead-end path, replacement:1-16".75mm, 75C-250psi liq, PPS-E2	658.40	C2V-2006D	6 port 2-pos vv, replacement vert. port injector:1-16".4mm, 75C-5000p	638.40
C25Z-31814EMH	14 mpos dead-end path, m-electric:1-16".75mm, 75C-250psi liq, PPS-E2	2015.00	C2V-2006EH	6 port 2-pos vv, m-elect vert. port injector:1-16".4mm, 75C-5000psi l	1675.80
C25Z-3186	6 mpos dead-end path, manual:1-16".75mm, 75C-250psi liq, PPS-E2	425.60	C2V-2346	6 port 2-pos vv, manual vert. port injector:1-16".4mm, 50C-5000psi li	798.00
C25Z-3186A	6 mpos dead-end path, air actuated:1-16".75mm, 75C-250psi liq, PPS-E2	990.80	C2V-2346A	6 port 2-pos vv, air act. vert. port injector:1-16".4mm, 50C-5000psi	1150.40
C25Z-3186D	6 mpos dead-end path, replacement:1-16".75mm, 75C-250psi liq, PPS-E2	425.60	C2V-2346D	6 port 2-pos vv, replacement vert. port injector:1-16".4mm, 50C-5000p	798.00
C25Z-3186EMH	6 mpos dead-end path, m-electric:1-16".75mm, 75C-250psi liq, PPS-E2	1782.20	C2V-2346EH	6 port 2-pos vv, m-elect vert. port injector:1-16".4mm, 50C-5000psi l	1835.40
C25Z-3188	8 mpos dead-end path, manual:1-16".75mm, 75C-250psi liq, PPS-E2	478.80	C2V-2C06	Stator 6 port 2-pos C2-valve, vertical:1-16".4mm, N60	384.40
C25Z-3188A	8 mpos dead-end path, air actuated:1-16".75mm, 75C-250psi liq, PPS-E2	1044.00	C2V-2C46	Stator 6 port 2-pos C2-valve, vertical:1-16".4mm, PAEK	538.60
C25Z-3188D	8 mpos dead-end path, replacement:1-16".75mm, 75C-250psi liq, PPS-E2	478.80	C3-1006	6 port 2-pos valve, manual:1-16".25mm, 75C-5000psi liq, N60-H	857.80
C25Z-3188EMH	8 mpos dead-end path, m-electric:1-16".75mm, 75C-250psi liq, PPS-E2	1835.40	C3-1006A	6 port 2-pos valve, air act:1-16".25mm, 75C-5000psi liq, N60-H	1210.30
C25Z-325	Rotor seal 14 mpos dead-end path C25Z:1-16".75mm tube, 75C-250psi liq,	73.50	C3-1006D	6 port 2-pos valve, replacement:1-16".25mm, 75C-5000psi liq, N60-H	857.80
C25Z-380	Stator 10 mpos dead-end path valve:1-16".75mm, 75C-250psi liq, PPS	335.20	C3-1006EH	6 port 2-pos valve, m-elect:1-16".25mm, 75C-5000psi liq, N60-H	1895.20
C25Z-38-14	Stator 14 mpos dead-end path valve:1-16".75mm, 75C-250psi liq, PPS	489.40	C3-1346	6 port 2-pos valve, manual:1-16".25mm, 50C-5000psi liq, PAEK-E	1017.40
C25Z-386	Stator 6 mpos dead-end path valve:1-16".75mm, 75C-250psi liq, PPS	251.40	C3-1346A	6 port 2-pos valve, air act:1-16".25mm, 50C-5000psi liq, PAEK-E	1369.90
C25Z-388	Stator 8 mpos dead-end path valve:1-16".75mm, 75C-250psi liq, PPS	307.20	C3-1346D	6 port 2-pos valve, replacement:1-16".25mm, 50C-5000psi liq, PAEK-E	1017.40
C-261	Syringe fitting assy, head knurled:C1, PEEK-TFE	57.40	C3-1346EH	6 port 2-pos valve, m-elect:1-16".25mm, 50C-5000psi liq, PAEK-E	2054.80
C-2C00H	Stator 10 port 2-pos (180BC) C2-valve:1-16".4mm, N60	461.50	C3-1C06	Stator 6 port 2-pos C3-valve:1-16".25mm, N60	614.50
C-2C04	Stator 4 port 2-pos C2-valve:1-16".4mm, N60	307.20	C3-1C46	Stator 6 port 2-pos C3-valve:1-16".25mm, PAEK	768.70
C-2C06	Stator 6 port 2-pos C2-valve:1-16".4mm, N60	307.20	C3-2006	6 port 2-pos valve, manual:1-16".4mm, 75C-5000psi liq, N60-H	638.40
C-2C08H	Stator 8 port 2-pos (180BC) C2-valve:1-16".4mm, N60	384.40	C3-2006A	6 port 2-pos valve, air actuated:1-16".4mm, 75C-5000psi liq, N60-H	990.80
C-2C30H	Stator 10 port 2-pos (180BC) C2-valve:1-16".4mm, Titanium	865.80	C3-2006D	6 port 2-pos valve, replacement:1-16".4mm, 75C-5000psi liq, N60-H	638.40
C-2C34	Stator 4 port 2-pos C2-valve:1-16".4mm, Titanium	712.90	C3-2006EH	6 port 2-pos valve, m-elect:1-16".4mm, 75C-5000psi liq, N60-H	1675.80
C-2C36	Stator 6 port 2-pos C1-C2-valve:1-16".4mm, Titanium	712.90	C3-2346	6 port 2-pos valve, manual:1-16".4mm, 50C-5000psi liq, PAEK-E	798.00
C-2C38H	Stator 8 port 2-pos (180BC) C2-valve:1-16".4mm, (180 BC), Titanium	790.00	C3-2346A	6 port 2-pos valve, air actuated:1-16".4mm, 50C-5000psi liq, PAEK-E	1150.40
C-2C40H	Stator 10 port 2-pos (180BC) C2-valve:1-16".4mm, PAEK	614.50	C3-2346D	6 port 2-pos valve, replacement:1-16".4mm, 50C-5000psi liq, PAEK-E	798.00
C-2C44	Stator 4 port 2-pos C2-valve:1-16".4mm, PAEK	461.50	C3-2346EH	6 port 2-pos valve, m-elect:1-16".4mm, 50C-5000psi liq, PAEK-E	1835.40
C-2C46	Stator 6 port 2-pos C1-C2-valve:1-16".4mm, PAEK	461.50	C3-2C06	Stator 6 port 2-pos C3-valve:1-16".4mm, N60	384.40
C-2C48H	Stator 8 port 2-pos (180BC) C2-valve:1-16".4mm, (180 BC), PAEK	538.60	C3-2C46	Stator 6 port 2-pos C3-valve:1-16".4mm, PAEK	538.60
C2H-1000	10 port 2-pos valve, (180BC) manual:1-16".25mm, 75C-5000psi liq, N60	931.00	C360C	Cap, 360um, for metal tubing,SS, nut included	29.40
C2H-1000A	10 port 2-pos valve, (180BC) air actuated:1-16".25mm, 75C-5000psi li	1283.40	C360CFS	Cap, 360um, for fused silica tubing,SS, nut included	47.00
C2H-1000D	10 port 2-pos valve, (180BC) replacement:1-16".25mm, 75C-5000psi liq	931.00	C360CPK	Cap, 360um:PEEK	17.80
C2H-1000EH	10 port 2-pos valve, (180BC) m-electric:1-16".25mm, 75C-5000psi liq,	1968.40	C360ET	Make up extender tool:for 360um nuts	14.70
C2H-1008	8 port 2-pos valve, (180BC) manual:1-16".25mm, 75C-5000psi liq, N60-H	857.80	C360EZR.5XC	auf Anfrage:Ext-int. reducing union 1-32 to 360um :150um bore, SS	
C2H-1008A	8 port 2-pos valve, (180BC) air actuated:1-16".25mm, 75C-5000psi liq,	1210.30	C360ZR.5TS6	Internal reducer 1-32"360um:38mm bore, SS316 for metal tubing	58.80
C2H-1008D	8 port 2-pos valve, (180BC) replacement:1-16".25mm, 75C-5000psi liq,	857.80	C360ZR.5TS6FS	Internal reducer 1-32"360um:38mm bore, SS-gold plated Ni for FS tubin	67.60
C2H-1008EH	8 port 2-pos valve, (180BC) m-electric:1-16".25mm, 75C-5000psi liq, N	1895.20	C360ZR.5TS6PK	Internal reducer 1-32"360um:38mm bore, PEEK-glass filled PEEK for PEE	69.20
C2H-1030	10 port 2-pos valve, (180BC) manual:1-16".25mm, 75C-5000psi liq, T-H	1336.60	C360ZR1S6	Internal reducer 1-16"360um:38mm bore, SS316 for metal tubing	69.20
C2H-1030A	10 port 2-pos valve, (180BC) air actuated:1-16".25mm, 75C-5000psi liq	1689.10	C360ZR1S6AL	Internal reducer 1-16"360um:38mm bore, SS-aluminum for FS tubing	72.10
C2H-1030D	10 port 2-pos valve, (180BC) replacement:1-16".25mm, 75C-5000psi liq,	1336.60	C360ZR1S6FS	Internal reducer 1-16"360um:38mm bore, SS, for FS tubing	72.10
C2H-1030EH	10 port 2-pos valve, (180BC) m-electric:1-16".25mm, 75C-5000psi liq,	2374.00	C360ZR1S6PK	Internal reducer 1-16"360um:38mm bore, PEEK-glass filled PEEK for PEE	69.20
C2H-1038	8 port 2-pos valve, (180BC) manual:1-16".25mm, 75C-5000psi liq, T-H	1263.50	C360NFFS	Nut, 360um, No Twist, SS-gold plated Ni Ferrule:for FS tubing (for > 10	35.30
C2H-1038A	8 port 2-pos valve, (180BC) air actuated:1-16".25mm, 75C-5000psi liq,	1615.90	C360NFPK	Nut, 360um, No Twist, PEEK:with PEEK ferrule	17.60
C2H-1038D	8 port 2-pos valve, (180BC) replacement:1-16".25mm, 75C-5000psi liq,	1263.50	C360NFS6	Nut, 360um, No Twist, SS:with 316 ferrule	17.80
C2H-1038EH	8 port 2-pos valve, (180BC) m-electric:1-16".25mm, 75C-5000psi liq, T	2300.90	C360PPK	Plug, 360um:	14.70
C2H-1340	10 port 2-pos valve, (180BC) manual:1-16".25mm, 50C-5000psi liq, PAEK	1090.60	C360QTPK2	Tea, 360um, quick mount, 50um bore:for PEEK and FS Tubing (for < 10 kp	130.20
C2H-1340A	10 port 2-pos valve, (180BC) air actuator:1-16".25mm, 50C-5000psi liq,	1443.00	C360QTPK4	Tea, 360um, quick mount, 100um bore:for PEEK and FS Tubing (for < 10 k	121.80
C2H-1340D	10 port 2-pos valve, (180BC) replacement:1-16".25mm, 50C-5000psi liq,	1090.60	C360QTPK6	Tea, 360um, quick mount, 150um bore:for PEEK and FS Tubing (for < 10 k	112.00
C2H-1340EH	10 port 2-pos valve, (180BC) m-electric:1-16".25mm, 50C-5000psi liq,	2128.00	C360QTPK62	OBSOLETE, REPLACED BY C360QTPK2:	00
C2H-1348	8 port 2-pos valve, (180BC) manual:1-16".25mm, 50C-5000psi liq, PAEK-	1017.40	C360QUPK2	OBSOLETE, REPLACED BY C360QUPK2:	00
C2H-1348A	8 port 2-pos valve, (180BC) air actuated:1-16".25mm, 50C-5000psi liq,	1369.90	C360QUPK4	OBSOLETE, REPLACED BY C360QUPK4:	00
C2H-1348D	8 port 2-pos valve, (180BC) replacement:1-16".25mm, 50C-5000psi liq,	1017.40	C360QUPK6	OBSOLETE, REPLACED BY C360QUPK6:	00
C2H-1348EH	8 port 2-pos valve, (180BC) m-electric:1-16".25mm, 50C-5000psi liq, P	2054.80	C360QXPK2	Cross, 360um, quick mount, 50um bore:for PEEK and FS Tubing (for < 10	156.80
C2H-2000	10 port 2-pos valve, (180BC) manual:1-16".4mm, 75C-5000psi liq, N60-H	711.60	C360QXPK4	Cross, 360um, quick mount, 100um bore:for PEEK and FS Tubing (for < 10	147.00
C2H-2000A	10 port 2-pos valve, (180BC) air act:1-16".4mm, 75C-5000psi liq, N60	1064.00	C360QXPK6	Cross, 360um, quick mount, 150um bore:for PEEK and FS Tubing (for < 10	138.60
C2H-2000D	10 port 2-pos valve, (180BC) replacement:1-16".4mm, 75C-5000psi liq,	711.60	C360RU.5FS2	Reducing union 1-32" to 360um, SS:50um bore, for FS tubing (for > 10 k	106.40
C2H-2000EH	10 port 2-pos valve, (180BC) m-electric:1-16".4mm, 75C-5000psi liq, N	1749.00	C360RU.5FS4	Reducing union 1-32" to 360um, SS:100um bore, for FS tubing (for > 10	100.00
C2H-2008	8 port 2-pos valve, (180BC) manual:1-16".4mm, 75C-5000psi liq, N60-H	638.40	C360RU.5FS6	Reducing union 1-32" to 360um, SS:150um bore, for FS tubing (for > 10	94.10
C2H-2008A	8 port 2-pos valve, (180BC) air act:1-16".4mm, 75C-5000psi liq, N60-	990.80	C360RU.5S62	Reducing union 1-32" to 360um, SS316:50um bore, for metal tubing (up t	70.60
C2H-2008D	8 port 2-pos valve, (180BC) replacement:1-16".4mm, 75C-5000psi liq, N	638.40	C360RU.5S64	Reducing union 1-32" to 360um, SS:100um bore, for metal tubing (up to 2 k	64.70
C2H-2008EH	8 port 2-pos valve, (180BC) m-elect:1-16".4mm, 75C-5000psi liq, N60-H	1675.80	C360RU.5S66	Reducing union 1-32" to 360um, SS316:150um bore, for metal tubing (up	58.80
C2H-2030	10 port 2-pos valve, (180BC) manual:1-16".4mm, 75C-5000psi liq, T-H	1117.20	C360RU1FS6	Reducing union 1-16" to 360um, SS:150um bore, for FS tubing (for > 10	88.20
C2H-2030A	10 port 2-pos valve, (180BC) air act:1-16".4mm, 75C-5000psi liq, T-H	1469.60	C360RU1PK6	Reducing union 1-16" to 360um, PEEK:150um bore, for PEEK+FS tubing (fo	47.00
C2H-2030D	10 port 2-pos valve, (180BC) replacement:1-16".4mm, 75C-5000psi liq,	1117.20	C360RU1S66	Reducing union 1-16" to 360um, SS316:150um bore, for metal tubing (up	52.90
C2H-2030EH	10 port 2-pos valve, (180BC) m-electric:1-16".4mm, 75C-5000psi liq, T	2154.60	C360UFS2	Union, 360um, 50um bore, SS:for FS tubing (for > 10 kpsi)	124.60
C2H-2038	8 port 2-pos valve, (180BC) manual:1-16".4mm, 75C-5000psi liq, T-H	1044.00	C360UFS4	Union, 360um, 100um bore, SS:for FS tubing (for > 10 kpsi)	117.60
C2H-2038A	8 port 2-pos valve, (180BC) air act:1-16".4mm, 75C-5000psi liq, T-H	1396.50	C360UFS6	Union, 360um, 150um bore, SS:for FS tubing (for > 10 kpsi)	112.00
C2H-2038D	8 port 2-pos valve, (180BC) replacement:1-16".4mm, 75C-5000psi liq,	1044.00	C360UPK2	Union, 360um, 50um bore, PEEK:for PEEK and FS tubing (for < 10 kpsi)	76.40
C2H-2038EH	8 port 2-pos valve, (180BC) m-electric:1-16".4mm, 75C-5000psi liq, T	2081.40	C360UPK4	Union, 360um, 100um bore, PEEK:for PEEK and FS tubing (for < 10 kpsi)	70.60
C2H-2340	10 port 2-pos valve, (180BC) manual:1-16".4mm, 50C-5000psi liq, PAEK-	871.20	C360UPK6	Union, 360um, 150um bore, PEEK:for PEEK and FS tubing (for < 10 kpsi)	64.70
C2H-2340A	10 port 2-pos valve, (180BC) air act:1-16".4mm, 50C-5000psi liq, PAEK	1223.60	C360UPK64	OBSOLETE, replaced by C360UPK6:	00
C2H-2340D	10 port 2-pos valve, (180BC) replacement:1-16".4mm, 50C-5000psi liq,	871.20	C360US62	Union, 360um, 50um bore, SS316:for metal tubing (up to 20 kpsi)	88.20
C2H-2340EH	10 port 2-pos valve, (180BC) m-electric:1-16".4mm, 50C-5000psi liq, P	1908.60	C360US64	Union, 360um, 100um bore, SS316:for metal tubing (up to 20 kpsi)	82.30
C2H-2348	8 port 2-pos valve, (180BC) manual:1-16".4mm, 50C-5000psi liq, PAEK-E	798.00	C360US66	Union, 360um, 150um bore, SS316:for metal tubing (up to 20 kpsi)	76.40
C2H-2348A	8 port 2-pos valve, (180BC) air act:1-16".4mm, 50C-5000psi liq, PAEK	1150.40	C4-0004-01	4 port 2-pos int vol valve, manual:1-16".15mm, 75C-5000psi liq, 01ul	997.50
C2H-2348D	8 port 2-pos valve, (180BC) replacement:1-16".4mm, 50C-5000psi liq, P	798.00	C4-0004-01A	4 port 2-pos int vol valve, air actuated:1-16".15mm, 75C-5000psi liq,	1350.00
C2H-2348EH	8 port 2-pos valve, (180BC) m-elect:1-16".4mm, 50C-5000psi liq, PAEK	1835.40	C4-0004-01D	4 port 2-pos int vol valve, replacement:1-16".15mm, 75C-5000psi liq,	997.50
C2N-4000	10 port 2-pos valve, manual :1-32".10mm, 75C-5000psi liq, N60-H	1443.00	C4-0004-01EH	4 port 2-pos int vol valve, m-electric:1-16".15mm, 75C-5000psi liq, 0	2034.90
C2N-4000D	10 port 2-pos valve, replacement :1-32".10mm, 75C-5000psi liq, N60-H	1443.00	C4-0004-02	4 port 2-pos int vol valve, manual:1-16".15mm, 75C-5000psi liq, 02ul	997.50
C2N-4000EH	6 port 2-pos valve, m-electric :1-32".10mm, 75C-5000psi liq, N60-H	2334.20	C4-0004-02A	4 port 2-pos int vol valve, air actuated:1-16".15mm, 75C-5000psi liq,	1350.00
C2N-4006	6 port 2-pos valve, manual :1-32".10mm, 75C-5000psi liq, N60-H	1296.80	C4-0004-02D	4 port 2-pos int vol valve, replacement:1-16".15mm, 75C-5000psi liq,	99

VICI / VALCO Preislste in Euro, Stand Januar 2016

C4-0344-05A	4 port 2-pos int vol valve, air actuated:1-16".15mm, 50C-5000psi liq,	1509.60	C5-2006	6 mpos dead-end path, manual:1-16".4mm, 75C-5000psi liq, N60-H	678.30
C4-0344-05D	4 port 2-pos int vol valve, replacement:1-16".15mm, 50C-5000psi liq,	1157.10	C5-2006A	6 mpos dead-end path, air act:1-16".4mm, 75C-5000psi liq, N60-H	1243.60
C4-0344-05EH	4 port 2-pos int vol valve, m-electric:1-16".15mm, 50C-5000psi liq, 0	2194.50	C5-2006D	6 mpos dead-end path, replacement:1-16".4mm, 75C-5000psi liq, N60-H	678.30
C4-03R-01	Rotor seal 4 port 2-pos int vol valve:1-16".15mm, 50C-5000psi liq, 01	121.80	C5-2006EMH	6 mpos dead-end path, m-elect:1-16".4mm, 75C-5000psi liq, N60-H	2034.90
C4-03R-02	Rotor seal 4 port 2-pos int vol valve:1-16".15mm, 50C-5000psi liq, 02	121.80	C5-2006EMTD	6 mpos dead-end path, m-elect dual drive:1-16".4mm, 75C-5000psi liq, N	3431.40
C4-03R-05	Rotor seal 4 port 2-pos int vol valve:1-16".15mm, 50C-5000psi liq, 05	121.80	C5-2006E	4 mpos dead-end path, manual:1-16".4mm, 75C-5000psi liq, T-H	1084.00
C4-0C0	Stator 4 port 2-pos int vol C4-valve:1-16".15mm, N60	768.70	C5-2034A	4 mpos dead-end path, air act:1-16".4mm, 75C-5000psi liq, T-H	1649.20
C4-1004-1	4 port 2-pos int vol valve, manual:1-16".25mm, 75C-5000psi liq, 1ul,	778.00	C5-2034D	4 mpos dead-end path, replacement:1-16".4mm, 75C-5000psi liq, T-H	1084.00
C4-1004-1A	4 port 2-pos int vol valve, air act:1-16".25mm, 75C-5000psi liq, 1ul,	1130.50	C5-2034EMH	4 mpos dead-end path, m-elect:1-16".4mm, 75C-5000psi liq, T-H	2440.50
C4-1004-1D	4 port 2-pos int vol valve, replacement:1-16".25mm, 75C-5000psi liq,	778.00	C5-2036	6 mpos dead-end path, manual:1-16".4mm, 75C-5000psi liq, T-H	1084.00
C4-1004-1EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 75C-5000psi liq, 1ul,	1815.40	C5-2036A	6 mpos dead-end path, air act:1-16".4mm, 75C-5000psi liq, T-H	1649.20
C4-1004-2	4 port 2-pos int vol valve, manual:1-16".25mm, 75C-5000psi liq, 2ul,	778.00	C5-2036D	6 mpos dead-end path, replacement:1-16".4mm, 75C-5000psi liq, T-H	1084.00
C4-1004-2A	4 port 2-pos int vol valve, air act:1-16".25mm, 75C-5000psi liq, 2ul,	1130.50	C5-2036EMH	6 mpos dead-end path, m-elect:1-16".4mm, 75C-5000psi liq, T-H	2440.50
C4-1004-2D	4 port 2-pos int vol valve, replacement:1-16".25mm, 75C-5000psi liq,	778.00	C5-20R0H	Rotor seal 10 mpos (180BC) dead-end path valve:1-16".4mm, 75C-5000psi	106.40
C4-1004-2EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 75C-5000psi liq, 2ul,	1815.40	C5-20R4	Rotor seal 4 mpos dead-end path valve:1-16".4mm, 75C-5000psi liq, H	106.40
C4-1004-5	4 port 2-pos int vol valve, manual:1-16".25mm, 75C-5000psi liq, 5ul,	778.00	C5-20R6	Rotor seal 6 mpos dead-end path valve:1-16".4mm, 75C-5000psi liq, H	106.40
C4-1004-5A	4 port 2-pos int vol valve, air act:1-16".25mm, 75C-5000psi liq, 5ul,	1130.50	C5-20R8H	Rotor seal 8 mpos (180BC) dead-end path valve:1-16".4mm, 75C-5000psi	106.40
C4-1004-5D	4 port 2-pos int vol valve, replacement:1-16".25mm, 75C-5000psi liq,	778.00	C5-21000I	10 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1409.80
C4-1004-5EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 75C-5000psi liq, 5ul,	1815.40	C5-21000I-S	10 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1210.30
C4-1034-1	4 port 2-pos int vol valve, manual:1-16".25mm, 75C-5000psi liq, 1ul,	1183.70	C5-21000IX	10 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	1143.80
C4-1034-1A	4 port 2-pos int vol valve, air act:1-16".25mm, 75C-5000psi liq, 1ul,	1536.10	C5-21004I	4 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1263.50
C4-1034-1D	4 port 2-pos int vol valve, replacement:1-16".25mm, 75C-5000psi liq,	1183.70	C5-21004I-S	4 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1064.00
C4-1034-1EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 75C-5000psi liq, 1ul,	2221.10	C5-21004IX	4 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	997.50
C4-1034-2	4 port 2-pos int vol valve, manual:1-16".25mm, 75C-5000psi liq, 2ul,	1183.70	C5-21006I	6 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1263.50
C4-1034-2A	4 port 2-pos int vol valve, air act:1-16".25mm, 75C-5000psi liq, 2ul,	1536.10	C5-21006I-S	6 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1064.00
C4-1034-2D	4 port 2-pos int vol valve, replacement:1-16".25mm, 75C-5000psi liq,	1183.70	C5-21006IX	6 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	997.50
C4-1034-2EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 75C-5000psi liq, 2ul,	2221.10	C5-21008I	8 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1336.60
C4-1034-5	4 port 2-pos int vol valve, manual:1-16".25mm, 75C-5000psi liq, 5ul,	1183.70	C5-21008I-S	8 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1137.10
C4-1034-5A	4 port 2-pos int vol valve, air act:1-16".25mm, 75C-5000psi liq, 5ul,	1536.10	C5-21008IX	8 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	1070.60
C4-1034-5D	4 port 2-pos int vol valve, replacement:1-16".25mm, 75C-5000psi liq,	1183.70	C5-21340I	10 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1569.40
C4-1034-5EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 75C-5000psi liq, 5ul,	2221.10	C5-21340I-S	10 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1369.90
C4-10R-1	Rotor seal 4 port 2-pos int vol valve:1-16".25mm, 75C-5000psi liq, 1u	106.40	C5-21340IX	10 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	1303.40
C4-10R-2	Rotor seal 4 port 2-pos int vol valve:1-16".25mm, 75C-5000psi liq, 2u	106.40	C5-21344I	4 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1423.10
C4-10R-5	Rotor seal 4 port 2-pos int vol valve:1-16".25mm, 75C-5000psi liq, 5u	106.40	C5-21344I-S	4 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1223.60
C4-1344-1	4 port 2-pos int vol valve, manual:1-16".25mm, 50C-5000psi liq, 1ul, P	937.60	C5-21344IX	4 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	1157.10
C4-1344-1A	4 port 2-pos int vol valve, air act:1-16".25mm, 50C-5000psi liq, 1ul,	1290.10	C5-21346I	6 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1423.10
C4-1344-1D	4 port 2-pos int vol valve, replacement:1-16".25mm, 50C-5000psi liq, 1	937.60	C5-21346I-S	6 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1223.60
C4-1344-1EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 50C-5000psi liq, 1ul,	1975.00	C5-21346IX	6 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	1157.10
C4-1344-2	4 port 2-pos int vol valve, manual:1-16".25mm, 50C-5000psi liq, 2ul, P	937.60	C5-21348I	8 port 2-pos valve, motor, sensor, controller:1-16".25mm, 40C-5000psi	1496.20
C4-1344-2A	4 port 2-pos int vol valve, air act:1-16".25mm, 50C-5000psi liq, 2ul,	1290.10	C5-21348I-S	8 port 2-pos valve, motor, sensor:1-16".25mm, 40C-5000psi liq, N60-H	1296.80
C4-1344-2D	4 port 2-pos int vol valve, replacement:1-16".25mm, 50C-5000psi liq, 2	937.60	C5-21348IX	8 port 2-pos valve, motor only:1-16".25mm, 40C-5000psi liq, N60-H	1230.20
C4-1344-2EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 50C-5000psi liq, 2ul,	1975.00	C5-21C00	Stator 10 port 2-pos C52-valve:1-16".25mm, (180), N60	691.60
C4-1344-5	4 port 2-pos int vol valve, manual:1-16".25mm, 50C-5000psi liq, 5ul, P	937.60	C5-21C04	Stator 4 port 2-pos C52-valve:1-16".25mm, (180), N60	538.60
C4-1344-5A	4 port 2-pos int vol valve, air act:1-16".25mm, 50C-5000psi liq, 5ul,	1290.10	C5-21C06	Stator 6 port 2-pos C52-valve:1-16".25mm, N60	538.60
C4-1344-5D	4 port 2-pos int vol valve, replacement:1-16".25mm, 50C-5000psi liq, 5	937.60	C5-21C08	Stator 8 port 2-pos C52-valve:1-16".25mm, (180), N60	614.50
C4-1344-5EH	4 port 2-pos int vol valve, m-elect:1-16".25mm, 50C-5000psi liq, 5ul,	1975.00	C5-21C40	Stator 10 port, 2-pos C52-valve:1-16".25mm, (180), E3	845.90
C4-13R-1	Rotor seal 4 port 2-pos int vol valve:1-16".25mm, 50C-5000psi liq, 1u	106.40	C5-21C44	Stator 4 port, 2-pos C52-valve:1-16".25mm, (100), E3	691.60
C4-13R-2	Rotor seal 4 port 2-pos int vol valve:1-16".25mm, 50C-5000psi liq, 2u	106.40	C5-21C46	Stator 6 port, 2-pos C52-valve:1-16".25mm, (100), E3	691.60
C4-13R-5	Rotor seal 4 port 2-pos int vol valve:1-16".25mm, 50C-5000psi liq, 5u	106.40	C5-21C48	Stator 8 port, 2-pos C52-valve:1-16".25mm, (100), E3	768.70
C4-1C0	Stator 4 port 2-pos int vol C4-valve:1-16".25mm, N60	538.60	C5-22000I	10 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi	1210.30
C4-1C3	Stator 4 port 2-pos int vol C4-valve:1-16".25mm, Titanium	943.00	C5-22000I-S	10 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	1010.80
C4-1C4	Stator 4 port 2-pos int vol C4-valve:1-16".25mm, PAEK	691.60	C5-22000IX	10 port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	944.30
C42R-9144	4 port 2-pos valve, manual:1-2".20".4.6mm, 50C-250psi liq, PEEK-E2	658.40	C5-22004I	4 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi l	1064.00
C42R-9144D	4 port 2-pos valve, replacement:1-2".20".4.6mm, 50C-250psi liq, PEEK-E2	658.40	C5-22004I-S	4port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	864.50
C42R-9144EUTA	4 port 2-pos valve, u-elect, RS232-485:1-2".20".4.6mm, 50C-250psi liq,	1862.00	C5-22004IX	4port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	798.00
C42R-9146	6 port 2-pos valve, manual:1-2".20".3.9mm, 50C-250psi liq, PEEK-E2	731.50	C5-22006I	6 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi l	1064.00
C42R-9146D	6 port 2-pos valve, replacement:1-2".20".3.9mm, 50C-250psi liq, PEEK-E2	731.50	C5-22006I-S	6 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	864.50
C42R-9146EUTA	6 port 2-pos valve, u-elect, RS232-485:1-2".20".3.9mm, 50C-250psi liq,	1935.20	C5-22006IX	6port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	798.00
C45-9784A	OBSOLETE,	1303.40	C5-22008I	8 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi l	1137.10
C45-9784D	OBSOLETE, replaced by C45R-9144D:	738.20	C5-22008I-S	8 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	937.60
C45-9784EMT	OBSOLETE, replaced by C45R-9144EUTA:	.00	C5-22008IX	8port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	871.20
C45-9786A	OBSOLETE:	.00	C5-22340I	10 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi	1369.90
C45-9786D	OBSOLETE, replaced by C45R-9146D:	811.30	C5-22340I-S	10 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	1170.40
C45-9786EMT	OBSOLETE, replaced by C45R-9146EUTA:	.00	C5-22340IX	10 port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	1103.90
C45-97R4	Rotor 4 mpos, C45-valve:1-2".20".4.6mm, 50C-100psi liq, TF	162.40	C5-22344I	4 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi l	1223.60
C45-97R6	Rotor 6 mpos, C45-valve:1-2".20".4.6mm, 50C-100psi liq, TF	162.40	C5-22344I-S	4 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	1024.10
C45R-8148	auf Anfrage:8 mpos dead-end path, manual:1-2".20".2.8mm, 50C-250psi liq,	.00	C5-22344IX	4 port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	957.60
C45R-8148D	8 mpos dead-end path, replacement:1-2".20".2.8mm, 50C-250psi liq, PEEK-	897.80	C5-22346I	6 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi l	1223.60
C45R-8148EUTA	8 mpos dead-end path, u-elect, RS232-485:1-2".20".2.8mm, 50C-250psi liq,	2088.10	C5-22346I-S	6 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	1024.10
C45R-9144	auf Anfrage:4 mpos dead-end path, manual:1-2".20".4.6mm, 50C-250psi liq,	.00	C5-22346IX	6 port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	957.60
C45R-9144D	4 mpos dead-end path, replacement:1-2".20".4.6mm, 50C-250psi liq, PEEK-	738.20	C5-22348I	8 port 2-pos valve, motor, sensor, controller:1-16".4mm, 40C-5000psi l	1296.80
C45R-9144EUTA	4 mpos dead-end path, u-elect, RS232-485:1-2".20".4.6mm, 50C-250psi liq,	1941.80	C5-22348I-S	8 port 2-pos valve, motor, sensor:1-16".4mm, 40C-5000psi liq, N60-H	1097.20
C45R-9146	auf Anfrage:6 mpos dead-end path, manual:1-2".20".3.9mm, 50C-250psi liq,	.00	C5-22348IX	8 port 2-pos valve, motor only:1-16".4mm, 40C-5000psi liq, N60-H	1030.80
C45R-9146D	6 mpos dead-end path, replacement:1-2".20".3.9mm, 50C-250psi liq, PEEK-	811.30	C5-22C00	Stator 10 port 2-pos C52-valve:1-16".4mm, N60	461.50
C45R-9146EUTA	6 mpos dead-end path, u-elect, RS232-485:1-2".20".3.9mm, 50C-250psi liq,	2015.00	C5-22C04	Stator 4 port 2-pos C52-valve:1-16".4mm, N60	307.20
C4N-4004-004	4 port 2-pos int vol valve, manual :1-32".10mm, 75C-5000psi liq, 004	1290.10	C5-22C06	Stator 6 port 2-pos C52-valve:1-16".4mm, N60	307.20
C4N-4004-004D	4 port 2-pos int vol valve, replacement :1-32".10mm, 75C-5000psi liq,	1290.10	C5-22C08	Stator 8 port 2-pos C52-valve:1-16".4mm, N60	384.40
C4N-4004-004EH	4 port 2-pos int vol valve, m-electric :1-32".10mm, 75C-5000psi liq,	2327.50	C5-22C40	Stator 10 port, 2-pos C52-valve:1-16".4mm,(BC 180) PAEK	614.50
C4N-4004-01	4 port 2-pos int vol valve, manual:1-32".10mm, 75C-5000psi liq, 01ul,	1290.10	C5-22C44	Stator 4 port, 2-pos C52-valve:1-16".4mm, PAEK	461.50
C4N-4004-01D	4 port 2-pos int vol valve, replacement :1-32".10mm, 75C-5000psi liq,	1290.10	C5-22C46	Stator 6 port, 2-pos C52-valve:1-16".4mm, PAEK	461.50
C4N-4004-01EH	4 port 2-pos int vol valve, m-electric :1-32".10mm, 75C-5000psi liq,	2327.50	C5-22C48	Stator 8 port, 2-pos C52-valve:1-16".4mm, PAEK	538.60
C4N-4004-02	4 port 2-pos int vol valve, manual:1-32".10mm, 75C-5000psi liq, 02ul,	1290.10	C5-2344	4 mpos dead-end path, manual:1-16".4mm, 50C-5000psi liq, PAEK-E	837.90
C4N-4004-02D	4 port 2-pos int vol valve, replacement :1-32".10mm, 75C-5000psi liq,	1290.10	C5-2344A	4 mpos dead-end path, air act:1-16".4mm, 50C-5000psi liq, PAEK-E	1403.10
C4N-4004-02EH	4 port 2-pos int vol valve, m-electric :1-32".10mm, 75C-5000psi liq,	2327.50	C5-2344D	4 mpos dead-end path, replacement:1-16".4mm, 50C-5000psi liq, PAEK-E	837.90
C4N-40R-004	Rotor seal 4 port 2-pos int vol valve:1-32".10mm, 75C-5000psi liq, 00	135.80	C5-2344EMH	4 mpos dead-end path, m-elect:1-16".4mm, 50C-5000psi liq, PAEK-E	2194.50
C4N-40R-01	Rotor seal 4 port 2-pos int vol valve:1-32".10mm, 75C-5000psi liq, 01	135.80	C5-2346	6 mpos dead-end path, manual:1-16".4mm, 50C-5000psi liq, PAEK-E	837.90
C4N-40R-02	Rotor seal 4 port 2-pos int vol valve:1-32".10mm, 75C-5000psi liq, 02	135.80	C5-2346A	6 mpos dead-end path, air act:1-16".4mm, 50C-5000psi liq, PAEK-E	1403.10
C4N-4344-004	4 port 2-pos int vol valve, manual :1-32".10mm, 75C-5000psi liq, 004	1449.70	C5-2346D	6 mpos dead-end path, replacement:1-16".4mm, 50C-5000psi liq, PAEK-E	837.90

VICI / VALCO Preisliste in Euro, Stand Januar 2016

C55-2000I-S	10 mpos valve, motor, sensor:1-16"4mm, 50C-5000psi liq, N60-H	1123.80	C62Z-3180I	10 port 2-pos valve, motor, sensor, controller:1-16"75mm, 50C-250psi	957.60
C55-2000IX	10 mpos valve, motor, sensor:1-16"4mm, 50C-5000psi liq, N60-H	1057.40	C62Z-3180I-S	10 port 2-pos valve, motor, sensor:1-16"75mm, 50C-250psi liq, PPS-E2	758.10
C55-2004I	4 mpos valve, motor, sensor, controller:1-16"4mm, 50C-5000psi liq, N6	1177.00	C62Z-3184I	4 port 2-pos valve, motor, sensor, controller:1-16"75mm, 50C-250psi	891.10
C55-2004IA	4 mpos valve, integrated actuator-RS-232 :1-16"4mm, 50C-5000psi liq	1217.00	C62Z-3184I-S	4 port 2-pos valve, motor, sensor:1-16"75mm, 50C-250psi liq, PPS-E2	691.60
C55-2004I-S	4 mpos valve, motor, sensor:1-16"4mm, 50C-5000psi liq, N60-H	977.60	C62Z-3186I	6 port 2-pos valve, motor, sensor, controller:1-16"75mm, 50C-250psi	891.10
C55-2004IX	4 mpos valve, motor only:1-16"4mm, 50C-5000psi liq, N60-H	911.00	C62Z-3186I-S	6 port 2-pos valve, motor, sensor:1-16"75mm, 50C-250psi liq, PPS-E2	691.60
C55-2006I	6 mpos valve, motor, sensor, controller:1-16"4mm, 50C-5000psi liq, N6	1177.00	C62Z-3188I	8 port 2-pos valve, motor, sensor, controller:1-16"75mm, 50C-250psi	931.00
C55-2006IA	6 mpos valve, integrated actuator-RS-232 :1-16"4mm, 50C-5000psi liq	1217.00	C62Z-3188I-S	8 port 2-pos valve, motor, sensor:1-16"75mm, 50C-250psi liq, PPS-E2	731.50
C55-2006I-S	6 mpos valve, motor, sensor:1-16"4mm, 50C-5000psi liq, N60-H	977.60	C65-3180I	10 mpos dead-end path, integrated actuator:1-4"28"0.75mm, 50C-250psi	1090.60
C55-2006IX	6 mpos valve, motor only:1-16"4mm, 50C-5000psi liq, N60-H	911.00	C65-3180IA	10 mpos dead-end path, integrated actuator-RS-232:1-4"28"0.75mm, 50C-	1130.50
C55-2008I	8 mpos valve, motor, sensor, controller:1-16"4mm, 50C-5000psi liq, N6	1250.20	C65-3180I-S	10 mpos dead-end path, motor, sensor:1-4"28"0.75mm, 50C-250psi liq, P	891.10
C55-2008IA	8 mpos valve, integrated actuator-RS-232 :1-16"4mm, 50C-5000psi liq	1290.10	C65-3184I	4 mpos dead-end path, integrated actuator:1-4"28"0.75mm, 50C-250psi I	937.60
C55-2008I-S	8 mpos valve, motor, sensor:1-16"4mm, 50C-5000psi liq, N60-H	1050.70	C65-3184IA	4 mpos dead-end path, integrated actuator:1-4"28"0.75mm, 50C-250psi I	977.60
C55-2008IX	8 mpos valve, motor only:1-16"4mm, 50C-5000psi liq, N60-H	984.20	C65-3184I-S	4 mpos dead-end path, motor, sensor:1-4"28"0.75mm, 50C-250psi liq, PP	738.20
C55-2340I	10 mpos valve, motor, sensor, controller:1-16"4mm, 40C-5000psi liq, P	1482.90	C65-3186I	6 mpos dead-end path, integrated actuator:1-4"28"0.75mm, 50C-250psi I	937.60
C55-2340IA	10 mpos valve, integrated actuator-RS-232 :1-16"4mm, 50C-5000psi liq	1522.80	C65-3186IA	6 mpos dead-end path, integrated actuator-RS-232 :1-4"28"0.75mm, 50C-	977.60
C55-2340I-S	10 mpos valve, motor, sensor:1-16"4mm, 40C-5000psi liq, PAEK-E	1283.40	C65-3186I-S	6 mpos dead-end path, motor, sensor:1-4"28"0.75mm, 50C-250psi liq, PP	738.20
C55-2340IX	10 mpos valve, motor only:1-16"4mm, 40C-5000psi liq, PAEK-E	1217.00	C65-3188I	8 mpos dead-end path, integrated actuator:1-4"28"0.75mm, 50C-250psi I	1064.00
C55-2344I	4 mpos valve, motor, sensor, controller:1-16"4mm, 40C-5000psi liq, PA	1336.60	C65-3188IA	8 mpos dead-end path, integrated actuator-RS-232 :1-4"28"0.75mm, 50C-	1103.90
C55-2344IA	4 mpos valve, integrated actuator-RS-232 :1-16"4mm, 50C-5000psi liq	1376.60	C65-3188I-S	8 mpos dead-end path, motor, sensor:1-4"28"1.5mm, 50C-250psi liq, PP	864.50
C55-2344I-S	4 mpos valve, motor, sensor:1-16"4mm, 40C-5000psi liq, PAEK-E	1137.10	C65-6180I	10 mpos dead-end path, motor, sensor, controller:1-4"28"0.75mm, 50C-2	1090.60
C55-2344IX	4 mpos valve, motor only:1-16"4mm, 40C-5000psi liq, PAEK-E	1070.60	C65-6180IA	10 mpos dead-end path, motor, sensor, controller:1-4"28"1.5mm, 50C-2	1130.50
C55-2346I	6 mpos valve, motor, sensor, controller:1-16"4mm, 40C-5000psi liq, PA	1336.60	C65-6180I-S	10 mpos dead-end path, motor, sensor:1-4"28"0.75mm, 50C-250psi liq, P	891.10
C55-2346IA	6 mpos valve, motor, sensor, controller, RS-232:1-16"4mm, 40C-5000psi	1376.60	C65-6184I	4 mpos dead-end path, motor, sensor, controller:1-4"28"1.5mm, 50C-250	937.60
C55-2346I-S	6 mpos valve, motor, sensor:1-16"4mm, 40C-5000psi liq, PAEK-E	1137.10	C65-6184IA	4 mpos dead-end path, integrated actuator-RS-232 :1-4"28"1.5mm, 50C	977.60
C55-2346IX	6 mpos valve, motor only:1-16"4mm, 40C-5000psi liq, PAEK-E	1070.60	C65-6184I-S	4 mpos dead-end path, motor, sensor:1-4"28"1.5mm, 50C-250psi liq, PPS	738.20
C55-2348I	8 mpos valve, motor, sensor, controller:1-16"4mm, 40C-5000psi liq, PA	1409.80	C65-6186I	6 mpos dead-end path, motor, sensor, controller:1-4"28"1.5mm, 50C-250	937.60
C55-2348IA	8 mpos valve, integrated actuator-RS-232 :1-16"4mm, 50C-5000psi liq	1449.70	C65-6186IA	6 mpos dead-end path, integrated actuator-RS-232 :1-4"28"1.5mm, 50C	977.60
C55-2348I-S	8 mpos valve, motor, sensor:1-16"4mm, 40C-5000psi liq, PAEK-E	1210.30	C65-6186I-S	6 mpos dead-end path, motor, sensor:1-4"28"1.5mm, 50C-250psi liq, PPS	738.20
C55-2348IX	8 mpos valve, motor only:1-16"4mm, 40C-5000psi liq, PAEK-E	1143.80	C65-6188I	8 mpos dead-end path, motor, sensor, controller:1-4"28"1.5mm, 50C-250	1064.00
C55-2C00	Stator 10 mpos dead-end path C55-valve:1-16"4mm, N60	524.00	C65-6188IA	8 mpos dead-end path, integrated actuator-RS-232 :1-4"28"1.5mm, 50C	1103.90
C55-2C04	Stator 4 mpos dead-end path C55-valve:1-16"4mm, N60	371.10	C65-6188I-S	8 mpos dead-end path, motor, sensor:1-4"28"1.5mm, 50C-250psi liq, PPS	864.50
C55-2C08	Stator 6 mpos dead-end path C55-valve:1-16"4mm, N60	371.10	C65Z-3180I	10 mpos dead-end path, integrated actuator:1-16"75mm, 50C-250psi li	1017.40
C55-2C08	Stator 8 mpos dead-end path C55-valve:1-16"4mm, N60	446.90	C65Z-3180IA	10 mpos dead-end path, integrated actuator:1-16"75mm, 50C-250psi liq	1057.40
C55-2C40	Stator 10 mpos dead-end path C55-valve:1-16"4mm, PAEK	678.30	C65Z-3180I-S	10 mpos dead-end path,motor, sensor,w-o controller:1-16"75mm, 50C-25	817.90
C55-2C44	Stator 4 mpos dead-end path C55-valve:1-16"4mm, PAEK	524.00	C65Z-3184I	4 mpos dead-end path, integrated actuator:1-16"75mm, 50C-250psi liq	937.60
C55-2C46	Stator 6 mpos dead-end path C55-valve:1-16"4mm, PAEK	524.00	C65Z-3184IA	4 mpos dead-end path, integrated actuator:1-16"75mm, 50C-250psi liq	977.60
C55-2C48	Stator 8 mpos dead-end path C55-valve:1-16"4mm, PAEK	601.20	C65Z-3184I-S	4 mpos dead-end path, motor, sensor,w-o controller:1-16"75mm, 50C-25	738.20
CSH-2000	10 mpos dead-end path, (180BC) manual:1-16"4mm, 75C-5000psi liq, N60	824.60	C65Z-3186I	6 mpos dead-end path, integrated actuator:1-16"75mm, 50C-250psi liq	937.60
CSH-2000A	10 mpos dead-end path, (180BC) air act:1-16"4mm, 75C-5000psi liq, N6	1389.80	C65Z-3186IA	6 mpos dead-end path, integrated actuator-RS-232 :1-16"75mm, 50C-250	977.60
CSH-2000EMT	10 mpos dead-end path, (180BC) replacement:1-16"4mm, 75C-5000psi liq	824.60	C65Z-3186I-S	6 mpos dead-end path, motor, sensor,w-o controller:1-16"75mm, 50C-25	738.20
CSH-2000EMTD	10 mpos dead-end path, (180BC) m-elect:1-16"4mm, 75C-5000psi liq, N6	2267.60	C65Z-3188I	8 mpos dead-end path, integrated actuator:1-16"75mm, 50C-250psi liq	990.80
CSH-2008	8 mpos dead-end path, (180BC) manual:1-16"4mm, 75C-5000psi liq, N60	3724.00	C65Z-3188IA	8 mpos dead-end path, integrated actuator-RS-232:1-16"75mm, 50C-250p	1030.80
CSH-2008A	8 mpos dead-end path, (180BC) manual:1-16"4mm, 75C-5000psi liq, N60	751.40	C65Z-3188I-S	8 mpos dead-end path, motor, sensor,w-o controller:1-16"75mm, 50C-25	791.30
CSH-2008EMT	8 mpos dead-end path, (180BC) air act:1-16"4mm, 75C-5000psi liq, N60	1316.70	C6UWE	6 port 2-pos valve, manual:1-16"75mm, 225C-400psi gas, N60-E	877.80
CSH-2008EMTD	8 mpos dead-end path, (180BC) replacement:1-16"4mm, 75C-5000psi liq	751.40	C6W	6 port 2-pos valve, manual:1-16"4mm, 75C-5000psi liq, N60-H	877.80
CSH-2030	10 mpos dead-end path, (180BC) m-elect:1-16"4mm, 75C-5000psi liq, Ti	1157.10	C6WE	6 port 2-pos valve, manual:1-16"4mm, 225C-400psi gas, N60-E	877.80
CSH-2030A	10 mpos dead-end path, (180BC) manual:1-16"4mm, 75C-5000psi liq, Ti	1722.40	C72-16R0	Rotor seal 10 port 2-pos C72-valve:1-16"25mm, 50C-all pressures liq,E	140.00
CSH-2030EMT	10 mpos dead-end path, (180BC) replacement:1-16"4mm, 75C-5000psi liq	1230.20	C72-16R4	Rotor seal 4 port 2-pos C72-valve:1-16"25mm, 50C-all pressures liq,E3	140.00
CSH-2030EMTD	10 mpos dead-end path, (180BC) m-elect:1-16"4mm, 75C-5000psi liq, Ti	2673.30	C72-16R6	Rotor seal 6 port 2-pos C72-valve:1-16"25mm, 50C-all pressures liq, E	140.00
CSH-2038	8 mpos dead-end path, (180BC) manual:1-16"4mm, 75C-5000psi liq, Ti-H	1157.10	C72-16R8	Rotor seal 8 port 2-pos C72-valve:1-16"25mm, 50C-all pressures liq,E3	140.00
CSH-2038A	8 mpos dead-end path, (180BC) air act:1-16"4mm, 75C-5000psi liq, Ti	1722.40	C72-1C70	Stator 10 port 2-pos C72-valve:1-16"25mm, N60C	1117.20
CSH-2038EMT	8 mpos dead-end path, (180BC) replacement:1-16"4mm, 75C-5000psi liq	1157.10	C72-1C74	Stator 4 port 2-pos C72-valve:1-16"25mm,N60C	893.80
CSH-2038EMTD	8 mpos dead-end path, (180BC) m-elect:1-16"4mm, 75C-5000psi liq, Ti	4043.20	C72-1C76	Stator 6 port 2-pos C72-valve:1-16"25mm, N60C	893.80
CSH-2340	10 mpos dead-end path, (180BC) manual:1-16"4mm, 50C-5000psi liq, PAE	984.20	C72-1C78	Stator 8 port 2-pos C72-valve:1-16"25mm, N60C	964.20
CSH-2340A	10 mpos dead-end path, (180BC) air act:1-16"4mm, 50C-5000psi liq, PA	1549.40	C72H-1670	10 port 2-pos valve, manual:1-16"25mm, 50C-10000psi liq, N60C-E3	1263.50
CSH-2340EMT	10 mpos dead-end path, (180BC) replacement:1-16"4mm, 50C-5000psi liq	984.20	C72H-1670A	10 port 2-pos valve, air actuator :1-16"25mm, 50C-10000psi liq, N60C	1615.90
CSH-2340EMTD	10 mpos dead-end path, (180BC) m-elect:1-16"4mm, 50C-5000psi liq, PA	2427.20	C72H-1670ED	10 port 2-pos valve, replacement :1-16"25mm, 50C-10000psi liq, N60C-	1263.50
CSH-2348	8 mpos dead-end path, (180BC) manual:1-16"4mm, 50C-5000psi liq, PAE	911.00	C72H-1674	4 port 2-pos valve, manual:1-16"25mm, 50C-10000psi liq, N60C-E3	1117.20
CSH-2348A	8 mpos dead-end path, (180BC) air act:1-16"4mm, 50C-5000psi liq, PA	1476.30	C72H-1674D	4 port 2-pos valve, replacement:1-16"25mm, 50C-10000psi liq, N60C-E3	1117.20
CSH-2348EMT	8 mpos dead-end path, (180BC) replacement:1-16"4mm, 50C-5000psi liq	911.00	C72H-1674EH	4 port 2-pos valve, m-electric:1-16"25mm, 50C-10000psi liq, N60C-E3	2154.60
CSH-2348EMTD	8 mpos dead-end path, (180BC) m-elect:1-16"4mm, 50C-5000psi liq, PA	2354.10	C72H-1676	6 port 2-pos valve, manual:1-16"25mm, 50C-10000psi liq, N60C-E3	1117.20
CSM1K	Chemint manifold 1-4"28, 1-16" OD tubing:4 inlets 1 outlet, 75mm b	180.60	C72H-1676A	6 port 2-pos valve, air actuator:1-16"25mm, 50C-10000psi liq, N60C-E3	1469.60
CSM1PK	Chemint manifold 1-4"28, 1-16" OD tubing:4 inlets 1 outlet, 75mm b	180.60	C72H-1676E	6 port 2-pos valve, replacement:1-16"25mm, 50C-10000psi liq, N60C-E3	1117.20
CSM2K	Chemint manifold 1-4"28, 1-8" OD tubing:4 inlets 1 outlet, 1.5mm bo	180.60	C72H-1676EH	6 port 2-pos valve, m-electric:1-16"25mm, 50C-10000psi liq, N60C-E3	2154.60
CSM2PK	Chemint manifold 1-4"28, 1-8" OD tubing:4 inlets 1 outlet, 1.5mm bo	180.60	C72H-1678	8 port 2-pos valve, manual:1-16"25mm, 50C-10000psi liq, N60C-E3	1190.40
C6-1006	6 port 2-pos valve, cont. flow, manual:1-16"25mm, 75C-5000psi liq, N6	857.80	C72H-1678A	8 port 2-pos valve, air actuator :1-16"25mm, 50C-10000psi liq, N60C-	1542.80
C6-1006A	6 port 2-pos valve, cont. flow, air actuator:1-16"25mm, 75C-5000psi I	1210.30	C72H-1678D	8 port 2-pos valve, replacement :1-16"25mm, 50C-10000psi liq, N60C-E	1190.40
C6-1006D	6 port 2-pos valve, cont. flow, replacement:1-16"25mm, 75C-5000psi I	857.80	C72H-1678ED	8 port 2-pos valve, m-electric :1-16"25mm, 50C-10000psi liq, N60C-E3	2307.50
C6-1006E	6 port 2-pos valve, cont. flow, std. electric:1-16"25mm, 75C-5000psi	1842.00	C72M-46R4	Rotor seal 4 port 2-pos valve :360um".10mm, 50C-all pressures liq,E3	140.00
C6-1006EH	6 port 2-pos valve, cont. flow, m-electric:1-16"25mm, 75C-5000psi liq	1895.20	C72M-46R6	Rotor seal 6 port 2-pos C72M-valve:360um, .10mm, 50C-all pressures liq	140.00
C6-1346	6 port 2-pos valve, cont. flow, manual:1-16"25mm, 50C-5000psi liq, PA	1017.40	C72M-4C74	Stator 4 port 2-pos C72M-valve:360um, .10mm, N60C	1522.80
C6-1346A	6 port 2-pos valve, cont. flow, air actuator:1-16"25mm, 50C-5000psi I	1369.90	C72M-4C76	Stator 6 port 2-pos C72M-valve:360um, .10mm, N60C	1522.80
C6-1346D	6 port 2-pos valve, cont. flow, replacement:1-16"25mm, 50C-5000psi I	1017.40	C72M-66R0	Rotor seal 10 port 2-pos C72M-valve:360um, .15mm, 50C-all pressures li	140.00
C6-1346E	6 port 2-pos valve, cont. flow, std. electric:1-16"25mm, 50C-5000psi	2001.60	C72M-66R6	Rotor seal 6 port 2-pos C72M-valve:360um, .15mm, 50C-all pressures liq	140.00
C6-1346EH	6 port 2-pos valve, cont. flow, m-electric:1-16"25mm, 50C-5000psi liq	2054.80	C72M-6C70	Stator 10 port 2-pos C72M-valve:360um, .15mm, N60C	1452.40
C6-1C06	Stator 6 port 2-pos C6-valve:1-16"25mm, N60	614.50	C72M-6C76	Stator 6 port 2-pos C72M-valve:360um, .15mm, N60C	1312.70
C6-1C46	Stator 6 port 2-pos, cont. flow valve:1-16"25mm, PAEK	768.70	C72MFSU-4674	4 port 2-pos valve, (FS fittings), manual :360um".10mm, 50C-2000psi	2300.90
C6-2006	6 port 2-pos valve, cont. flow, manual:1-16"4mm, 75C-5000psi liq, N60	638.40	C72MFSU-4674A	4 port 2-pos valve, (FS fittings), air actuator :360um".10mm, 50C-2000	2653.40
C6-2006A	6 port 2-pos valve, cont. flow, air actuator:1-16"4mm, 75C-5000psi liq	990.80	C72MFSU-4674D	4 port 2-pos valve, (FS fittings), replacement :360um".10mm, 50C-2000	2300.90
C6-2006D	6 port 2-pos valve, cont. flow, replacement:1-16"4mm, 75C-5000psi liq	638.40	C72MFSU-4674EH	4 port 2-pos valve, (FS fittings), m-electric :360um".10mm, 50C-20000	3338.90
C6-2006EH	6 port 2-pos valve, cont. flow, m-electric:1-16"4mm, 75C-5000psi liq	1675.80	C72MFSU-4676	6 port 2-pos valve, (FS fittings), manual :360um".10mm, 50C-2000psi	2394.00
C62-3180I	10 port 2-pos valve, motor, sensor, controller:1-4"28"0.75mm, 75C-250	1030.80	C72MFSU-4676A	6 port 2-pos valve, (FS fittings), air actuator :360um".10mm, 50C-200	2746.40
C62-3180I-S	10 port 2-pos valve, motor, sensor:1-4"28"0.75mm, 75C-250psi liq, PPS	831.20	C72MFSU-4676D	6 port 2-pos valve, (FS fittings), replacement :360um".10mm, 50C-2000	2394.00
C62-3184I	4 port 2-pos valve, motor, sensor, controller:1-4"28"0.75mm, 75C-250p	891.10	C72MFSU-4676EH	6 port 2-pos valve, (FS fittings), m-electric :360um".10mm, 50C-10000	3431.40
C62-3184I-S	4 port 2-pos valve, motor, sensor:1-4"28"0.75mm, 75C-250psi liq, PPS-	691.60	C72MU-4674	4 port 2-pos valve, manual:360um".10mm, 50C-2000psi liq, N60C-E3	2114.70
C62-3186I	6 port 2-pos valve, motor, sensor, controller:1-4"28"0.75mm, 50C-250	891.10	C72MU-4674D	4 port 2-pos valve, air actuator :360um".10mm, 50C-2000psi liq, N60C	2467.20
C62-3186I-S	6 port 2-pos valve, motor, sensor:1-4"28"0.75mm, 50C-250psi liq, PPS-	691.60	C72MU-4674EH	4	

VICI / VALCO Preliste in Euro, Stand Januar 2016

C72NX-6670D	10 port 2-pos valve, replacement:1-32".15mm, 50C-15000psi liq, N60C-E3	1729.00	CBUCS6	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:25mm bore, 316SS	69.00
C72NX-6676	6 port 2-pos valve, manual:1-32".15mm, 50C-15000psi liq, N60C-E3	1582.70	CBULFKF	Chemintert luer adapter bulkhead union:female luer to 1-4-28, 1.5mm bor	78.00
C72NX-6676A	6 port 2-pos valve, air actuator :1-32".15mm, 50C-15000psi liq, N60C-	1935.20	CBULPLK	Chemintert luer adapter bulkhead union:female luer to 1-4-28, 1.5mm bor	39.10
C72NX-6676D	6 port 2-pos valve, replacement:1-32".15mm, 50C-15000psi liq, N60C-E3	1582.70	CBUIJK	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:5mm bore, CTFE	34.60
C72NX-6676EH	6 port 2-pos valve, manual:1-32".15mm, 50C-15000psi liq, N60C-E3	2620.10	CBULKF	Chemintert bulkhead union 1-4"-28, 1-8" OD tubing:1.5mm bore, CTFE	34.60
C72X-1670	10 port 2-pos valve, manual:1-16".25mm, 50C-15000psi liq, N60C-E3	1463.00	CBULPKP	Chemintert bulkhead union 1-4"-28, 1-8" OD tubing:1.5mm bore, PEEK	34.60
C72X-1670A	10 port 2-pos valve, air actuator:1-16".25mm, 50C-15000psi liq, N60C-E	1815.40	CBULS6	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:1.5mm bore, 316SS	30.00
C72X-1670D	10 port 2-pos valve, replacement:1-16".25mm, 50C-15000psi liq, N60C-E3	1463.00	CBUMMF	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:7.5mm bore, CTFE	69.00
C72X-1670ED	10 port 2-pos valve, m-electric :1-16".25mm, 50C-15000psi liq, N60C-E	2580.20	CBUMPK	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:7.5mm bore, PEEK	34.60
C72X-1674	4 port 2-pos valve, manual :1-16".25mm, 50C-15000psi liq, N60C-E3	1316.70	CBUMS6	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:7.5mm bore, 316SS	59.90
C72X-1674A	4 port 2-pos valve, air actuator:1-16".25mm, 50C-15000psi liq, N60C-E3	1669.20	CBUPK	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:5mm bore, PEEK	69.00
C72X-1674D	4 port 2-pos valve, replacement :1-16".25mm, 50C-15000psi liq, N60C-E	1316.70	CBUS6	Chemintert bulkhead union 1-4"-28, 1-16" OD tubing:5mm bore, 316SS	59.90
C72X-1674EH	4 port 2-pos valve, replacement :1-16".25mm, 50C-15000psi liq, N60C-E	2354.10	CCKF5	Chemintert cap 1-4"-28:CTFE, 5-pkg	93.00
C72X-1676	6 port 2-pos valve, manual:1-16".25mm, 50C-15000psi liq, N60C-E3	1316.70	CCKP5	Chemintert cap 1-4"-28:PEEK, 5-pkg	46.50
C72X-1676A	6 port 2-pos valve, air actuator:1-16".25mm, 50C-15000psi liq, N60C-E3	1669.20	DD10-4841-MIA	CURRENTLY NOT AVAILABLE.M10 diluter-dispenser, 10 nl - 10 ml	.00
C72X-1676D	6 port 2-pos valve, replacement:1-16".25mm, 50C-15000psi liq, N60C-E3	1316.70	CEF1	Column end fitting 1-16".25mm bore, 1mm cone, without frit, 316SS	25.10
C72X-1676EH	6 port 2-pos valve, m-electric:1-16".25mm, 50C-15000psi liq, N60C-E3	2354.10	CEF1.5	Column end fitting 1-16".32".25mm bore, 1mm cone, without frit, 316	67.60
C72X-1678	8 port 2-pos valve, manual:1-16".25mm, 50C-15000psi liq, N60C-E3	1389.80	CEF1.5F	Column end fitting 1-16".32".25mm bore, 1mm cone, removable 2um frit	70.60
C72X-1678A	8 port 2-pos valve, air actuator :1-16".25mm, 50C-15000psi liq, N60C-	1742.30	CEF1F	Column end fitting 1-16".25mm bore, 1mm cone, removable 2um frit, 316	52.90
C72X-1678D	8 port 2-pos valve, replacement :1-16".25mm, 50C-15000psi liq, N60C-E	1389.80	CEF2.51.0	Column end fitting 1-8".1-32".25mm bore, 1mm cone, without frit, 316S	67.60
C72X-1678ED	8 port 2-pos valve, replacement :1-16".25mm, 50C-15000psi liq, N60C-E	2507.00	CEF2.51.0F	Column end fitting 1-8".1-32".25mm bore, 1mm cone, removable 2um frit	73.50
C74-16R-.02	Rotor seal 4 port 2-pos int vol valve, C74-valve:1-16".25mm, 50C-all p	140.00	CEF211.0	Column end fitting 1-8".1-16".25mm bore, 1mm cone, without frit, 316S	47.00
C74-16R-.05	Rotor seal 4 port 2-pos int vol valve, C74-valve:1-16".25mm, 50C-all p	140.00	CEF211.0F	Column end fitting 1-8".1-16".25mm bore, 1mm cone, removable 2um frit	50.00
C74-16R-1	Rotor seal 4 port 2-pos int vol valve :1-16".25mm, 50C-all pressures	140.00	CEF212.0	Column end fitting 1-8".1-16".25mm bore, 2mm cone, without frit, 316S	23.50
C74-1C7	Stator 4 port 2-pos C74-valve :1-16".25mm, N60C	893.80	CEF212.0F	Column end fitting 1-8".1-16".25mm bore, 2mm cone, removable 2um frit	50.00
C74H-1674-.02	4 port 2-pos int vol valve, manual :1-16".25mm, 50C-10000psi liq,02u	1117.20	CEFA412.1	Column end fitting 1-4".1-16".4mm bore, 2.1mm cone, without frit, 316	44.10
C74H-1674-.02A	4 port 2-pos int vol valve, air actuator :1-16".25mm, 50C-10000psi li	1469.60	CEFA412.1F	Column end fitting 1-4".1-16".4mm bore, 2.1mm cone, removable 2um frit	47.00
C74H-1674-.02D	4 port 2-pos int vol valve, replacement :1-16".25mm, 50C-10000psi liq	1117.20	CEFA413.0	Column end fitting 1-4".1-16".4mm bore, 3mm cone, without frit, 316SS	44.10
C74H-1674-.02EH	4 port 2-pos int vol valve, m-electric :1-16".25mm, 50C-10000psi liq	2154.60	CEFA413.0F	Column end fitting 1-4".1-16".4mm bore, 3mm cone, removable 2um frit	47.00
C74H-1674-.05	4 port 2-pos int vol valve, manual:1-16".25mm, 50C-10000psi liq,05u	1117.20	CEFA414.0	Column end fitting 1-4".1-16".4mm bore, 4mm cone, without frit, 316SS	44.10
C74H-1674-.05A	4 port 2-pos int vol valve, air actuator :1-16".25mm, 50C-10000psi li	1469.60	CEFA414.0F	Column end fitting 1-4".1-16".4mm bore, 4mm cone, removable 2um frit	47.00
C74H-1674-.05D	4 port 2-pos int vol valve, replacement :1-16".25mm, 50C-10000psi liq	1117.20	CEFA414.6	Column end fitting 1-4".1-16".4mm bore 4.6mm cone, without frit, 316S	44.10
C74H-1674-.1	4 port 2-pos int vol valve, manual :1-16".25mm, 50C-10000psi liq,1ul	1117.20	CEFA416F	Column end fitting 1-4".1-16".4mm bore 4.6mm cone, removable 2um frit	47.00
C74H-1674-.1A	4 port 2-pos int vol valve, air actuator :1-16".25mm, 50C-10000psi liq	1469.60	C-EN5FFPKB	Nut, External, 1-32" Chemintert/PEEK black	13.60
C74H-1674-.1D	4 port 2-pos int vol valve, replacement :1-16".25mm, 50C-10000psi liq	1117.20	CEN1KF	Chemintert external nut 1-4"-28, tube OD 1-16".CTFE, 5-pkg	62.40
C74H-1674-.1EH	4 port 2-pos int vol valve, m-electric :1-16".25mm, 50C-10000psi liq	2154.60	CEN1PK	Chemintert external nut 1-4"-28, tube OD 1-16".PEEK, 5-pkg	39.10
C74N-66R-.01	Rotor seal 4 port 2-pos int vol valve, C74N-valve:1-32".15mm, 50C-all	140.00	CEN2KF	Chemintert external nut 1-4"-28, tube OD 1-8".CTFE, 5-pkg	39.10
C74N-66R-.02	Rotor seal 4 port 2-pos int vol valve, C74N-valve:1-32".15mm, 50C-all	140.00	CEN2PK	Chemintert external nut 1-4"-28, tube OD 1-8".PEEK, 5-pkg	78.00
C74N-66R-.03	Rotor seal 4 port 2-pos int vol valve :1-32".15mm, 50C-all pressures	140.00	CEPA2KF	Chemintert pipe connector 1-8"NPT:1-4".28male"M-NPT, 1.5mm bore, CTFE	54.00
C74N-6C7	Stator 4 port 2-pos C74-valve :1-32".15mm, N60C	1173.10	CEPA2PK	Chemintert pipe connector 1-8"NPT:1-4".28male"M-NPT, 1.5mm bore, PEEK	54.00
C74NX-6674-.01	4 port 2-pos int vol valve, manual :1-32".15mm, 50C-15000psi liq,01u	1582.70	CEPA4KF	Chemintert pipe connector 1-4"NPT:1-4".28male"M-NPT, 1.5mm bore, CTFE	54.00
C74NX-6674-.01A	4 port 2-pos int vol valve, air actuator :1-32".15mm, 50C-15000psi li	1935.20	CEPA4PK	Chemintert pipe connector 1-4"NPT:1-4".28male"M-NPT, 1.5mm bore, PEEK	54.00
C74NX-6674-.01D	4 port 2-pos int vol valve, replacement :1-32".15mm, 50C-15000psi liq	1582.70	CF-1.5TI	Frit Titanium, PEEK-encapsulated,0.5 micron	7.50
C74NX-6674-.01EH	4 port 2-pos int vol valve, m-electric :1-32".15mm, 50C-15000psi liq	2620.10	CF-1A	Chemintert nut 1-4"-28 for 1-16"OD tubing:Assorted incl. washer for fla	22.50
C74NX-6674-.02	4 port 2-pos int vol valve, manual :1-32".15mm, 50C-15000psi liq,02u	1582.70	CF-1BE	Chemintert nut 1-4"-28 for 1-16"OD tubing:Blue incl. washer for flange	19.60
C74NX-6674-.02A	4 port 2-pos int vol valve, air actuator:1-32".15mm, 50C-15000psi liq	1935.20	CF-1BK	Chemintert nut 1-4"-28 for 1-16"OD tubing:Black incl. washer for flange	19.60
C74NX-6674-.02D	4 port 2-pos int vol valve, replacement :1-32".15mm, 50C-15000psi liq	1582.70	CF-1BR	Chemintert nut 1-4"-28 for 1-16"OD tubing:Brown incl. washer for flange	19.60
C74NX-6674-.02EH	4 port 2-pos int vol valve, m-electric :1-32".15mm, 50C-15000psi liq	2620.10	CF-1DG	Chemintert nut 1-4"-28 for 1-16"OD tubing:Dark gray incl. washer for fl	19.60
C74NX-6674-.03	4 port 2-pos int vol valve, manual :1-32".15mm, 50C-15000psi liq,03u	1582.70	CF-1E	Chemintert nut 1-4"-28 for 1-16"OD tubing:Orange incl. washer for flang	19.60
C74NX-6674-.03A	4 port 2-pos int vol valve, air actuator :1-32".15mm, 50C-15000psi li	1935.20	CF-1G	Chemintert nut 1-4"-28 for 1-16"OD tubing:Green incl. washer for flange	19.60
C74NX-6674-.03D	4 port 2-pos int vol valve, replacement :1-32".15mm, 50C-15000psi liq	1582.70	CF-1L	Chemintert nut 1-4"-28 for 1-16"OD tubing:Lavender incl. washer for fla	19.60
C74NX-6674-.03EH	4 port 2-pos int vol valve, m-electric :1-32".15mm, 50C-15000psi liq	2620.10	CF-1N	Chemintert nut 1-4"-28 for 1-16"OD tubing:Natural incl. washer for flan	19.60
C74X-1674-.02	4 port 2-pos int vol valve, manual :1-16".25mm, 50C-15000psi liq,02u	1316.70	CF-1P	Chemintert nut 1-4"-28 for 1-16"OD tubing:Purple incl. washer for flang	19.60
C74X-1674-.02A	4 port 2-pos int vol valve, air actuator :1-16".25mm, 50C-15000psi liq	1669.20	CF-1R	Chemintert nut 1-4"-28 for 1-16"OD tubing:Red incl. washer for flange	19.60
C74X-1674-.02D	4 port 2-pos int vol valve, replacement :1-16".25mm, 50C-15000psi liq	1316.70	CF-1W	Chemintert nut 1-4"-28 for 1-16"OD tubing:White incl. washer for flange	19.60
C74X-1674-.02EH	4 port 2-pos int vol valve, m-electric :1-16".25mm, 50C-15000psi liq	2354.10	CF-1Y	Chemintert nut 1-4"-28 for 1-16"OD tubing:Yellow incl. washer for flang	19.60
C74X-1674-.05	4 port 2-pos int vol valve, manual:1-16".25mm, 50C-15000psi liq,05u	1316.70	CF-2A	Chemintert nut 1-4"-28 for 1-8"OD tubing:Assorted incl. washer for flang	22.50
C74X-1674-.05A	4 port 2-pos int vol valve, air actuator:1-16".25mm, 50C-15000psi liq	1669.20	CF-2BE	Chemintert nut 1-4"-28 for 1-8"OD tubing:Blue incl. washer for flange	19.60
C74X-1674-.05D	4 port 2-pos int vol valve, replacement :1-16".25mm, 50C-15000psi liq	1316.70	CF-2BK	Chemintert nut 1-4"-28 for 1-8"OD tubing:Black incl. washer for flange	19.60
C74X-1674-.05EH	4 port 2-pos int vol valve, m-electric :1-16".25mm, 50C-15000psi liq	2354.10	CF-2BR	Chemintert nut 1-4"-28 for 1-8"OD tubing:Brown incl. washer for flange	19.60
C74X-1674-.1	4 port 2-pos int vol valve, manual :1-16".25mm, 50C-15000psi liq,10u	1316.70	CF-2DG	Chemintert nut 1-4"-28 for 1-8"OD tubing:Dark gray incl. washer for fla	19.60
C74X-1674-.1A	4 port 2-pos int vol valve, air actuator :1-16".25mm, 50C-15000psi li	1669.20	CF-2E	Chemintert nut 1-4"-28 for 1-8"OD tubing:Orange incl. washer for flange	19.60
C74X-1674-.1D	4 port 2-pos int vol valve, replacement :1-16".25mm, 50C-15000psi liq	1316.70	CF-2G	Chemintert nut 1-4"-28 for 1-8"OD tubing:Green incl. washer for flange	19.60
C74X-1674-.1EH	4 port 2-pos int vol valve, m-electric :1-16".25mm, 50C-15000psi liq	2354.10	CF-2L	Chemintert nut 1-4"-28 for 1-8"OD tubing:Lavender incl. washer for flan	19.60
C75-16R0	Rotor seal 11 port 10-pos C75-valve:1-16".25mm, 50C-all pressures liq	140.00	CF-2N	Chemintert nut 1-4"-28 for 1-8"OD tubing:Natural incl. washer for flang	19.60
C75-16R6	Rotor seal 7 port 6-pos C75-valve:1-16".25mm, 50C-all pressures liq,E3	140.00	CF-2P	Chemintert nut 1-4"-28 for 1-8"OD tubing:Purple incl. washer for flange	19.60
C75-16R8	Rotor seal 9 port 8-pos C75-valve:1-16".25mm, 50C-all pressures liq,E3	140.00	CF-2R	Chemintert nut 1-4"-28 for 1-8"OD tubing:Red incl. washer for flange, 1	19.60
C75-1C70	Stator 10 mpos dead-end path C75-valve :1-16".25mm, N60C	1138.50	CF-2W	Chemintert nut 1-4"-28 for 1-8"OD tubing:White incl. washer for flange,	19.60
C75-1C76	Stator 6 mpos dead-end path C75-valve :1-16".25mm, N60C	998.80	CF-2Y	Chemintert nut 1-4"-28 for 1-8"OD tubing:Yellow incl. washer for flange	19.60
C75-1C78	Stator 8 mpos dead-end path C75-valve :1-16".25mm, N60C	1069.30	CFE-S10	Chemintert in-line filter:1-4"-28, 10um screen SS316, PTFE-CTFE	13.60
C75H-1670A	10 mpos dead-end path, air actuator:1-16".25mm, 50C-10000psi liq, N60	1941.80	CFE-S2	Chemintert in-line filter:1-4"-28, 2um screen SS316, PTFE-CTFE	13.60
C75H-1670D	10 mpos dead-end path, replacement:1-16".25mm, 50C-10000psi liq, N60C	1376.60	CFE-S75	Chemintert in-line filter:1-4"-28, 75um screen SS316, PTFE-CTFE	13.60
C75H-1670EMT	10 mpos dead-end path, m-electric:1-16".25mm, 50C-10000psi liq, N60C-	2819.60	CFL-1A	Chemintert nut 1-4"-28 for 1-16"OD tubing:Assort, collapsible ferrule,	33.00
C75H-1676A	6 mpos dead-end path, air actuator :1-16".25mm, 50C-10000psi liq, N6	1795.50	CFL-1A-PK	Chemintert nut 1-4"-28 for 1-16"OD tubing:Assort, collapsible ferrule,	33.00
C75H-1676D	6 mpos dead-end path, replacement :1-16".25mm, 50C-10000psi liq, N60	1230.20	CFL-1BE	Chemintert nut 1-4"-28 for 1-16"OD tubing:Blue, collapsible ferrule, 5	16.50
C75H-1676EMH	6 mpos dead-end path, m-electric :1-16".25mm, 50C-10000psi liq, N60C	2586.80	CFL-1BK	Chemintert nut 1-4"-28 for 1-16"OD tubing:Black, collapsible ferrule, 5	16.50
C75H-1678A	8 mpos dead-end path, air actuator :1-16".25mm, 50C-10000psi liq, N6	1868.60	CFL-1BR	Chemintert nut 1-4"-28 for 1-16"OD tubing:Brown, collapsible ferrule, 5	16.50
C75H-1678D	8 mpos dead-end path, replacement :1-16".25mm, 50C-10000psi liq, N60	1303.40	CFL-1DG	Chemintert nut 1-4"-28 for 1-16"OD tubing:Dark gray, collapsible ferrul	16.50
C75H-1678EMT	8 mpos dead-end path, m-electric :1-16".25mm, 50C-10000psi liq, N60C	2746.40	CFL-1E	Chemintert nut 1-4"-28 for 1-16"OD tubing:Orange, collapsible ferrule,	16.50
C75N-66R0	Rotor seal 10 mpos, C75N-valve, dead-end path:1-32".15mm, 50C-all press	140.00	CFL-1G	Chemintert nut 1-4"-28 for 1-16"OD tubing:Green, collapsible ferrule, 5	16.50
C75N-66R6	Rotor seal 6 mpos, C75N-valve, dead-end path:1-32".15mm, 50C-all press	140.00	CFL-1L	Chemintert nut 1-4"-28 for 1-16"OD tubing:Lavender, collapsible ferrule,	16.50
C75N-66R8	Rotor seal 8 mpos, C75N-valve, dead-end path:1-32".15mm, 50C-all press	140.00	CFL-1N	Chemintert nut 1-4"-28 for 1-16"OD tubing:Natural, collapsible ferrule,	16.50
C75NX-6670A	10 mpos dead-end path, air actuator:1-32".15mm, 50C-15000psi liq, N60C	2407.30	CFL-1P	Chemintert nut 1-4"-28 for 1-16"OD tubing:Purple, collapsible ferrule,	16.50
C75NX-6670D	10 mpos dead-end path, replacement :1-32".15mm, 50C-15000psi liq, N60	1842.00	CFL-1PK	Chemintert nut 1-4"-28 for 1-16"OD tubing:Red, collapsible ferrule, 5-p	16.50
C75NX-6670EMT	10 mpos dead-end path, m-electric :1-32".15mm, 50C-15000psi liq, N60C	3285.10	CFL-1W	Chemintert nut 1-4"-28 for 1-16"OD tubing:White, collapsible ferrule, 5	16.50
C75NX-6676A	6 mpos dead-end path, replacement:1-32".15mm, 50C-15000psi liq, N60C-E	2261.00	CFL-1Y	Chemintert nut 1-4"-28 for 1-16"OD tubing:Yellow, collapsible ferrule,	16.50
C75NX-6676D	6 mpos dead-end path, replacement:1-32".15mm, 50C-15000psi liq, N60C-E	1695.80	CFL-2A	Chemintert nut 1-4"-28 for 1-8"OD tubing:Assort, collapsible ferrule, C	33.00
C75NX-6676EMH	6 mpos dead-end path, m-electric :1-32".15mm, 50C-15000psi liq, N60C-	3052.40	CFL-2A-PK	Chemintert nut 1-4"-28 for 1-8"OD tubing:Assort, collapsible ferrule, P	33.00
C75NX-6678A	8 mpos dead-end path, air actuator :1-32".15mm, 50C-15000psi liq, N60	2334.20	CFL-2BE	Chemintert nut 1-4"-28 for 1-8"OD tubing:Blue, collapsible ferrule, 5-p	16.50
C75NX-6678D	8 mpos dead-end path, replacement :1-32".15mm, 50C-15000psi liq, N60C	1768.90	CFL-2BK	Chemintert nut 1-4"-28 for 1-8"OD tubing:Black, collapsible ferrule, 5-	16.50
C75NX-6678EMT	8 mpos dead-end path, m-electric :1-32".15mm, 50C-15000psi liq, N60C-	3212.00	CFL-2BR	Chemintert nut 1-4"-28 for 1-8"OD tubing:Brown, collapsible ferrule, 5-	16.50
C75NX-66R0	Rotor seal 10 mpos dead-end path C75-valve :1-32".15mm, 50C-all press	140.00	CFL-2DG	Chemintert nut 1-4"-28 for 1-8"OD tubing:Dark gray, collapsible ferrule, 5-	16.50
C75NX-66R6	Rotor seal 6 mpos dead-end path C75-valve :1-32".15mm, 50C-all pressu	140.00	CFL-2E	Chemintert nut 1-4"-28 for 1-8"OD tubing:Orange, collapsible ferrule, 5	16.50
C75NX-66R8	Rotor seal 8 mpos dead-end path C75-valve :1-32".15mm, 50C-all pressu	140.00	CFL-2G	Chemintert nut 1-4"-28 for 1-8"OD tubing:Green, collapsible ferrule, 5-	16.50
C75NX-6C70	Stator 10 mpos dead-end path C75-valve :1-32".15mm, N60C	1417.80	CFL-2L	Chemintert nut 1-4"-28 for 1-8"OD tubing:Lavender, collapsible ferrule,	16.50
C75NX-6C76	Stator 6 mpos dead-end path C75-valve :1-32".15mm, N60C	1278.10	CFL-2N	Chemintert nut 1-4"-28 for 1-8"OD tubing:Natural, collapsible ferrule,	16.50
C75NX-6C78	Stator 8 mpos dead-end path C75-valve :1-32".15mm, N60C	1348.60	CFL-2P	Chemintert nut 1-4"-28 for 1-8"OD tubing:Purple, collapsible ferrule, 5	16.50
CBUWE	8 port 2-pos valve, manual:1-16".75mm, 225C-400psi gas, N60-E	951.00	CFL-2PK	Chemintert nut 1-4"-28 for 1-8"OD tubing:Red, collapsible ferrule, PEEK, 5-p	36.00
C8W	8 port 2-pos valve				

VICI / VALCO Preislste in Euro, Stand Januar 2016

CFS-F03053-050A	GC-Column, FS, ValcoBond VB-1701:30m length, ID 0.53mm, df 0.50um	545.30	CFT-TM	Chemintert tip flanging tool for tubing ID <1,00 mm	42.00
CFS-F03053-100A	GC-Column, FS, ValcoBond VB-1701:30m length, ID 0.53mm, df 1.00um	545.30	CFT-TXC	Chemintert tip flanging tool for tubing ID <0,25 mm	84.00
CFS-F06025-025A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.25mm, df 0,25um	789.40	CFT-TXL	Chemintert tip flanging tool for tubing ID <2,00 mm	84.00
CFS-F06025-050A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.25mm, df 0.50um	789.40	CF-W1	Chemintert washers for 1-16"OD tubing:10-pkg	9.10
CFS-F06032-025A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.32mm, df 0.25um	853.10	CF-W2	Chemintert washers for 1-8"OD tubing:10-pkg	4.50
CFS-F06032-050A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.32mm, df 0.50um	853.10	CGC41	Chemintert glass connector:1mm bore, Acetal	117.60
CFS-F06032-100A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.32mm, df 1.00um	853.10	CGC41KF	Chemintert glass connector:1mm bore, CTFE	133.00
CFS-F06053-050A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.53mm, df 0.50um	923.40	CGC42	Chemintert glass connector:2mm bore, Acetal	117.60
CFS-F06053-100A	GC-Column, FS, ValcoBond VB-1701:60m length, ID 0.53mm, df 1.00um	923.40	CGC42KF	Chemintert glass connector:2mm bore, CTFE	133.00
CFS-G01010-010A	GC-Column, FS, ValcoBond VB-Wax:10m length, ID 0.10mm, df 0.10um	353.40	CGCB	Chemintert glass bushing:Acetal	33.00
CFS-G01018-018A	GC-Column, FS, ValcoBond VB-WAX:10m length, ID 0.18mm, df 0.18um	319.20	CGCBKF	Chemintert glass bushing:CTFE	33.00
CFS-G01525-025A	GC-Column, FS, ValcoBond VB-Wax:VB-Wax column, 15m x 0.25mm ID x 0.25d	283.10	CGGG41	Chemintert glass rod, 3-1-4" long:1mm bore	65.90
CFS-G01532-025A	GC-Column, FS, ValcoBond VB-WAX:15m length, ID 0.32mm, df 0.25um	294.50	CGGG42	Chemintert glass rod, 3-1-4" long:2mm bore	65.90
CFS-G01532-050A	GC-Column, FS, ValcoBond VB-WAX:15m length, ID 0.32mm, df 0.50um	294.50	CGGN	Chemintert nut, glass connector:Acetal	33.00
CFS-G01532-100A	GC-Column, FS, ValcoBond VB-WAX:15m length, ID 0.32mm, df 1.00um	294.50	CGGNKF	Chemintert nut, glass connector:CTFE	33.00
CFS-G01553-050A	GC-Column, FS, ValcoBond VB-WAX:15m length, ID 0.53mm, df 0.50um	335.30	CGGR	Chemintert split ring:Acetal, 5-pkg	51.00
CFS-G01553-100A	GC-Column, FS, ValcoBond VB-Wax:VB-Wax column, 15m x 0.53mm ID x 1.00d	335.30	CGGRKF	Chemintert split ring:CTFE, 5-pkg	51.00
CFS-G02010-010A	GC-Column, FS, ValcoBond VB-WAX:20m length, ID 0.10mm, df 0.10um	501.60	CGT	Tightening Tool for PEEK hex-head:6-40 nuts, black	29.40
CFS-G02018-018A	GC-Column, FS, ValcoBond VB-WAX:20m length, ID 0.18mm, df 0.18um	421.80	CI4UWE.2	4 port 2-pos int vol valve, manual:1-16"75mm, 175C-1000psi liq, 2ul,	871.20
CFS-G03025-025A	GC-Column, FS, ValcoBond VB-Wax:30m length, ID 0.25mm, df 0.25um	497.80	CI4UWE.5	4 port 2-pos int vol valve, manual:1-16"75mm, 175C-1000psi liq, 5ul,	871.20
CFS-G03032-025A	GC-Column, FS, ValcoBond VB-Wax:30m length, ID 0.32mm, df 0.25um	520.60	CI4UWE1	4 port 2-pos int vol valve, manual:1-16"75mm, 175C-1000psi liq, 1ul,	871.20
CFS-G03032-050A	GC-Column, FS, ValcoBond VB-Wax:30m length, ID 0.32mm, df 0.50um	520.60	CI4UWE2	4 port 2-pos int vol valve, manual:1-16"75mm, 175C-1000psi liq, 2ul,	871.20
CFS-G03032-100A	GC-Column, FS, ValcoBond VB-Wax:30m length, ID 0.32mm, df 1.00um	520.60	CI4W.06	4 port 2-pos int-vol valve, manual:1-16"4mm, 175C-5000psi liq, 06ul,	871.20
CFS-G03053-050A	GC-Column, FS, ValcoBond VB-Wax:30m length, ID 0.53mm, df 0.50um	545.30	CI4W.1	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-5000psi liq, 1ul, N	871.20
CFS-G03053-100A	GC-Column, FS, ValcoBond VB-Wax:30m length, ID 0.53mm, df 1.00um	545.30	CI4W.2	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-5000psi liq, 2ul, N	871.20
CFS-G06025-025A	GC-Column, FS, ValcoBond VB-Wax:60m length, ID 0.25mm, df 0.25um	789.40	CI4W.5	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-5000psi liq, 5ul, N	871.20
CFS-G06032-025A	GC-Column, FS, ValcoBond VB-Wax:60m length, ID 0.32mm, df 0.25um	853.10	CI4WE.06	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-1000psi liq, 06ul,	871.20
CFS-G06032-050A	GC-Column, FS, ValcoBond VB-Wax:60m length, ID 0.32mm, df 0.50um	853.10	CI4WE.1	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-1000psi liq, 1ul,	871.20
CFS-G06053-100A	GC-Column, FS, ValcoBond VB-Wax:60m length, ID 0.53mm, df 1um	923.40	CI4WE.2	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-1000psi liq, 2ul,N	871.20
CFSL100FEP	Chemintert sample loop 100ul:flangeless connections 1-4"-28, FEP	24.50	CI4WE.5	4 port 2-pos int vol valve, manual:1-16"4mm, 175C-1000psi liq, 5ul,	871.20
CFSL100PK	Chemintert sample loop 100ul:flangeless connections 1-4"-28, PEEK	35.00	C-LFP	Loop fill portassy:	149.80
CFSL100TF	Chemintert sample loop 100ul:flangeless connections 1-4"-28, PTFE	24.50	C-LZP1PK	Plug 1-16", long hex, high pressure:Chemintert Polymeric vlv series C1-	30.00
CFSL1K1FEP	Chemintert sample loop 1ml:flangeless connections 1-4"-28, FEP	35.00	CM	Column mandrel:	95.60
CFSL1K1PK	Chemintert sample loop 1ml:flangeless connections 1-4"-28, PEEK	56.00	CMIYKF	Chemintert mixing tee 1-4"-28for 1-16" tubing, 0.75mm bore, CTFE	97.40
CFSL1K1TF	Chemintert sample loop 1ml:flangeless connections 1-4"-28, PTFE	35.00	CMIYKP	Chemintert mixing tee 1-4"-28for 1-16" tubing, 0.75mm bore, PEEK	196.00
CFSL20FEP	Chemintert sample loop 20ul:flangeless connections 1-4"-28, FEP	24.50	CMZXF	Chemintert mixing tee 1-4"-28for 1-8" tubing, 1.5mm bore, CTFE	196.00
CFSL20PK	Chemintert sample loop 20ul:flangeless connections 1-4"-28, PEEK	35.00	CMZXP	Chemintert mixing tee 1-4"-28for 1-8" tubing, 1.5mm bore, PEEK	196.00
CFSL20TF	Chemintert sample loop 20ul:flangeless connections 1-4"-28, PTFE	24.50	CMH	Close mount hardware, 2-pos valve:1 or 2 holes, air or elec. act.	33.90
CFSL250FEP	Chemintert sample loop 250ul:flangeless connections 1-4"-28, FEP	24.50	CMH1H	Close mount hardware:Chemintert h-p, air or elec. act.	32.30
CFSL250PK	Chemintert sample loop 250ul:flangeless connections 1-4"-28, PEEK	35.00	CMH1L	Close mount hardware:Chemintert l-p, air or elec. act.	32.30
CFSL250TF	Chemintert sample loop 250ul:flangeless connections 1-4"-28, PTFE	24.50	CMH1H2	Close mount hardware, 2-pos. valve:m-electric actuator	32.30
CFSL2KFEP	Chemintert sample loop 2ml:flangeless connections 1-4"-28, FEP	42.00	CMH1L2	Close mount hardware, 2-pos. valve:Chemintert l-p, m-electric actuator	32.30
CFSL2KPK	Chemintert sample loop 2ml:flangeless connections 1-4"-28, PEEK	87.50	CMH1H3	Close mount hardware, m-pos. valve:Chemintert h-p, m-electric actuator	32.30
CFSL2KTF	Chemintert sample loop 2ml:flangeless connections 1-4"-28, PTFE	42.00	CMH1L3	Close mount hardware, m-pos. valve:Chemintert l-p, m-electric actuator	32.30
CFSL500FEP	Chemintert sample loop 500ul:flangeless connections 1-4"-28, FEP	28.00	CMAMP	Close mount hardware, 2-pos+m-pos valve:no mounting holes, air or elec	33.90
CFSL500PK	Chemintert sample loop 500ul:flangeless connections 1-4"-28, PEEK	42.00	CMLAKF	Chemintert male luer adapter to 1-4-28:1.5mm bore, CTFE	51.00
CFSL500TF	Chemintert sample loop 500ul:flangeless connections 1-4"-28, PTFE	28.00	CMLAPFA	Chemintert male luer adapter to 1-4-28:1.5mm bore, PFA	25.50
CFSL50FEP	Chemintert sample loop 50ul:flangeless connections 1-4"-28, FEP	24.50	CMLAPK	Chemintert male luer adapter to 1-4-28:1.5mm bore, PEEK	25.50
CFSL50PK	Chemintert sample loop 50ul:flangeless connections 1-4"-28, PEEK	35.00	C-MPFT10	Chemintert mobile phase filterfor 1-8" OD tubing, 10um Titanium frit,	30.00
CFSL50TF	Chemintert sample loop 50ul:flangeless connections 1-4"-28, PTFE	24.50	C-MPFT2	Chemintert mobile phase filterfor 1-8" OD tubing, 2um Titanium frit, P	59.90
CFS-N03053-025	GC-Column, FS, ValcoBond VB-Fluoro:30m length, ID 0.25mm, df 0,25um	604.20	C-MPR2	Chemintert solvent reservoir 500mlwith 2-hole cap, 1-4"-28 fittings, P	142.80
CFS-N03053-100	GC-Column, FS, ValcoBond VB-Fluoro:30m length, ID 0.53mm ID, df 1.00um	725.80	C-MPR3	Chemintert solvent reservoir 500mlwith 3-hole cap, 1-4"-28 fittings, P	184.80
CFS-PA1532-100	GC-Column, FS, ValcoPLOT HayeSep A:15m length, ID 0.32mm, df 10um	499.70	C-MZPIPK	Plug 1-16", hex, high pressure:Chemintert Polymeric vlv series C1-C5, P	30.00
CFS-PA1553-200	GC-Column, FS, ValcoPLOT HayeSep A:15m length, ID 0.53mm, df 20um	533.90	C-NEF5FPK.15S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:150um, PEEK, with li	189.00
CFS-PA3032-100	GC-Column, FS, ValcoPLOT HayeSep A:30m length, ID 0.32mm, df 10um	680.20	C-NEF5FPK.20S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:150um, PEEK, with li	189.00
CFS-PA3053-200	GC-Column, FS, ValcoPLOT HayeSep A:30m length, ID 0.53mm, df 20um	721.00	C-NEF5FPK.25S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:150um, PEEK, with li	189.00
CFS-PB1532-100	VPHS-B Column, FS, ValcoBond, HayeSep B:15m length, ID 0.32mm, df 0.10	499.70	C-NEF5FPK.30S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:150um, PEEK, with li	189.00
CFS-PB1553-200	VPHS-B Column, FS, ValcoBond, HayeSep B:15m length, ID 0.53mm, df 0.20	533.90	C-NEF5FPK.35S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:150um, PEEK, with li	189.00
CFS-PB3032-100	VPHS-B Column, FS, ValcoBond, HayeSep B:30m length, ID 0.32mm, df 0.10	680.20	C-NEF5FPK.15S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:100um, PEEK, with li	225.40
CFS-PB3053-200	VPHS-B Column, FS, ValcoBond, HayeSep B:30m length, ID 0.53mm, df 0.20	721.00	C-NEF5FPK.20S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:100um, PEEK, with li	225.40
CFS-PC1532-100	VPHS-C Column, FS, ValcoBond, HayeSep C:15m length, ID 0.32mm, df 0.10	499.70	C-NEF5FPK.25S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:100um, PEEK, with li	225.40
CFS-PC1553-200	VPHS-C Column, FS, ValcoBond, HayeSep C:15m length, ID 0.53mm, df 0.20	533.90	C-NEF5FPK.30S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:100um, PEEK, with li	225.40
CFS-PC3032-100	VPHS-C Column, FS, ValcoBond, HayeSep C:30m length, ID 0.32mm, df 0.10	680.20	C-NEF5FPK.35S1	Column end fitting, Nano 1-32" Chemintert, 1um scr:100um, PEEK, with li	225.40
CFS-PC3053-200	VPHS-C Column, FS, ValcoBond, HayeSep C:30m length, ID 0.53mm, df 0.20	721.00	C-NERU1FPK	Union, Reducing, Int-Ext, 1-32 Chemintertx 1-16 External, .006" bore	72.00
CFS-PD1532-100	VPHS-D Column, FS, ValcoPLOT HayeSep D:15m length, ID 0.32mm, df 10um	499.70	C-NEU.5FPK	Union, Int-Ext, 1-32" Chemintert:150um, PEEK, without liners	52.50
CFS-PD1553-200	VPHS-D Column, FS, ValcoPLOT HayeSep D:15m length, ID 0.53mm, df 20um	533.90	C-NEU.5FPK.15	Union, Int-Ext, Nano 1-32" Chemintert:150um, PEEK, with liners for FS 1	135.80
CFS-PD3032-100	VPHS-D Column, FS, ValcoPLOT HayeSep D:30m length, ID 0.32mm, df 10um	680.20	C-NEU.5FPK.25	Union, Int-Ext, Nano 1-32" Chemintert:150um, PEEK, with liners for FS 1	135.80
CFS-PD3053-200	VPHS-D Column, FS, ValcoPLOT HayeSep D:30m length, ID 0.53mm, df 20um	721.00	C-NEU.5FPK.35	Union, Int-Ext, Nano 1-32" Chemintert:150um, PEEK, with liners for FS 2	135.80
CFS-PN1532-100	VPHS-N Column, FS, ValcoBond, HayeSep N:15m length, ID 0.32mm, df 0.10	499.70	C-NEU.5FPK.35	Union, Int-Ext, Nano 1-32" Chemintert:150um, PEEK, with liners for FS 2	135.80
CFS-PN1553-200	VPHS-N Column, FS, ValcoBond, HayeSep N:15m length, ID 0.53mm, df 0.20	533.90	C-NEU.5FXPK	Union, Int-Ext, Nano 1-32" Chemintert:100um, PEEK, without liners	64.50
CFS-PN3032-100	VPHS-N Column, FS, ValcoBond, HayeSep N:30m length, ID 0.32mm, df 0.10	680.20	C-NEU.5FXPK.15	Union, Int-Ext, Nano 1-32" Chemintert:100um, PEEK, with liners for FS 1	162.40
CFS-PN3053-200	VPHS-N Column, FS, ValcoBond, HayeSep N:30m length, ID 0.53mm, df 0.20	721.00	C-NEU.5FXPK.20	Union, Int-Ext, Nano 1-32" Chemintert:100um, PEEK, with liners for FS 1	162.40
CFS-PP1532-100	VPHS-P Column, FS, ValcoBond, HayeSep P:15m length, ID 0.32mm, df 0.10	499.70	C-NEU.5FXPK.25	Union, Int-Ext, Nano 1-32" Chemintert:100um, PEEK, with liners for FS 2	162.40
CFS-PP3032-100	VPHS-P Column, FS, ValcoBond, HayeSep P:30m length, ID 0.32mm, df 0.10	680.20	C-NEU.5FXPK.30	Union, Int-Ext, Nano 1-32" Chemintert:100um, PEEK, with liners for FS 2	162.40
CFS-PP3053-200	VPHS-P Column, FS, ValcoBond, HayeSep P:30m length, ID 0.53mm, df 0.20	721.00	C-NEU.5FXPK.35	Union, Int-Ext, Nano 1-32" Chemintert:100um, PEEK, with liners for FS 3	162.40
CFS-PQ1532-100	VPHS-Q Column, FS, ValcoPLOT HayeSep Q:15m length, ID 0.32mm, df 10um	406.60	CNFT	Tightening Tool for PEEK hex-head:1-32" nuts, green	29.40
CFS-PQ1553-200	VPHS-Q Column, FS, ValcoPLOT HayeSep Q:15m length, ID 0.53mm, df 20um	431.30	C-NL.15L-5	Liner long, Nano 1-32" Chemintert, 27 mm:PEEK, for FS OD 125 - 175um, 5	65.90
CFS-PQ3032-100	VPHS-Q Column, FS, ValcoBond, HayeSep Q:30m length, ID 0.32mm, df 0.10	540.60	C-NL.15S-5	Liner short, Nano 1-32" Chemintert, 10 mm:PEEK, for FS OD 125 - 175um, 5	65.90
CFS-PQ3053-200	VPHS-Q Column, FS, ValcoBond, HayeSep Q:30m length, ID 0.53mm, df 0.20	584.20	C-NL.20L-5	Liner long, Nano 1-32" Chemintert, 27 mm:PEEK, for FS OD 175 - 225um, 5	65.90
CFS-PR1532-100	VPHS-R Column, FS, ValcoBond, HayeSep R:15m length, ID 0.32mm, df 0.10	499.70	C-NL.20S-5	Liner long, Nano 1-32" Chemintert, 10 mm:PEEK, for FS OD 175 - 225um, 5	65.90
CFS-PR1553-200	VPHS-R Column, FS, ValcoBond, HayeSep R:15m length, ID 0.53mm, df 0.20	533.90	C-NL.25L-5	Liner long, Nano 1-32" Chemintert, 27 mm:PEEK, for FS OD 225 - 275 um, 5	65.90
CFS-PR3032-100	VPHS-R Column, FS, ValcoBond, HayeSep R:30m length, ID 0.32mm, df 0.10	680.20	C-NL.25S-5	Liner short, Nano 1-32" Chemintert, 10 mm:PEEK, for FS OD 225 - 275um, 5	65.90
CFS-PR3053-200	VPHS-R Column, FS, ValcoBond, HayeSep R:30m length, ID 0.53mm, df 0.20	721.00	C-NL.30L-5	Liner long, Nano 1-32" Chemintert, 27 mm:PEEK, for FS OD 275 - 325um, 5	65.90
CFS-PS1532-100	VPHS-S Column, FS, ValcoBond, HayeSep S:15m length, ID 0.32mm, df 0.10	499.70	C-NL.30S-5	Liner short, Nano 1-32" Chemintert, 10 mm:PEEK, for FS OD 275 - 325um, 5	65.90
CFS-PS1553-200	VPHS-S Column, FS, ValcoBond, HayeSep S:15m length, ID 0.53mm, df 0.20	533.90	C-NL.35L-5	Liner long, Nano 1-32" Chemintert, 27 mm:PEEK, for FS OD 325 - 375um, 5	33.00
CFS-PS3032-100	VPHS-S Column, FS, ValcoBond, HayeSep S:30m length, ID 0.32mm, df 0.10	680.20	C-NL.35S-5	Liner short, Nano 1-32" Chemintert, 10 mm:PEEK, for FS OD 325 - 375um, 5	65.90
CFS-PS3053-200	VPHS-S Column, FS, ValcoBond, HayeSep S:30m length, ID 0.53mm, df 0.20	721.00	C-NLS1.15	Liner, Nano 1-32" Chemintert, screen 1um, 27 mm:PEEK, for FS OD 125 - 175	89.90
CFS-X1553-500	VP-Molesieve Column,FS, ValcoBond, 5A Fused Silica:15m length, ID 0.53	478.80	C-NLS1.20	Liner, Nano 1-32" Chemintert, screen 1um, 27 mm:PEEK, for FS OD 175 - 2	89.90
CFS-X3053-500	GC-Column, FS, ValcoPLOT Molesieve 5A:30m length, ID 0.53mm, df 20um	659.30	C-NLS1.25	Liner, Nano 1-32" Chemintert, screen 1um, 27 mm:PEEK, for FS OD 225-275	89.90
CFS-X3053-500	GC-Column, FS, ValcoPLOT Molesieve 5A:30m length, ID 0.53mm, df 50um	779.90	C-NLS1.30	Liner, Nano 1-32" Chemintert, screen 1um, 27 mm:PEEK, for FS OD 275-325	89.90
CFS-Y1553-100	GC-Column, FS, ValcoPlot Alumina:15m length, ID 0.53mm, df 10um	465.50	C-NLS1.35	Liner, Nano 1-32" Chemintert, screen 1um, 27 mm:PEEK, for FS OD 325-375	45.20
CFS-Y3053-100	GC-Column, FS, ValcoPlot Alumina:30m length, ID 0.53mm, df 10um	540.60	CNFFPK	Nut-Bushing, One-piece, 1-16" Chemintert:6-40, PEEK, SS retainer	13.60
CFS-Y5053-100	GC-Column, FS, ValcoPlot Alumina KCl:50m length, ID 0.53mm, df 10um	866.40	C-NFFPK	Nut-Ferrule, One-piece, 1-32" Chemintert:	12.00
CFS-Z1553-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4:15m length, ID 0.53mm, df 0.1	465.50	C-NFFPK	Nut-Ferrule, One-piece, 1-32" Chemintert:long	13.60
CFS-Z3053-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4:30m length, ID 0.53mm, df 10um	540.60	C-NFFPK	Plug, 1-32 Chemintert:	27.00
CFS-Z5053-100	GC-Column, FS, ValcoPlot Alumina, Na2SO4:50m length, ID 0.53mm, df 10um	866.40	C-NFFPK	Tee,	

VICI / VALCO Preislste in Euro, Stand Januar 2016

CNVEKB	Combo needle valve standard knob, black,length .62"-16mm long	8.80	CVA500B2	Combo needle valve, short black knob:500ml-min, 40psi He-N2, 1-8" int.	147.00
CNVEKG	Combo needle valve standard knob, green,length .62"-16mm long	8.80	CVA50RS1	Combo needle valve, short red knob:50ml-min, 40psi He-N2, 1-16" int. A	147.00
CNVEKLB	Combo needle valve long knob, black,length 1.25"-32mm long	11.80	CVA50RS2	Combo needle valve, short red knob:50ml-min, 40psi He-N2, 1-8" int. AI	147.00
CNVEKLG	Combo needle valvelong long knob, green,length 1.25"-32mm long	11.80	C-VISF-1	Syringe fillport Cheminert C22Z polymeric valve:for .75"-19mm long n	16.50
CNVEKLR	Combo needle valve long knob, red,length 1.25"-32mm long	11.80	C-VISF-1H	Syringe fillport Cheminert C2-C3-C4 polymeric vlv:for .75"-19mm long	33.00
CNVEKLS	Combo needle valvelong long knob, silver,length 1.25"-32mm long	11.80	CXCKF	Cheminert cross 1-4"-28, 1-16" OD tubing:25mm bore, CTFE	133.00
CNVEKLU	Combo needle valvelong long knob, blue,length 1.25"-32mm long	11.80	CXCPK	Cheminert cross 1-4"-28, 1-16" OD tubing:25mm bore, PEEK	133.00
CNVEKR	Combo needle valve standard knob, red,length .62"-16mm long	8.80	CXKF	Cheminert cross 1-4"-28, 1-16" OD tubing:5mm bore, CTFE	117.60
CNVEKS	Combo needle valve standard knob, silver,length .62"-16mm long	8.80	CXLFK	Cheminert cross 1-4"-28, 1-8" OD tubing:1.5mm bore, CTFE	117.60
CNVEKU	Combo needle valve standard knob, blue,length .62"-16mm long	8.80	CXLPK	Cheminert cross 1-4"-28, 1-8" OD tubing:1.5mm bore, PEEK	117.60
C-NVIF	Syringe Fill Port, 1-32" Cheminert:for 0.85"-22mm long needle, 26 Gaug	39.10	CXMKF	Cheminert cross 1-4"-28, 1-16" OD tubing:7.5mm bore, CTFE	117.60
C-NXFPK	Cross, Nano, 1-32" Cheminert:150um, PEEK	284.60	CXMPK	Cheminert cross 1-4"-28, 1-16" OD tubing:7.5mm bore, PEEK	117.60
C-NXFFK	Cross, Nano, 1-32" Cheminert:100um, PEEK	341.80	CXPK	Cheminert cross 1-4"-28, 1-16" OD tubing:5mm bore, PEEK	117.60
C-NYFFK	Y-assy, Nano, 1-32" Cheminert:150um, PEEK	249.20	CZBUCKF	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:25mm bore, CTFE	84.00
C-NYFFK	Y-assy, Nano 1-32" Cheminert:100um, PEEK	299.20	CZBUCPK	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:25mm bore, PEEK	84.00
CP2-4841-100D	M6 Pump only, replacement:vol. 100ul, Sapphire-TF, E3-P, VICI Logo	2110.70	CZBUCS6	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:25mm bore, 316SS	69.00
CP2-4841-100M1	M6 Pump with controller and stepper motor:vol. 100ul, Sapphire-TF, E3	3754.60	CZBUKFF	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:5mm bore, CTFE	69.00
CP2-4841-100SM	M6 Pump with stepper motor (no controller):vol. 100ul, Sapphire-TF, E3	2822.30	CZBUMKFF	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:75mm bore, CTFE	69.00
CP3-8182-625D	M60 Pump only:vol. 625ul, ceramic rotor-TF, VICI Logo	2343.50	CZBUMPK	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:75mm bore, PEEK	69.00
CP3-8182-625M2	M60 Pump with controller and stepper motor:vol. 625ul, ceramic rotor-T	4000.60	CZBUMS6	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:75mm bore, 316SS	59.90
CP3-8182-625SM2	M60 Pump and stepper motor:vol. 625ul, ceramic rotor-TF, VICI Logo	3055.00	CZBUPK	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:5mm bore, PEEK	69.00
CP-4D	Plug 1-4" tube connection, 1-2"-20:Delrin	16.50	CZBUS6	Cheminert bulkhead union 1-4"-28*1-16" OD tubing:5mm bore, 316SS	59.90
CP-4K	OBSOLETE, replaced by CP-4KF:	0.00	C-ZP1FFK	Plug 1-16", fingertight, high pressure:Cheminert Polymeric vlv series	18.10
CPA2KF	Cheminert pipe connector 1-8"NPT:1-4"-28female*M-NPT, 1.5mm bore, CTFE	54.00	CZSL100FEP	Cheminert sample loop 100ul:1-16" PEEK nuts & CTFE ferrules, FEP	26.30
CPA2PK	Cheminert pipe connector 1-8"NPT:1-4"-28female*M-NPT, 1.5mm bore, PEEK	54.00	CZSL100PK	Cheminert sample loop 100ul:1-16" PEEK nuts & ferrules, PEEK	35.00
CPA4KF	Cheminert pipe connector 1-4"NPT:1-4"-28female*M-NPT, 1.5mm bore, CTFE	54.00	CZSL100TF	Cheminert sample loop 100ul:1-16" PEEK nuts & ferrules, PTFE	26.30
CPA4PK	Cheminert pipe connector 1-4"NPT:1-4"-28female*M-NPT, 1.5mm bore, PEEK	54.00	CZSL10FEP	Cheminert sample loop 10ul:1-16" PEEK nuts & CTFE ferrules, FEP	35.00
CP-CM1-P	Controller, MicroLynx-4:	821.90	CZSL10PK	Cheminert sample loop 10ul:1-16" PEEK nuts & ferrules, PEEK	43.80
CP-DSM	Driver, Pump M6:Motor incl. mounting hardware	719.50	CZSL10TF	Cheminert sample loop 10ul:1-16" PEEK nuts & ferrules, PTFE	35.00
CP-DSM2	Driver, Pump M6:Motor incl. mounting hardware	754.10	CZSL1KFEP	Cheminert sample loop 1ml:1-16" PEEK nuts & CTFE ferrules, FEP	42.00
C-PF	Cheminert perfit 1-4"-28, kit of 6 pcs:for peristaltic tubing 5 to 2	114.80	CZSL1KPK	Cheminert sample loop 1ml:1-16" PEEK nuts & ferrules, PEEK	70.00
C-PFL	Cheminert perfit 1-4"-28:for peristaltic tubing 1.85 to 2.29mm ID	12.30	CZSL1KTF	Cheminert sample loop 1ml:1-16" PEEK nuts & ferrules, PTFE	42.00
C-PFM	Cheminert perfit 1-4"-28:for peristaltic tubing 1.12 to 1.65mm ID	10.80	CZSL20FEP	Cheminert sample loop 20ul:1-16" PEEK nuts & CTFE ferrules, FEP	31.50
C-PFS	Cheminert perfit 1-4"-28:for peristaltic tubing 5 to 1.02mm ID	10.80	CZSL20PK	Cheminert sample loop 20ul:1-16" PEEK nuts & ferrules, PEEK	38.50
CPKF	Cheminert plug 1-4"-28:CTFE, 5-pkg	54.00	CZSL20TF	Cheminert sample loop 20ul:1-16" PEEK nuts & ferrules, PTFE	31.50
CPPK	Cheminert plug 1-4"-28:PEEK, 5-pkg	19.60	CZSL25FEP	Cheminert sample loop 250ul:1-16" PEEK nuts & CTFE ferrules, FEP	31.50
CR10	Clamp ring for standoff assembly:*SOAMMP m-pos m-electric actuator	23.50	CZSL25PK	Cheminert sample loop 250ul:1-16" PEEK nuts & ferrules, PEEK	43.80
CR11	Clamp ring closeout, 2-pos-m-pos vv. 2-pos-m-pos, std. electric-air	22.10	CZSL25TF	Cheminert sample loop 250ul:1-16" PEEK nuts & ferrules, PTFE	31.50
CR3	Clamp ring for standoff assembly:*SOA*SOAMP	13.30	CZSL2KFEP	Cheminert sample loop 2ml:1-16" PEEK nuts & CTFE ferrules, FEP	52.50
CR4	Clamp ring:2-pos air-electric actuator and DV valve	14.70	CZSL2KPK	Cheminert sample loop 2ml:1-16" PEEK nuts & ferrules, PEEK	96.30
CR8	Clamp ring for standoff assembly:*SOA*SOAMP, 2-pos m-electric actua	16.20	CZSL2KTF	Cheminert sample loop 2ml:1-16" PEEK nuts & ferrules, PTFE	52.50
CSD10UW	10 mpos dead-end path, manual:1-16" 4mm, 75C-5000psi liq, N60-E	1336.60	CZSL2PK	Cheminert sample loop 2ul:1-16" PEEK nuts & ferrules, PEEK	43.80
CSD4UW	4 mpos dead-end path, manual:1-16" 4mm, 75C-5000psi liq, N60-E	1150.40	CZSL500FEP	Cheminert sample loop 500ul:1-16" PEEK nuts & CTFE ferrules, FEP	35.00
CSD6UW	6 mpos dead-end path, manual:1-16" 4mm, 75C-5000psi liq, N60-E	1223.60	CZSL500PK	Cheminert sample loop 500ul:1-16" PEEK nuts & ferrules, PEEK	52.50
CSL10	Cheminert sample loop 10ul:1-16" ends with nuts & ferrules, 316SS	34.70	CZSL500TF	Cheminert sample loop 500ul:1-16" PEEK nuts & ferrules, PTFE	35.00
CSL100	Cheminert sample loop 100ul:1-16" ends with nuts & ferrules, 316SS	48.20	CZSL50FEP	Cheminert sample loop 5ul:1-16" PEEK nuts & CTFE ferrules, FEP	26.30
CSL100TI	Cheminert sample loop 100ul:1-16" ends with nuts & ferrules, Ti	77.00	CZSL50PK	Cheminert sample loop 5ul:1-16" PEEK nuts & ferrules, PEEK	35.00
CSL10K	Cheminert sample loop 10ml:1-16" ends with nuts & ferrules, 316SS	106.40	CZSL50TF	Cheminert sample loop 5ul:1-16" PEEK nuts & ferrules, PTFE	26.30
CSL10TI	Cheminert sample loop 10ul:1-16" ends with nuts & ferrules, Ti	77.00	CZSL5FEP	Cheminert sample loop 5ul:1-16" PEEK nuts & CTFE ferrules, FEP	35.00
CSL1K	Cheminert sample loop 1ml:1-16" ends with nuts & ferrules, 316SS	53.90	CZSL5PK	Cheminert sample loop 5ml:1-16" PEEK nuts & ferrules, PEEK	148.80
CSL1KI	Cheminert sample loop 1ml:1-16" ends with nuts & ferrules, Ti	347.10	CZSL5PK	Cheminert sample loop 5ul:1-16" PEEK nuts & ferrules, PEEK	43.80
CSL2	Cheminert sample loop 2ul:1-16" ends with nuts & ferrules, 316SS	34.70	CZSL5TF	Cheminert sample loop 5ul:1-16" PEEK nuts & ferrules, PTFE	35.00
CSL20	Cheminert sample loop 20ul:1-16" ends with nuts & ferrules, 316SS	34.70	CZUCKF	Cheminert union 1-4"-28, 1-16" OD tubing:25mm bore, CTFE	34.60
CSL20TI	Cheminert sample loop 20ul:1-16" ends with nuts & ferrules, Ti	77.00	CZUCPK	Cheminert union 1-4"-28, 1-16" OD tubing:25mm bore, PEEK	69.00
CSL250	Cheminert sample loop 250ul:1-16" ends with nuts & ferrules, 316SS	48.20	CZUCS6	Cheminert union 1-4"-28, 1-16" OD tubing:25mm bore, 316SS	69.00
CSL250TI	Cheminert sample loop 250ul:1-16" ends with nuts & ferrules, Ti	123.20	CZUKF	Cheminert union 1-4"-28, 1-16" OD tubing:5mm bore, CTFE	59.90
CSL2K	Cheminert sample loop 2ml:1-16" ends with nuts & ferrules, 316SS	69.30	CZUMKF	Cheminert union 1-4"-28, 1-16" OD tubing:75mm bore, CTFE	59.90
CSL5	Cheminert sample loop 5ul:1-16" ends with nuts & ferrules, 316SS	34.70	CZUMPK	Cheminert union 1-4"-28, 1-16" OD tubing:75mm bore, PEEK	59.90
CSL50	Cheminert sample loop 50ul:1-16" ends with nuts & ferrules, 316SS	34.70	CZUMS6	Cheminert union 1-4"-28, 1-16" OD tubing:75mm bore, 316SS	59.90
CSL500	Cheminert sample loop 500ul:1-16" ends with nuts & ferrules, 316SS	48.20	CZUPK	Cheminert union 1-4"-28, 1-16" OD tubing:5mm bore, PEEK	59.90
CSL500TI	Cheminert sample loop 500ul:1-16" ends with nuts & ferrules, Ti	231.00	CZUS6	Cheminert union 1-4"-28, 1-16" OD tubing:5mm bore, 316SS	30.00
CSL50TI	Cheminert sample loop 50ul:1-16" ends with nuts & ferrules, Ti	77.00	D10UW	10 port 2-pos valve, replacement:1-8" 75mm, 75C-5000psi liq, N60-H	951.00
CSL5K	Cheminert sample loop 5ml:1-16" ends with nuts & ferrules, 316SS	80.90	D10UWE	10 port 2-pos valve, replacement:1-8" 75mm, 225C-400psi gas, N60-E	884.40
CSLN10K	Cheminert sample loop 10ul:1-32" ends with nuts, SS	92.40	D10UWT	10 port 2-pos valve, replacement:1-8" 75mm, 330C-300psi gas, N60-T	884.40
CSLN10KPK	Cheminert sample loop 10ul (10000nl):1-32" ends with nuts, PEEK	92.40	D-2-110	Pulsed discharge detector PDECD-HID-PID:48V detector, controller, HP2,	7900.20
CSLN10KPK	Cheminert sample loop 1ul (1000nl):1-32" ends with nuts, SS	59.90	D-2-220	Pulsed discharge detector PDECD-HID-PID:48V detector, controller, HP2,	7900.20
CSLN1K5	OBSOLETE, replaced by CSLN1K:	0.00	D-2-I-110	Pulsed discharge detector optimized HID:48V detector, controller, HP2,	7469.30
CSLN1KPK	Cheminert sample loop 1ul (1000nl):1-32" ends with nuts, PEEK	56.00	D-2-I-220	Pulsed discharge detector optimized HID:48V detector, controller, HP2,	7469.30
CSLN2K	Cheminert sample loop 2ul (2000nl):1-32" ends with nuts, SS	69.30	D-2-IM	Pulsed discharge detector mini-heter block, 48V heaters, HP2, HP1M, PD,	9193.00
CSLN2PK	Cheminert sample loop 2ul (2000nl):1-32" ends with nuts, PEEK	63.00	D-3-I-7890-110	Pulsed discharge detector HID-PID HP7890/pulsar, HP electrometer, HP2,	8920.30
CSLN5K	Cheminert sample loop 5ul (5000nl):1-32" ends with nuts, SS	74.20	D-3-I-7890-220	Pulsed discharge detector HID-PID HP7890/pulsar, HP electrometer, HP2,	8920.30
CSLN5PK	Cheminert sample loop 5ul (5000nl):1-32" ends with nuts, PEEK	73.50	D-3-I-HP-110	Pulsed discharge detector HID-PID HP6890/pulsar, HP electrometer, HP2,	8920.30
CSS-X1553-200	GC-Column, SS, ValcoPLOT Mole sieve 5A:15m length, ID 0.53mm, df 20um	600.40	D-3-I-HP-220	Pulsed discharge detector HID-PID HP6890/pulsar, HP electrometer, HP2,	8920.30
CSS-X3053-200	GC-Column, SS, ValcoPLOT Mole sieve 5A:30m length, ID 0.53mm, df 20um	923.40	D-4-I-110	Pulsed discharge detector HeID-PID:48V detector, controller, HP2, 110V	7325.60
CSS-X3053-500	GC-Column, SS, ValcoPLOT Mole sieve 5A:30m length, ID 0.53mm, df 50um	1053.60	D-4-I-220	Pulsed discharge detector HeID-PID:48V detector, controller, HP2, 220V	7325.60
CST	Cheminert setting tool:for 1-4"-28 flangeless fitting	9.10	D-4-I-HP58-110	Pulsed discharge detector HeID-PID HP5890/48V detector, controller, HP,	7469.30
CTA2KF	Cheminert adapter for tubing 1-8" OD:1.5mm bore, CTFE	27.00	D-4-I-HP58-220	Pulsed discharge detector HeID-PID HP5890/48V detector, controller, HP,	7469.30
CTA2PK	Cheminert adapter for tubing 1-8" OD:1.5mm bore, PEEK	27.00	D-4-I-SH14-R-110	Pulsed discharge detector HeID-PID Shimadzu 14:w-o controller, HP2-110	5602.00
CTA2S6	Cheminert adapter for tubing 1-8" OD:1.5mm bore, 316SS	24.10	D-4-I-SH14-R-220	Pulsed discharge detector HeID-PID Shimadzu 14:w-o controller, HP2-220	5602.00
CTA4KF	Cheminert adapter for tubing 1-4" OD:1.5mm bore, CTFE	24.10	D-4-I-SH17-R-110	Pulsed discharge detector HeID-PID Shimadzu 17:w-o controller, HP2-110	5602.00
CTA4PK	Cheminert adapter for tubing 1-4" OD:1.5mm bore, PEEK	24.10	D-4-I-SH17-R-220	Pulsed discharge detector HeID-PID Shimadzu 17:w-o controller, HP2-220	5602.00
CTA4S6	Cheminert adapter for tubing 1-4" OD:1.5mm bore, 316SS	21.00	D-4-I-TQ-R-110	Pulsed discharge detector HeID-PID for Trace GC:pulsar, HP2-110, Therm	5602.00
CTCKF	Cheminert tee 1-4"-28, 1-16" OD tubing:25mm bore, CTFE	58.50	D-4-I-TQ-R-220	Pulsed discharge detector HeID-PID for Trace GC:pulsar, HP2-220, Therm	5602.00
CTCPK	Cheminert tee 1-4"-28, 1-16" OD tubing:25mm bore, PEEK	117.60	D-4-VA38-R-110	Pulsed discharge detector HeID-PID Varian 3800:w-o controller, with HP	5602.00
CTKF	Cheminert tee 1-4"-28, 1-16" OD tubing:5mm bore, CTFE	49.60	D-4-VA38-R-220	Pulsed discharge detector HeID-PID Varian 3800:w-o controller, with HP	5602.00
CTLKF	Cheminert tee 1-4"-28, 1-8" OD tubing:1.5mm bore, CTFE	49.60	D4UW	4 port 2-pos valve, replacement:1-8" 75mm, 75C-5000psi liq, N60-H	804.60
CTLPK	Cheminert tee 1-4"-28, 1-8" OD tubing:1.5mm bore, PEEK	99.00	D4UWE	4 port 2-pos valve, replacement:1-8" 75mm, 225C-400psi gas, N60-E	738.20
CTMFK	Cheminert tee 1-4"-28, 1-16" OD tubing:75mm bore, CTFE	49.60	D4UWT	4 port 2-pos valve, replacement:1-8" 75mm, 330C-300psi gas, N60-T	738.20
CTMPK	Cheminert tee 1-4"-28, 1-16" OD tubing:75mm bore, PEEK	99.00	D6UW	6 port 2-pos valve, replacement:1-8" 75mm, 75C-5000psi liq, N60-H	877.80
CTPK	Cheminert tee 1-4"-28, 1-16" OD tubing:5mm bore, PEEK	99.00	D6UWE	6 port 2-pos valve, replacement:1-8" 75mm, 225C-400psi gas, N60-E	811.30
CU4LKf	Cheminert union 1-4"-28 to 1-2-20:1.5mm bore, 1-8" to 1-4" tube, CTFE	135.80	D6UWT	6 port 2-pos valve, replacement:1-8" 75mm, 330C-300psi gas, N60-T	811.30
CU4LPK	Cheminert union 1-4"-28 to 1-2-20:1.5mm bore, 1-8" to 1-4" tube, PEEK	135.80	D8UW	8 port 2-pos valve, replacement:1-8" 75mm, 75C-5000psi liq, N60-H	951.00
CUCKF	Cheminert union 1-4"-28, 1-16" OD tubing:25mm bore, CTFE	34.60	D8UWE	8 port 2-pos valve, replacement:1-8" 75mm, 225C-400psi gas, N60-E	884.40
CUCPK	Cheminert union 1-4"-28, 1-16" OD tubing:25mm bore, PEEK	69.00	D8UWT	8 port 2-pos valve, replacement:1-8" 75mm, 330C-300psi gas, N60-T	884.40
CUKF	Cheminert union 1-4"-28, 1-16" OD tubing:5mm bore, CTFE	30.00	DC10UW	10 port 2-pos valve, replacement:1-16" 75mm, 75C-5000psi liq, N60-H	951.00
CULKf	Cheminert union 1-4"-28, 1-8" OD tubing:1.5mm bore, CTFE	59.90	DC10UWE	10 port 2-pos valve, replacement:1-16" 75mm, 225C-400psi gas, N60-E	884.40
CULPK	Cheminert union 1-4"-28, 1-8" OD tubing:1.5mm bore, PEEK	30.00	DC10UWT	10 port 2-pos valve, replacement:1-16" 75mm, 330C-300psi gas, N60-T	884.40
CUMKF	Cheminert union 1-4"-28, 1-16" OD tubing:75mm bore, CTFE	30.00	DC10W	10 port 2-pos valve, replacement:1-16" 4mm, 75C-5000psi liq, N60-H	884.40
CUMPK	Cheminert union 1-4"-28, 1-16" OD tubing:75mm bore, PEEK	30.00	DC10WE	10 port 2-pos valve, replacement:1-16" 4mm, 225C-400psi gas, N60-E	884.40
CUFK	Cheminert union 1-4"-28, 1-16" OD tubing:5mm bore, PEEK	59.90	DC10WT	10 port 2-pos valve, replacement:1-16" 4mm, 350C-300psi gas, N60-T	884.40
CUTPP	Cheminert union 1-4"-28, w-o fitting:butt connection, Polypropylene, 5	13.60	DC4UW	4 port 2-pos valve, replacement:1-16" 75mm, 75C-5000psi liq, N60-H	804.60
CVA10GS1	Combo needle valve, short green knob:10ml-min, 40psi He-N2, 1-16" int.	147.00	DC4UWE	4 port 2-pos valve, replacement:1-16" 75mm, 225C-400psi gas, N60-E	738.20
CVA10GS2	Combo needle valve, short green knob:10ml-min, 40psi He-N2, 1-8" int.	147.00	DC4UWT	4 port 2-pos valve, replacement:1-16" 75mm, 330C-300psi gas, N60-T	738.20
CVA150US1	Combo needle valve, short blue knob:150ml-min, 40psi He-N2, 1-16" int.	147.00	DC4W	4 port 2-pos valve, replacement:1-16" 4mm, 75C-5000psi liq, N60-H	738.20
CVA150US2	Combo needle valve, short blue knob:150ml-min, 40psi He-N2, 1-8" int.	147.00	DC4WE	4 port 2-pos valve, replacement:1-16" 4mm, 225C-400psi gas, N60-E	738.20
CVA1KYS1	Combo needle valve, short yellow knob:1 liter-min,				

Table with 3 columns: Part Number, Description, Price. Includes various valves, diaphragms, and fittings. Examples: DC6UWT (6 port 2-pos valve), DV22-31D (Diaphragm), DV22-PURGE (Purge ring), ECEFF11.0F (External column end fitting).

VICI / VALCO Preisliste in Euro, Stand Januar 2016

EH4N6WT	6 port 2-pos valve, m-electric 4"so:1-32" 25mm, 350C-300psi gas, N60-T	2015.00	ET4VLMWEE2	4 port 2-pos valve, MW, m-electric 4"so:1-4"4mm, 75C-100psi gas, N60-E	2507.00
EH4N8WT	8 port 2-pos valve, m-electric 4"so:1-32" 25mm, 350C-300psi gas, N60-T	2088.10	ET4VL6MWE2	6 port 2-pos valve, MW, m-electric 4"so:1-4"4mm, 75C-100psi gas, N60-E	2580.20
EHS	Micro electric actuator 2-pos, for so:high speed 24Vdc, w. 110-220Vac p	977.60	ET4VLMWE2	8 port 2-pos valve, MW, m-electric 4"so:1-4"4mm, 75C-100psi gas, N60-E	2653.40
EMH2-CE	Micro electric actuator mpos, 2"so:high speed 24Vdc, w. 110-220Vac p-s	1356.60	ETS	Micro electric actuator 2-pos, for so:highest torque 24Vdc, w.110-220V	1061.30
EMH-CE	Micro electric actuator mpos, closemount/highest speed 24Vdc, w. 110-220V	1356.60	EU.5	External union 1-32"-25mm bore, SS	35.30
EMHS-CE	Micro electric actuator mpos, for so:high speed 24Vdc, w. 110-220Vac p	1296.80	EU.5L	External union 1-32"-50mm bore, SS	35.30
EMT2-CE	Micro electric actuator mpos, 2"so:high torque 24Vdc, w.110-220Vac p-s	1443.00	EU.5T	External union 1-32"-1-32" through bore, SS	70.60
EMT2CSD10MWE	10 mpos common outlet path, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas	2527.00	EU2	External union 1-8"-1mm bore, SS	44.10
EMT2CSD12MWE	12 mpos common outlet path, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas	2633.40	EU2L	External union 1-8"-2mm bore, SS	44.10
EMT2CSD16MWE	16 mpos common outlet path, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas	2633.40	EU2T	External union 1-8"-1-8" through bore, SS	44.10
EMT2CSO6MWE	6 mpos common outlet path, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas,	2414.00	EU4	External union 1-4"-2mm bore, SS	52.90
EMT2CSD10MWE	10 mpos dead-end path, MW, m-elect-2"so:1-16"75mm, 200C-400psi gas, N	2487.10	EU4L	External union 1-4"-4.6mm bore, SS	52.90
EMT2CSD12MWE	12 mpos dead-end path, MW, m-elect-2"so:1-16"75mm, 200C-400psi gas, N	2593.50	EU4T	External union 1-4"-1-4" through bore, SS	52.90
EMT2CSD16MWE	16 mpos dead-end path, MW, m-elect-2"so:1-16"75mm, 200C-400psi gas, N	2593.50	EUD	Universal actuator, no interface, no clamp ring;medium torque 24Vdc, w.1	1089.30
EMT2CSD6MWE	6 mpos dead-end path, MW, m-elect-2"so:1-16"75mm, 200C-400psi gas, N6	2374.00	EUDA	Universal actuator, RS-232-485, no clamp ring;medium torque 24Vdc, w.1	1173.10
EMT2CSF10MWE	10 mpos flow-through, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas, N60-	2866.60	EUDB	Universal actuator, USB, no clamp ring;medium torque 24Vdc, w.110-220V	1131.80
EMT2CSF12MWE	12 mpos flow-through, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas, N60-	2793.00	EUDC	Universal actuator, BCD, no clamp ring;medium torque 24Vdc, w.110-220V	1173.10
EMT2CSF16MWE	16 mpos flow-through, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas, N60-	2793.00	EUH	Universal actuator, no interface, no clamp ring;high speed 24Vdc, w.11	1061.30
EMT2CSF6MWE	6 mpos flow-through, MW, m-elect-2"so:1-16"1mm, 200C-200psi gas, N60-E	2573.50	EUHA	Universal actuator, RS-232-485, no clamp ring;high speed 24Vdc, w.110-	1145.10
EMT2CST10MWE	10 mpos trapping path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas, N	2686.60	EUHB	Universal actuator, USB, no clamp ring;high speed 24Vdc, w.110-220Vac	1103.90
EMT2CST12MWE	12 mpos trapping path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas, N	2793.00	EUHC	Universal actuator, BCD, no clamp ring;high speed 24Vdc, w.110-220Vac	1145.10
EMT2CST16MWE	16 mpos trapping path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas, N	2793.00	EUT	Universal actuator, no interface, no clamp ring;high torque 24Vdc, w.1	1117.20
EMT2CST6MWE	6 mpos trapping path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas, N6	2573.50	EUTA	Universal actuator, RS-232-485, no clamp ring;high torque 24Vdc, w.110	1201.00
EMT2CST10MWE	10 mpos trap-flow path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas,	2733.20	EUTB	Universal actuator, USB, no clamp ring;high torque 24Vdc, w.110-220Vac	1159.80
EMT2CST12MWE	12 mpos trap-flow path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas,	2839.50	EUTC	Universal actuator, BCD, no clamp ring;high torque 24Vdc, w.110-220Vac	1201.00
EMT2CST16MWE	16 mpos trap-flow path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas, N	2839.50	EZA1	Ext.-int. adapter 1-16"1-16", SS:	47.00
EMT2CST6MWE	6 mpos trap-flow path, MW, m-elect-2"so:1-16"75mm, 200C-200psi gas, N	2620.10	EZA2	Ext.-int. adapter 1-8"1-8", SS:	47.00
EMT2SC10MWE	10 mpos common outlet path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas,	2527.00	EZBRU51	Bulkhead ext-int red. union 1-16"1-32":.25mm bore, SS	51.50
EMT2SC12MWE	12 mpos common outlet path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas,	2633.40	EZBRU51L	Bulkhead ext-int red. union 1-16"1-32":.5mm bore, SS	102.90
EMT2SC16MWE	16 mpos common outlet path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas,	2633.40	EZBRU51T	Bulkhead ext-int red. union 1-16"1-32":1-32" through bore, SS	102.90
EMT2S06MWE	6 mpos common outlet path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas,	2414.00	EZBRU15L	Bulkhead ext-int red. union 1-16"1-32":.5mm bore, SS	117.60
EMT2SD10MWE	10 mpos dead-end path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2487.10	EZBRU15T	Bulkhead ext-int red. union 1-16"1-32":1-32" through bore, SS	117.60
EMT2SD12MWE	12 mpos dead-end path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2593.50	EZBRU2.5L	Bulkhead ext-int red. union 1-8"1-32":.5mm bore, SS	117.60
EMT2SD16MWE	16 mpos dead-end path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2593.50	EZBRU2.5T	Bulkhead ext-int red. union 1-8"1-32":1-32" through bore, SS	117.60
EMT2SD6MWE	6 mpos dead-end path, MW, m-elect-2"so:1-8"1mm, 200C-400psi gas, N60-E	2374.00	EZBRU21	Bulkhead ext-int red. union 1-8"1-16":.75mm bore, SS	36.80
EMT2SF10MWE	10 mpos flow-through, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-E	2686.60	EZBRU21T	Bulkhead ext-int red. union 1-8"1-16":1-16" through bore, SS	36.80
EMT2SF12MWE	12 mpos flow-through, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-E	2793.00	EZBRU41	Bulkhead ext-int red. union 1-4"1-16":.75mm bore, SS	76.40
EMT2SF16MWE	16 mpos flow-through, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-E	2793.00	EZBRU41T	Bulkhead ext-int red. union 1-4"1-16":1-16" through bore, SS	76.40
EMT2SF6MWE	6 mpos flow-through, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-E	2573.50	EZBRU42	Bulkhead ext-int red. union 1-4"1-16":1-16" through bore, SS	82.30
EMT2ST10MWE	10 mpos trapping path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2686.60	EZBRU42L	Bulkhead ext-int red. union 1-4"1-16":.2mm bore, SS	82.30
EMT2ST12MWE	12 mpos trapping path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2793.00	EZBRU42T	Bulkhead ext-int red. union 1-4"1-16":1-8" through bore, SS	82.30
EMT2ST16MWE	16 mpos trapping path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2793.00	EZBU1	Bulkhead ext-int union 1-16":.75mm bore, SS	38.20
EMT2ST6MWE	6 mpos trapping path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-E	2573.50	EZBU1C	Bulkhead ext.-int union 1-16":.25mm bore, SS	48.60
EMT2STF10MWE	10 mpos trap-flow path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60	2733.20	EZBU1M	Bulkhead ext.-int union 1-16":.5mm bore, SS	48.60
EMT2STF12MWE	12 mpos trap-flow path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60	2839.50	EZBU1T	Bulkhead ext.-int union 1-16":1-16" through bore, SS	76.40
EMT2STF16MWE	16 mpos trap-flow path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60	2839.50	EZBU2	Bulkhead ext.-int union 1-8":1mm bore, SS	64.70
EMT2ST6MWE	6 mpos trap-flow path, MW, m-elect-2"so:1-8"1mm, 200C-200psi gas, N60-	2620.10	EZBU2L	Bulkhead ext.-int union 1-8":2mm bore, SS	64.70
EMT2VLS04MWE2	4 mpos common outlet path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N	2999.10	EZBU2T	Bulkhead ext.-int union 1-8":1-8" through bore, SS	64.70
EMT2VLS06MWE2	6 mpos common outlet path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N6	3072.30	EZR1.5	Ext.-int reducing union 1-16"1-32":.25mm bore, SS	70.60
EMT2VLS08MWE2	8 mpos common outlet path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N	3185.40	EZR1.5T	Ext.-int reducing union 1-16"1-32":1-32" through bore, SS	70.60
EMT2VLSD10MWE2	10 mpos dead-end path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E	3145.40	EZR2.5	Ext.-int reducing union 1-8"1-32":.5mm bore, SS	64.70
EMT2VLSD4MWE2	4 mpos dead-end path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E2	2959.20	EZR21	Ext.-int reducing union 1-8"1-16":.50mm bore, SS	32.30
EMT2VLSD6MWE2	6 mpos dead-end path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E2	3032.40	EZR21T	Ext.-int reducing union 1-8"1-16":1-16" through bore, SS	64.70
EMT2VLSD8MWE2	8 mpos dead-end path, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E2	3145.40	EZR41	Ext.-int reducing union 1-4"1-16":.1mm bore, SS	70.60
EMT2VLSF4MWE2	4 mpos flow-through, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E2	3172.00	EZR41T	Ext.-int reducing union 1-4"1-16":1-16" through bore, SS	70.60
EMT2VLSF6MWE2	6 mpos flow-through, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E2	3245.20	EZR42	Ext.-int reducing union 1-4"1-16":.1mm bore, SS	76.40
EMT2VLSF8MWE2	8 mpos flow-through, MW, m-elect-2"so:1-4"4mm, 75C-100psi gas, N60-E2	3358.20	EZR42T	Ext.-int reducing union 1-4"1-16":1-8" through bore, SS	76.40
EMT-CE	Micro electric actuator mpos, closemount/highest torque 24Vdc, w.110-220V	1443.00	EZRF1.5KF-5	External reducing ferrule 1-16"1-32":CTFE, 5-pkg	67.60
EMTCS010UW	10 mpos dead-end path, m-electric 1-16"4mm, 75C-5000psi liq, N60-E	2553.60	EZRF1.5PK-5	External reducing ferrule 1-16"1-32":PEEK, 5-pkg	67.60
EMTCS04UW	4 mpos dead-end path, m-electric 1-16"4mm, 75C-5000psi liq, N60-E	2367.40	EZRF1.5TFG-5	External reducing ferrule 1-16"1-32":PTFE, Glass-filled 25%, 5-pkg	67.60
EMTCS06UW	6 mpos dead-end path, m-electric 1-16"4mm, 75C-5000psi liq, N60-E	2440.50	EZRF1.5V-5	External reducing ferrule 1-16"1-32":Polyimide, Valcon, 5-pkg	102.90
EMTCS08UW	4 mpos trapping path, m-electric 1-16"4mm, 75C-5000psi liq, N60-E	2487.10	EZRF2.5KF-5	External reducing ferrule 1-8"1-32":CTFE, 5-pkg	58.80
EMTCS08UW	6 mpos trapping path, m-electric 1-16"4mm, 75C-5000psi liq, N60-E	2560.20	EZRF2.5PK-5	External reducing ferrule 1-8"1-32":PEEK, 5-pkg	67.60
EMTCS-CE	Micro electric actuator mpos, for so:high torque 24Vdc, w.110-220Vac p	1383.20	EZRF2.5TFG-5	External reducing ferrule 1-8"1-32":PTFE, Glass-filled 25%, 5-pkg	67.60
EMTSD4UW	4 mpos dead-end path, m-electric 1-8"75mm, 75C-5000psi liq, N60-E	2367.40	EZRF2.5V-5	External reducing ferrule 1-8"1-32":Polyimide, Valcon, 5-pkg	102.90
EMTSD6UW	6 mpos dead-end path, m-electric 1-8"75mm, 75C-5000psi liq, N60-E	2440.50	EZRF21KF-5	External reducing ferrule 1-8"1-16":CTFE, 5-pkg	67.60
EMTSD8UW	8 mpos dead-end path, m-electric 1-8"75mm, 75C-5000psi liq, N60-E	2553.60	EZRF21PK-5	External reducing ferrule 1-8"1-16":PEEK, 5-pkg	33.90
EN.5	External nut 1-32", hex:SS	7.00	EZRF21TFG-5	External reducing ferrule 1-8"1-16":PTFE, Glass-filled 25%, 5-pkg	67.60
EN.5KN	External nut 1-32", knurled:SS	6.70	EZRF21V-5	External reducing ferrule 1-8"1-16":Polyimide, Valcon, 5-pkg	102.90
EN1	External nut 1-16", hex:SS	3.70	EZRF41KF-5	External reducing ferrule 1-4"1-16":CTFE, 5-pkg	102.90
EN1K	External nut 1", hex:SS	41.20	EZRF41PK-5	External reducing ferrule 1-4"1-16":PEEK, 5-pkg	102.90
EN2	External nut 1-8", hex:SS	3.70	EZRF41TFG-5	External reducing ferrule 1-4"1-16":PTFE, Glass-filled 25%, 5-pkg	85.30
EN2SI	Septum injector nut, 1-8" connection with polyimide support and 1-4" s	32.30	EZRF41V-5	External reducing ferrule 1-4"1-16":Polyimide, Valcon, 5-pkg	154.00
EN4	External nut 1-4", hex:SS	3.70	EZRF42KF-5	External reducing ferrule 1-4"1-8":CTFE, 5-pkg	102.90
EN6	External nut 3-8", hex:SS	11.80	EZRF42PK-5	External reducing ferrule 1-4"1-8":PEEK, 5-pkg	51.50
EN8	External nut 1-2", hex:SS	17.60	EZRF42TFG-5	External reducing ferrule 1-4"1-8":PTFE, Glass-filled 25%, 5-pkg	85.30
EP	Micro electric actuator 2-pos, closemount/medium torque 24Vdc, w.110-2	1033.40	EZRF42V-5	External reducing ferrule 1-4"1-8":Polyimide, Valcon, 5-pkg	154.00
EP2	Micro electric actuator 2-pos-2"so:medium torque 24Vdc, w.110-220Vac p	1033.40	EZR51	Int.-ext. reducing union 1-16"1-32":.25mm bore, SS	42.70
EP2C14WE.06	4 port 2-pos int vol valve, m-elect-2"so:1-16"4mm, 175C-1000psi liq,	1842.00	EZR51.5L	Int.-ext. reducing union 1-16"1-32":.5mm bore, SS	85.30
EP2C14WE.1	4 port 2-pos int vol valve, m-elect-2"so:1-16"4mm, 175C-1000psi liq,	1842.00	EZR51T	Ext.-int. reducing union 1-16"1-32":1-32" through bore, SS	85.30
EP2C14WE.2	4 port 2-pos int vol valve, m-elect-2"so:1-16"4mm, 175C-1000psi liq,	1842.00	EZR1.5	Ext.-int. reducing union 1-16"1-32":.25mm bore, SS	102.90
EP2C14WE.5	4 port 2-pos int vol valve, m-elect-2"so:1-16"4mm, 175C-1000psi liq,	1842.00	EZR1.5L	Ext.-int. reducing union 1-16"1-32":.5mm bore, SS	102.90
EP2N14WE.06	4 port 2-pos int vol valve, m-elect-2"so:1-32" 25mm, 175C-1000psi liq,	2008.30	EZR1.5T	Ext.-int. reducing union 1-16"1-32":1-32" through bore, SS	102.90
EP2N14WE.1	4 port 2-pos int vol valve, m-elect-2"so:1-32" 25mm, 175C-1000psi liq,	2008.30	EZR2.5	Ext.-int. reducing union 1-8"1-32":.5mm bore, SS	102.90
EP2N14WE.2	4 port 2-pos int vol valve, m-elect-2"so:1-32" 25mm, 175C-1000psi liq,	2008.30	EZR2.5L	Ext.-int. reducing union 1-8"1-32":.25mm bore, SS	102.90
EP2N14WE.5	4 port 2-pos int vol valve, m-elect-2"so:1-32" 25mm, 175C-1000psi liq,	2008.30	EZR2.5T	Ext.-int. reducing union 1-8"1-32":1-32" through bore, SS	102.90
EPC10W	10 port 2-pos valve, m-electric hi-psi:1-16"4mm, 75C-5000psi liq, N60	1921.80	EZR21	Ext.-int. reducing union 1-8"1-16":.75mm bore, SS	29.40
EPC4W	4 port 2-pos valve, m-electric hi-psi:1-16"4mm, 75C-5000psi liq, N60-	1775.60	EZR21C	Ext.-int. reducing union 1-8"1-16":.25mm bore, SS	76.40
EPC8W	8 port 2-pos valve, m-electric hi-psi:1-16"4mm, 75C-5000psi liq, N60-	1848.70	EZR21T	Ext.-int. reducing union 1-8"1-16":1-16" through bore, SS	58.80
EPC8W	8 port 2-pos valve, m-electric hi-psi:1-16"4mm, 75C-5000psi liq, N60-	1921.80	EZR41	Ext.-int. reducing unions 1-4"1-16":.75mm bore, SS	30.90
EPC14W.06	4 port 2-pos int vol valve, m-elect. hi-psi:1-16"4mm, 75C-5000psi liq,	1842.00	EZR41C	Ext.-int. reducing unions 1-4"1-16":.25mm bore, SS	82.30
EPC14W.1	4 port 2-pos int vol valve, m-elect. hi-psi:1-16"4mm, 75C-5000psi liq,	1842.00	EZR41T	Ext.-int. reducing unions 1-4"1-16":1-16" through bore, SS	61.70
EPC14W.2	4 port 2-pos int vol valve, m-elect. hi-psi:1-16"4mm, 75C-5000psi liq,	1842.00	EZR42	Ext.-int. reducing union 1-4"1-16":1-16" through bore, SS	64.70
EPC14W.5	4 port 2-pos int vol valve, m-elect. hi-psi:1-16"4mm, 75C-5000psi liq,	1842.00	EZR42L	Ext.-int. reducing union 1-4"1-16":.8"2mm bore, SS	64.70
EPS	Micro electric actuator 2-pos, for so:medium torque 24Vdc, w.110-220Vac	977.60	EZR42T	Ext.-int. reducing union 1-4"1-16":1-8" through bore, SS	64.70
EQ	Micro electric actuator 2-pos, closemount/highest speed 24Vdc, w.110-2	1033.40	EZU.5	Ext.-int union 1-32":.25mm bore, SS	88.20
EQ2	Micro electric actuator 2-pos-2"so:highest speed 24Vdc, w.110-220Vac p	1033.40	EU.5L	Ext.-int union 1-32":.5mm bore, SS	88.20
EQS	Micro electric actuator 2-pos, for so:highest speed 24Vdc, w.110-220Vac	977.60	EU1	Ext.-int union 1-16":.75mm bore, SS	30.90
ERU21	External reducing union 1-8"1-16":.75mm bore, SS	30.90	EU1C	Ext.-int union 1-16":.25mm bore, SS	41.20
ERU21L	External reducing union 1-8"1-16":.1mm bore, SS	61.70	EU1M	Ext.-int union 1-16":.5mm bore, SS	41.20
ERU21T	External reducing union 1-8"1-16":1-16" through bore, SS	30.90	EU1T	Ext.-int union 1-16":1-16" through bore, SS	30.90
ERU41	External reducing union 1-4"1-16":.75mm bore, SS	67.60	EU2	Ext.-int union 1-8":1mm bore, SS	47.00
ERU41T	External reducing union 1-4"1-16":1-16" through bore, SS	67.60	EU2L	Ext.-int union 1-8":2mm bore, SS	47.00
ERU42	External reducing union 1-4"1-8":.75mm bore, SS	70.60	EU2T	Ext.-int union 1-8":1-8" through bore, SS	47.00
ERU42L	External reducing union 1-4"1-8":2mm bore, SS	70.60	FC10AS1K	Flow controller M100, standard knob:1-8" ext, 150ml N2 40psi, Aluminum	336.50
ERU42T	External reducing union 1-4"1-8":1-8" through bore, SS	67.60	FC10AS1S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 150ml N2 40psi, Alumin	388.40
ET	Micro electric actuator 2-pos, closemount/highest torque 24Vdc, w.110-	1117.20	FC10AS1S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 150ml N2 40psi, Alumin	403.00
ET2					

VICI / VALCO Preisliste in Euro, Stand Januar 2016

FC10AS2S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 250ml N2 40psi, Alumin	388.40	FC30SS2S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 300ml N2 40psi, SS-SS	658.40
FC10AS2S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 250ml N2 40psi, Alumin	403.00	FC30SS2S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 300ml N2 40psi, SS-SS	673.00
FC10AS3K	Flow controller M100, standard knob:1-8" ext, 850ml N2 40psi, Aluminium	336.50	FC30SS3K	Flow controller M300, standard knob:1-8" ext, 800ml N2 40psi, SS-SS	607.80
FC10AS3S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 850ml N2 40psi, Alumin	388.40	FC30SS3S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 800ml N2 40psi, SS-SS	658.40
FC10AS3S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 850ml N2 40psi, Alumin	403.00	FC30SS3S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 800ml N2 40psi, SS-SS	673.00
FC10AS4K	Flow controller M100, standard knob:1-8" ext, 1.2l N2 40psi, Aluminium	336.50	FC30SS4K	Flow controller M300, standard knob:1-8" ext, 1.6l N2 40psi, SS-SS	607.80
FC10AS4S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 1.2l N2 40psi, Aluminu	388.40	FC30SS4S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 1.6l N2 40psi, SS-SS	658.40
FC10AS4S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 1.2l N2 40psi, Aluminu	403.00	FC30SS4S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 1.6l N2 40psi, SS-SS	673.00
FC10AS5K	Flow controller M100, standard knob:1-8" ext, 4.5l N2 40psi, Aluminium-	336.50	FC30SV1K	Flow controller M300, standard knob:1-8" ext, 200ml N2 40psi, SS-Viton	593.20
FC10AS5S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 4.5l N2 40psi, Aluminu	388.40	FC30SV1S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 200ml N2 40psi, SS-Vit	637.10
FC10AS5S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 4.5l N2 40psi, Aluminu	403.00	FC30SV1S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 200ml N2 40psi, SS-Vit	658.40
FC10AS6K	Flow controller M100, standard knob:1-8" ext, 10.0l N2 40psi, Aluminium	336.50	FC30SV2K	Flow controller M300, standard knob:1-8" ext, 300ml N2 40psi, SS-Viton	593.20
FC10AS6S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 10.0l N2 40psi, Alumin	388.40	FC30SV2S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 300ml N2 40psi, SS-Vit	611.80
FC10AS6S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 10.0l N2 40psi, Alumin	403.00	FC30SV2S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 300ml N2 40psi, SS-Vit	658.40
FC10AV1K	Flow controller M100, standard knob:1-8" ext, 150ml N2 40psi, Aluminium	321.90	FC30SV3K	Flow controller M300, standard knob:1-8" ext, 800ml N2 40psi, SS-Viton	593.20
FC10AV1S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 150ml N2 40psi, Alumin	365.80	FC30SV3S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 800ml N2 40psi, SS-Vit	637.10
FC10AV1S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 150ml N2 40psi, Alumin	380.40	FC30SV3S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 800ml N2 40psi, SS-Vit	658.40
FC10AV2K	Flow controller M100, standard knob:1-8" ext, 250ml N2 40psi, Aluminium	321.90	FC30SV4K	Flow controller M300, standard knob:1-8" ext, 1.6l N2 40psi, SS-Viton	593.20
FC10AV2S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 250ml N2 40psi, Alumin	365.80	FC30SV4S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 1.6l N2 40psi, SS-Vito	637.10
FC10AV2S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 250ml N2 40psi, Alumin	380.40	FC30SV4S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 1.6l N2 40psi, SS-Vito	658.40
FC10AV3K	Flow controller M100, standard knob:1-8" ext, 850ml N2 40psi, Aluminium	321.90	FC31AV1	Flow controller M300, screwdriver adjustment:1-8" ext, 750ml N2 40psi,	321.90
FC10AV3S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 850ml N2 40psi, Alumin	365.80	FP1Z3M21	Manifold pipe adaptor:one 1-8"F-NPT-three 1-16", 1mm bore, SS	197.40
FC10AV3S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 850ml N2 40psi, Alumin	380.40	FP1Z3M22	Manifold pipe adaptor:one 1-8"F-NPT-three 1-8", 2mm bore, SS	183.40
FC10AV4K	Flow controller M100, standard knob:1-8" ext, 1.2l N2 40psi, Aluminium-	321.90	FP1Z3M24	Manifold pipe adaptor:one 1-8"F-NPT-three 1-4", 4.6mm bore, SS	183.40
FC10AV4S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 1.2l N2 40psi, Aluminu	365.80	FP1Z3M41	Manifold pipe adaptor:one 1-4"F-NPT-three 1-16", 1mm bore, SS	197.40
FC10AV4S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 1.2l N2 40psi, Aluminu	380.40	FP1Z3M42	Manifold pipe adaptor:one 1-4"F-NPT-three 1-8", 2mm bore, SS	183.40
FC10AV5K	Flow controller M100, standard knob:1-8" ext, 4.5l N2 40psi, Aluminium-	321.90	FP1Z3M44	Manifold pipe adaptor:one 1-4"F-NPT-three 1-4", 4.6mm bore, SS	183.40
FC10AV5S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 4.5l N2 40psi, Aluminu	365.80	FP2Z3M21	Manifold pipe adaptor:two 1-8"F-NPT-three 1-16", 1mm bore, SS	226.80
FC10AV5S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 4.5l N2 40psi, Aluminu	380.40	FP2Z3M22	Manifold pipe adaptor:two 1-8"F-NPT-three 1-8", 2mm bore, SS	212.80
FC10AV6K	Flow controller M100, standard knob:1-8" ext, 10.0l N2 40psi, Aluminium	321.90	FP2Z3M24	Manifold pipe adaptor:two 1-8"F-NPT-three 1-4", 4.6mm bore, SS	212.80
FC10AV6S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 10.0l N2 40psi, Alumin	365.80	FP2Z3M41	Manifold pipe adaptor:two 1-4"F-NPT-three 1-16", 1mm bore, SS	226.80
FC10AV6S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 10.0l N2 40psi, Alumin	388.40	FP2Z3M42	Manifold pipe adaptor:two 1-4"F-NPT-three 1-8", 2mm bore, SS	212.80
FC10SS1K	Flow controller M100, standard knob:1-8" ext, 150ml N2 40psi, SS-SS	607.80	FP2Z3M44	Manifold pipe adaptor:two 1-4"F-NPT-three 1-4", 4.6mm bore, SS	212.80
FC10SS1S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 150ml N2 40psi, SS-SS	658.40	FPEA22	Female pipe adaptor 1-8"F-NPT*1-8"ext:2mm bore, SS	47.00
FC10SS1S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 150ml N2 40psi, SS-SS	673.00	FPEA24	Female pipe adaptor 1-8"F-NPT*1-4"ext:4.6mm bore, SS	47.00
FC10SS2K	Flow controller M100, standard knob:1-8" ext, 250ml N2 40psi, SS-SS	607.80	FPEA42	Female pipe adaptor 1-4"F-NPT*1-8"ext:2mm bore, SS	50.00
FC10SS2S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 250ml N2 40psi, SS-SS	658.40	FPEA44	Female pipe adaptor 1-4"F-NPT*1-4"ext:4.6mm bore, SS	50.00
FC10SS2S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 250ml N2 40psi, SS-SS	673.00	FPEA82	Female pipe adaptor 1-2"F-NPT*1-8"ext:2mm bore, SS	85.30
FC10SS3K	Flow controller M100, standard knob:1-8" ext, 850ml N2 40psi, SS-SS	607.80	FPEA84	Female pipe adaptor 1-2"F-NPT*1-4"ext:4.6mm bore, SS	88.20
FC10SS3S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 850ml N2 40psi, SS-SS	658.40	FPZA21	Female pipe adaptor 1-8"F-NPT*1-16"int:1mm bore, SS	47.00
FC10SS3S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 850ml N2 40psi, SS-SS	673.00	FPZA22	Female pipe adaptor 1-8"F-NPT*1-8"int:1mm bore, SS	47.00
FC10SS4K	Flow controller M100, standard knob:1-8" ext, 1.2l N2 40psi, SS-SS	607.80	FPZA22L	Female pipe adaptor 1-8"F-NPT*1-8"int:2mm bore, SS	47.00
FC10SS4S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 1.2l N2 40psi, SS-SS	658.40	FPZA41	Female pipe adaptor 1-4"F-NPT*1-16"int:1mm bore, SS	25.10
FC10SS4S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 1.2l N2 40psi, SS-SS	673.00	FPZA42	Female pipe adaptor 1-4"F-NPT*1-8"int:1mm bore, SS	50.00
FC10SS5K	Flow controller M100, standard knob:1-8" ext, 4.5l N2 40psi, SS-SS	607.80	FPZA42L	Female pipe adaptor 1-4"F-NPT*1-8"int:2mm bore, SS	25.10
FC10SS5S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 4.5l N2 40psi, SS-SS	658.40	FPZA44L	Female pipe adaptor 1-4"F-NPT*1-4"int:4.6mm bore, SS	50.00
FC10SS5S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 4.5l N2 40psi, SS-SS	673.00	FPZA81	Female pipe adaptor 1-2"F-NPT*1-16"int:1mm bore, SS	85.30
FC10SS6K	Flow controller M100, standard knob:1-8" ext, 10.0l N2 40psi, SS-SS	607.80	FPZA82	Female pipe adaptor 1-2"F-NPT*1-8"int:1mm bore, SS	85.30
FC10SS6S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 10.0l N2 40psi, SS-SS	658.40	FPZA82L	Female pipe adaptor 1-2"F-NPT*1-8"int:2mm bore, SS	85.30
FC10SS6S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 10.0l N2 40psi, SS-SS	673.00	FPZA84L	Female pipe adaptor 1-2"F-NPT*1-4"int:4.6mm bore, SS	88.20
FC10SV1K	Flow controller M100, standard knob:1-8" ext, 150ml N2 40psi, SS-Viton	593.20	FRK1	Ferrule removal kit upto 1-32" bore (0.8 mm)	33.90
FC10SV1S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 150ml N2 40psi, SS-Vit	637.10	FS.2-5	Fused silica adaptor 1-32" for tubing 2mm OD, Valcon T, 5-pkg	44.10
FC10SV1S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 150ml N2 40psi, SS-Vit	658.40	FS.25-5	Fused silica adaptor 1-32" for tubing .25mm OD, Valcon T, 5-pkg	88.20
FC10SV2K	Flow controller M100, standard knob:1-8" ext, 250ml N2 40psi, SS-Viton	593.20	FS.25PK-5	Fused silica adaptor 1-32" for tubing .25mm OD, PEEK, 5-pkg	88.20
FC10SV2S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 250ml N2 40psi, SS-Vit	637.10	FS.25V1-5	Fused silica adaptor 1-32" for tubing 2.5mm OD, Polyimide, Virgin, 5-pk	133.00
FC10SV2S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 250ml N2 40psi, SS-Vit	658.40	FS.2PK-5	Fused silica adaptor 1-32" for tubing 2mm OD, PEEK, 5-pkg	88.20
FC10SV3K	Flow controller M100, standard knob:1-8" ext, 850ml N2 40psi, SS-Viton	593.20	FS.36-5	Fused silica adaptor 1-32" for tubing 36mm OD, Valcon T, 5-pkg	44.10
FC10SV3S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 850ml N2 40psi, SS-Vit	637.10	FS.36PK-5	Fused silica adaptor 1-32" for tubing 36mm OD, PEEK, 5-pkg	88.20
FC10SV3S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 850ml N2 40psi, SS-Vit	658.40	FS.4-5	Fused silica adaptor 1-32" for tubing 4mm OD, Valcon T, 5-pkg	44.10
FC10SV4K	Flow controller M100, standard knob:1-8" ext, 1.2l N2 40psi, SS-Viton	593.20	FS.4PK-5	Fused silica adaptor 1-32" for tubing 4mm OD, PEEK, 5-pkg	44.10
FC10SV4S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 1.2l N2 40psi, SS-Vito	637.10	FS.4V1-5	Fused silica adaptor 1-32" for tubing 4mm OD, Polyimide, Virgin, 5-pkg	133.00
FC10SV4S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 1.2l N2 40psi, SS-Vito	658.40	FS.5-5	Fused silica adaptor 1-32" for tubing 5mm OD, Valcon T, 5-pkg	44.10
FC10SV5K	Flow controller M100, standard knob:1-8" ext, 4.5l N2 40psi, SS-Viton	593.20	FS.5PK-5	Fused silica adaptor 1-32" for tubing 5mm OD, PEEK, 5-pkg	44.10
FC10SV5S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 4.5l N2 40psi, SS-Vito	637.10	FS.5V1-5	Fused silica adaptor 1-32" for tubing 5mm OD, Polyimide, Virgin, 5-pkg	133.00
FC10SV5S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 4.5l N2 40psi, SS-Vito	658.40	FS1.2-5	Fused silica adaptor 1-16" for tubing .2mm OD, Valcon T, 5-pkg	44.10
FC10SV6K	Flow controller M100, standard knob:1-8" ext, 10.0l N2 40psi, SS-Viton	593.20	FS1.25-5	Fused silica adaptor 1-16" for tubing .25mm OD, Valcon T, 5-pkg	44.10
FC10SV6S3	Flow controller M100, Spectrol 3-dial:1-8" ext, 10.0l N2 40psi, SS-Vit	637.10	FS1.25PK-5	Fused silica adaptor 1-16" for tubing 25mm OD, PEEK, 5-pkg	88.20
FC10SV6S4	Flow controller M100, Spectrol 4-dial:1-8" ext, 10.0l N2 40psi, SS-Vit	658.40	FS1.25V1-5	Fused silica adaptor 1-16" for tubing 25mm OD, Polyimide, Virgin, 5-pk	133.00
FC22AS1K	Flow controller M202, standard knob:1-8"NPT, adjustable span, Aluminium	365.80	FS1.2PK-5	Fused silica adaptor 1-16" for tubing 2mm OD, PEEK, 5-pkg	88.20
FC22AS1S3	Flow controller M202, Spectrol 3-dial:1-8"NPT, adjustable span, Aluminu	417.60	FS1.2V1-5	Fused silica adaptor 1-16" for tubing 2mm OD, Polyimide, Virgin, 5-pk	133.00
FC22AS1S4	Flow controller M202, Spectrol 4-dial:1-8"NPT, adjustable span, Alumin	438.90	FS1.3-5	Fused silica adaptor 1-16" for tubing .3mm OD, Valcon T, 5-pkg	44.10
FC22AV1K	Flow controller M202, standard knob:1-8"NPT, adjustable span, Aluminium	351.10	FS1.35-R10	Ferrule for fused silica union:for 25mm ID tubing, Valcon T, 10-pkg	169.40
FC22AV1S3	Flow controller M202, Spectrol 3-dial:1-8"NPT, adjustable span, Alumin	403.00	FS1.3PK-5	Fused silica adaptor 1-16" for tubing 3mm OD, PEEK, 5-pkg	88.20
FC22AV1S4	Flow controller M202, Spectrol 4-dial:1-8"NPT, adjustable span, Alumin	417.60	FS1.3V1-5	Fused silica adaptor 1-16" for tubing 3mm OD, Polyimide, Virgin, 5-pk	133.00
FC22SS1K	Flow controller M202, standard knob:1-8"NPT, adjustable span, SS-SS	666.30	FS1.4-5	Fused silica adaptor 1-16" for tubing 4mm OD, Valcon T, 5-pkg	44.10
FC22SS1S3	Flow controller M202, Spectrol 3-dial:1-8"NPT, adjustable span, SS-SS	710.20	FS1.45-R10	Ferrule for fused silica union:for 32mm ID tubing, Valcon T, 10-pkg	169.40
FC22SS1S4	Flow controller M202, Spectrol 4-dial:1-8"NPT, adjustable span, SS-SS	731.50	FS1.4PK-5	Fused silica adaptor 1-16" for tubing 4mm OD, PEEK, 5-pkg	44.10
FC22SV1K	Flow controller M202, standard knob:1-8"NPT, adjustable span, SS-Viton	643.70	FS1.4V1-5	Fused silica adaptor 1-16" for tubing 4mm OD, Polyimide, Virgin, 5-pk	66.20
FC22SV1S3	Flow controller M202, Spectrol 3-dial:1-8"NPT, adjustable span, SS-Vit	687.60	FS1.5-5	Fused silica adaptor 1-16" for tubing 5mm OD, Valcon T, 5-pkg	44.10
FC22SV1S4	Flow controller M202, Spectrol 4-dial:1-8"NPT, adjustable span, SS-Vit	710.20	FS1.5PK-5	Fused silica adaptor 1-16" for tubing 5mm OD, PEEK, 5-pkg	44.10
FC30AS1K	Flow controller M300, standard knob:1-8" ext, 200ml N2 40psi, Aluminium	336.50	FS1.5V1-5	Fused silica adaptor 1-16" for tubing 5mm OD, Polyimide, Virgin, 5-pk	133.00
FC30AS1S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 200ml N2 40psi, Alumin	380.40	FS1.75-R10	Ferrule for fused silica union:for 53mm ID tubing, Valcon T, 10-pkg	169.40
FC30AS1S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 200ml N2 40psi, Alumin	403.00	FS1.8-5	Fused silica adaptor 1-16" for tubing 8mm OD, Valcon T, 5-pkg	44.10
FC30AS2K	Flow controller M300, standard knob:1-8" ext, 300ml N2 40psi, Aluminium	336.50	FS1.8PK-5	Fused silica adaptor 1-16" for tubing 8mm OD, PEEK, 5-pkg	88.20
FC30AS2S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 300ml N2 40psi, Alumin	380.40	FS1.8V1-5	Fused silica adaptor 1-16" for tubing 8mm OD, Polyimide, Virgin, 5-pk	133.00
FC30AS2S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 300ml N2 40psi, Alumin	403.00	FS1.9-5	Fused silica adaptor 1-16" for tubing 9mm OD, Valcon T, 5-pkg	88.20
FC30AS3K	Flow controller M300, standard knob:1-8" ext, 800ml N2 40psi, Aluminium	336.50	FS1.9PK-5	Fused silica adaptor 1-16" for tubing 9mm OD, PEEK, 5-pkg	88.20
FC30AS3S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 800ml N2 40psi, Alumin	380.40	FS1.9V1-5	Fused silica adaptor 1-16" for tubing 9mm OD, Polyimide, Virgin, 5-pk	133.00
FC30AS3S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 800ml N2 40psi, Alumin	403.00	FS11.0-5	Fused silica adaptor 1-16" for tubing 11mm OD, Valcon T, 5-pkg	44.10
FC30AS4K	Flow controller M300, standard knob:1-8" ext, 1.6l N2 40psi, Aluminium-	336.50	FS11.0PK-5	Fused silica adaptor 1-16" for tubing 11mm OD, PEEK, 5-pkg	88.20
FC30AS4S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 1.6l N2 40psi, Aluminu	380.40	FS11.0V1-5	Fused silica adaptor 1-16" for tubing 11mm OD, Polyimide, Virgin, 5-pkg	66.20
FC30AS4S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 1.6l N2 40psi, Aluminu	403.00	FS1L15PK-5	Liner fused silica adaptor 1-16" for tubing 15mm OD, PEEK, 5-pkg	147.00
FC30AV1K	Flow controller M300, standard knob:1-8" ext, 200ml N2 40psi, Aluminium	321.90	FS1L2-5	Liner fused silica adaptor 1-16" for tubing 2mm OD, Polyimide, Valcon	147.00
FC30AV1S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 200ml N2 40psi, Alumin	365.80	FS1L2PK-5	Liner fused silica adaptor 1-16" for tubing 2mm OD, PEEK, 5-pkg	147.00
FC30AV1S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 200ml N2 40psi, Alumin	380.40	FS1L4-5	Liner fused silica adaptor 1-16" for tubing 4mm OD, Polyimide, Valcon	73.50
FC30AV2K	Flow controller M300, standard knob:1-8" ext, 300ml N2 40psi, Aluminium	321.90	FS1L4PK-5	Liner fused silica adaptor 1-16" for tubing 4mm OD, PEEK, 5-pkg	147.00
FC30AV2S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 300ml N2 40psi, Alumin	365.80	FS1L5-5	Liner fused silica adaptor 1-16" for tubing 5mm OD, PEEK, 5-pkg	73.50
FC30AV2S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 300ml N2 40psi, Alumin	380.40	FS1L5PK-5	Liner fused silica adaptor 1-16" for tubing 5mm OD, PEEK, 5-pkg	147.00
FC30AV3K	Flow controller M300, standard knob:1-8" ext, 800ml N2 40psi, Aluminium	321.90	FS1L8-5	Liner fused silica adaptor 1-16" for tubing 8mm OD, Polyimide, Valcon	73.50
FC30AV3S3	Flow controller M300, Spectrol 3-dial:1-8" ext, 800ml N2 40psi, Alumin	365.80	FS1L8PK-5	Liner fused silica adaptor 1-16" for tubing 8mm OD, PEEK, 5-pkg	147.00
FC30AV3S4	Flow controller M300, Spectrol 4-dial:1-8" ext, 800ml N2 40psi, Alumin	380.40	FS1L1.0-5	Liner fused silica adaptor 1-16" for tubing 1mm OD, Polyimide, Valcon,	147.

VICI / VALCO Preisliste in Euro, Stand Januar 2016

FS1R-5PK-5	Fused silica adaptor 1-16", removable:for tubing .5mm OD, PEEK, 5-pkg	238.10	IZER1.5	Int-Ext. reducer-adaptor 1-16"1-32":1mm bore, SS	64.70
FS1R-8.5	Fused silica adaptor 1-16", removable:for tubing .8mm OD, Polyimide, V	126.00	IZER1.5C	Int-Ext. reducer-adaptor 1-16"1-32":.25mm bore, SS	77.30
FS1R-8PK-5	Fused silica adaptor 1-16", removable:for tubing .8mm OD, PEEK, 5-pkg	238.10	IZER1.5M	Int-Ext. reducer-adaptor 1-16"1-32":.5mm bore, SS	67.60
FS1R1.0-5	Fused silica adaptor 1-16", removable:for tubing 1mm OD, Polyimide, Va	238.10	IZN1-10	Nut 1-16", 15.9mm (625") long, SS, 10-pkg	40.50
FS1R1.0PK-5	Fused silica adaptor 1-16", removable:for tubing 1mm OD, PEEK, 5-pkg	238.10	IZR1.5	Internal reducer 1-16"1-32":.25mm bore, SS	32.30
FSL25-5	Liner fused silica adaptor 1-32":for tubing .25mm OD, Polyimide, Valco	147.00	IZR1.5F	Internal reducer 1-16"1-32":.25mm bore, 2 um frit, SS	82.30
FLS-4.5	Liner fused silica adaptor 1-32":for tubing .4mm OD, Polyimide, Valcon	147.00	IZR1.5L	Internal reducer 1-16"1-32":.50mm bore, SS	29.40
FLS-5.5	Liner fused silica adaptor 1-32":for tubing .5mm OD, Polyimide, Valcon	147.00	IZR1.5LF	Internal reducer 1-16"1-32":.50mm bore, 2 um frit, SS	73.50
FSMJUA1.5	Fused silica make-up adapter 1-16"1-32":89mm long, .75mm bore, SS	259.30	IZR1.5T	Internal reducer 1-16"1-32":1-32" through bore, SS	29.40
FSMJUA1.5	Fused silica make-up adapter 1-16"1-32":38mm long, .75mm bore, SS	259.30	IZR21	Internal reducer 1-8"1-16":.50mm bore, SS	19.20
FSMJUA1.5L	Fused silica make-up adapter 1-16"1-32":38mm long, 1.0mm bore, SS	259.30	IZR21C	Internal reducer 1-8"1-16":.25mm bore, SS	22.10
FSMJUA1.5M	Fused silica make-up adapter 1-16"1-32":38mm long, .5mm bore, SS	293.90	IZR21CF	Internal reducer 1-8"1-16":.25mm bore, 2 um frit, SS	61.70
FSR25-5	Fused silica adaptor 1-32":for tubing .25mm OD, Polyimide, Valcon, 5-p	221.20	IZR21F	Internal reducer 1-8"1-16":.50mm bore, 2 um frit, SS	55.90
FSR-3.5	Fused silica adaptor 1-32", removable:for tubing .3mm OD, Polyimide, Va	221.20	IZR21L	Internal reducer 1-8"1-16":1mm bore, SS	19.20
FSR-4.5	Fused silica adaptor 1-32":for tubing .4mm OD, Polyimide, Valcon, 5-pk	221.20	IZR21LF	Internal reducer 1-8"1-16":1mm bore, 2 um frit, SS	28.00
FSR-5.5	Fused silica adaptor 1-32":for tubing .5mm OD, Polyimide, Valcon, 5-pk	221.20	IZR21T	Internal reducer 1-8"1-16":1-16 through bore, SS	19.20
FSZA-HP	Nut self compensating for HP5890-6890:with split-splitless seal disk	183.40	IZR41	Internal reducer 1-4"1-16":1mm bore, SS	41.20
FSZNA-HP	Nut self compensating for HP5890-6890:SS	117.60	IZR41F	Internal reducer 1-4"1-16":1mm bore, 2 um frit, SS	58.80
F-TCF	Tube connector for air actuator/compressed fitting, 1-8 ftg to 10-32 t	4.40	IZR42	Internal reducer 1-4"1-8":1mm bore, SS	41.20
GH-LNR-CIS4-B-5	Reduced breakdown liner, Gerstel CIS-4-PTV:Ballfed, 5-pkg	319.20	IZR42F	Internal reducer 1-4"1-8":1mm bore, 2 um frit, SS	58.80
GH-LNR-DGS4-5	Reduced breakdown liner, Agilent-Finnigan:4mm double gooseneck, 5-pkg	319.20	IZR42L	Internal reducer 1-4"1-8":2mm bore, SS	41.20
GH-LNR-GS2-5	Reduced breakdown liner, 2mm gooseneck:Agilent-Finnigan-Varian CP-1177	269.80	IZR42LF	Internal reducer 1-4"1-8":2mm bore, 2 um frit, SS	58.80
GH-LNR-GS4-5	Reduced breakdown liner, 4mm gooseneck:Agilent-Finnigan-Varian CP-1177	375.20	JR-201540	Easy-Flange, kit in plastic case:	199.10
GH-LNR-HP2-5	Reduced breakdown liner, Agilent-Finnigan:2mm straight, splitless, 5-	240.00	JR-26501	Coupler, PEEK, universal 0.13 mm ID, red:	27.00
GH-LNR-HP4-5	Reduced breakdown liner, Agilent-Finnigan:4mm straight, splitless, 5-	240.00	JR-26502	Coupler, PEEK, universal 0.17 mm ID, yellow:	27.00
GH-LNR-VAR2-5	Reduced breakdown liner, Varian CP-1177:2mm gooseneck, 5-pkg	269.80	JR-26503	Coupler, PEEK, universal 0.25 mm ID, blue:	27.00
GH-LNR-VAR3-4.5	Reduced breakdown liner, Varian 1078-9:3.4mm gooseneck, 5-pkg	197.00	JR-26504	Coupler, PEEK, universal 0.50 mm ID, orange:	27.00
GH-LNR-VAR4-5	Reduced breakdown liner, Varian CP-1177:4mm gooseneck, 5-pkg	240.00	JR-32178	Filter, PE, mobile phase No-Met 20 um, 1-8":	20.00
GH-LNR-VARGS2-5	Reduced breakdown liner, Varian 1078-9:2mm gooseneck, 5-pkg	375.20	JR-32179	Filter, PE, mobile phase replacement, No-Met 20 um:	2.30
HA1-110	Heater assembly for single valve:65W-110Vac	155.40	JR-357090-5	Tubing Elbow 90°, 5-pkg:	9.00
HA1-220	Heater assembly for single valve:65W-220Vac	155.40	JR-357180-5	Tubing Elbow 180°, 5-pkg:	10.50
HA1T-110	Heater assembly for single valve:100W-110Vac	274.00	JR-35P	PEEK Starter Kit	332.50
HA1T-220	Heater assembly for single valve:100W-220Vac	274.00	JR-367008-10	Filter, SS, mobile phase 10 um:fittings for 1-8" tubing	20.00
HA2-110	Heater assembly for two valves:125W-110Vac	155.40	JR-367008-20	Filter, SS, mobile phase 2 um:fittings for 1-8" tubing	20.00
HA2-220	Heater assembly for two valves:125W-220Vac	155.40	JR-367008-20	Filter, SS, mobile phase 2 um:fittings for 1-8" tubing	20.00
HA3-110	Heater assembly for three valves:150W-110Vac	244.70	JR-367016-10	Filter, SS, mobile phase 10 um:fittings for 1-16" tubing	20.00
HA3-220	Heater assembly for three valves:150W-220Vac	244.70	JR-367016-2	Filter, SS, mobile phase 2 um:fittings for 1-16" tubing	20.00
HA6-110	Heater assembly for six valves:300W-110Vac	384.40	JR-367016-20	Filter, SS, mobile phase 20 um:fittings for 1-16" tubing	20.00
HA6-220	Heater assembly for six valves:300W-220Vac	384.40	JR-55010-5	Color-It fingertight adapter blue:5-pkg	4.50
HB	Heater block standard for single valve:w-o heater cartridge	110.60	JR-55011-5	Color-It fingertight adapter yellow:5-pkg	4.50
HB1N	Heater block for single NW type valve:w-o heater cartridge	110.60	JR-55012-5	Color-It fingertight adapter green:5-pkg	4.50
HBS	Heater block low mass for single valve:w-o heater cartridge	83.90	JR-55013-5	Color-It fingertight adapter black:5-pkg	4.50
HCE1-110	Heated column enclosure, 1 col. mandrel:4"x4.25"x3.63"d, 65W-110Vac	343.10	JR-55014-5	Color-It fingertight adapter white:5-pkg	4.50
HCE1-220	Heated column enclosure, 1 col. mandrel:4"x4.25"x3.63"d, 65W-220Vac	384.40	JR-55015-5	Color-It fingertight adapter red:5-pkg	4.50
HCE1X	Heated column enclosure, 1 col. mandrel:4"x4.25"x3.63"d, without heater	317.90	JR-55016-12	Color-It fingertight adapter multi-color:assorted 2 pcs. each color, 1	10.80
HCE2-110	Heated column enclosure, 2 col. mandrel:8"x5.25"x4"d, 65W-110Vac	419.00	JR-55020-5	Fitting, PEEK, one-piece natural, 10-32:5-pkg	25.00
HCE2-220	Heated column enclosure, 2 col. mandrel:8"x5.25"x4"d, 65W-220Vac	461.50	JR-55021-5	Fitting, PEEK, one-piece black, 10-32:5-pkg	25.00
HCE2X	Heated column enclosure, 2 col. mandrel:8"x5.25"x4"d, without heater c	394.80	JR-55022-5	Fitting, PEEK, one-piece red, 10-32:5-pkg	25.00
HCEB-110	Heated column enclosure, 1 col. mandrel:4.25"x5.13"x3.63"d, 65W-110Vac	343.10	JR-55023-5	Fitting, PEEK, one-piece yellow, 10-32:5-pkg	25.00
HCEB-220	Heated column enclosure, 1 col. mandrel:4.25"x5.13"x3.63"d, 65W-220Vac	384.40	JR-55024-5	Fitting, PEEK, one-piece blue, 10-32:5-pkg	25.00
HCEBX	Heated column enclosure, 1 col. mandrel:4.25"x5.13"x3.63"d, without he	317.90	JR-55025-5	Fitting, PEEK, one-piece green, 10-32:5-pkg	25.00
HCEC-110	Heated column enclosure, 1 col. mandrel:8"x8"x6"d, 65W-110Vac	510.70	JR-5508-5	Fitting, PEEK, 1-16"OD tubing:one-piece fingertight hex-head, 10-32, 5	45.00
HCEC-220	Heated column enclosure, 1 col. mandrel:8"x8"x6"d, 65W-220Vac	510.70	JR-797	Tool, Replacement Tubing Cutter:	19.00
HCECX	Heated column enclosure, 1 col. mandrel:8"x8"x6"d, without heater cart	444.20	JR-798	Tool, replacement blade for JR-797:	2.50
HKS	Hex key set	17.60	JR-9000-0520	Filter, PTFE, Last Drop 2.5 um:ripdripped tubing connector	24.00
HP2-110	Helium purifier, Model 2:24VDC, input 110-230Vac US power cable	1141.10	JR-9000-0530	Filter, SS, Last Drop 2 um:ripdripped tubing connector	24.00
HP2-220	Helium purifier, Model 2:24VDC, input 110-230Vac EUR power cable	1141.10	JR-9000-0602	Filter-Sparger, PTFE, Last Drop 2.5 um filter:10 um sparger	75.00
HPM-110	Helium purifier, Mini version:24VDC, input 110-230Vac US power cable	691.60	JR-9000-0640	Filter-Sparger, SS, Last Drop 2 um filter:10 um sparger	75.00
HPM-220	Helium purifier, Mini version:24VDC, input 110-230Vac, power cable	691.60	JR-9001-5	Tubing Clip, 5-pkg:	13.00
HSSA	High speed switching assembly:for use with solenoid valves or DVI	176.40	JR-S-11001	VICI-Cap GL45, 2 ports:	45.50
HVE2-110	Heated valve enclosure for 2 valves:8"x5.25"x4", 125W-110Vac, Non-CE !	419.00	JR-S-11002	VICI-Cap GL45, 3 ports:	48.00
HVE2-220	Heated valve enclosure for 2 valves:8"x5.25"x4", 125W-220Vac, Non-CE !	419.00	JR-S-11003	VICI-Cap GL45, 4 ports:	50.50
HVE2X	Heated valve enclosure for 2 valves:8"x5.25"x4", no heater cartridge	392.30	JR-T-5804-M3	Tubing, PEEK, 1-16" x 0.100 mm ID, black striped:3 m-pkg	43.80
HVE3-110	Heated valve enclosure for 3 valves:13.5"x5.75"x4", 150W-110Vac, Non-C	510.70	JR-T-5999-M3	Tubing, PEEK, 1-16" x 0.13 mm ID, red striped:3m-pkg	30.70
HVE3-220	Heated valve enclosure for 3 valves:13.5"x5.75"x4", 150W-220Vac, Non-C	510.70	JR-T-6000-M3	Tubing, PEEK, 1-16" x 0.18 mm ID, yellow striped:3m-pkg	30.70
HVE3X	Heated valve enclosure for 3 valves:13.5"x5.75"x4", no heater cartridg	484.10	JR-T-6001-M3	Tubing, PEEK, 1-16" x 0.25 mm ID, blue striped:3m-pkg	27.80
HVE6-110	Heated valve enclosure for 6 valves:13.75"x8"x6", 300W-110Vac, Non-CE	768.70	JR-T-6002-M3	Tubing, PEEK, 1-16" x 0.50 mm ID, orange striped:3m-pkg	27.80
HVE6-220	Heated valve enclosure for 6 valves:13.75"x8"x6", 300W-220Vac, Non-CE	768.70	JR-T-60031-M3	Tubing, PEEK, 1-16" x 1.00 mm ID, grey striped:3m-pkg	27.80
HVE6X	Heated valve enclosure for 6 valves:13.75"x8"x6", no heater cartridge	715.50	JR-T-6003-M3	Tubing, PEEK, 1-16" x 0.75 mm ID, green striped:3m-pkg	23.80
HVEA-110	Heated valve enclosure for 1 valve:4"x4.25"x3.63", 65W-110Vac, Non-CE	343.10	JR-T-98013	Tubing, PEEK, precut kit 1-16" x 0.13 mm:	41.90
HVEA-220	Heated valve enclosure for 1 valve:4"x4.25"x3.63", 65W-220Vac, Non-CE	343.10	JR-T-98017	Tubing, PEEK, precut kit 1-16" x 0.18 mm:	41.90
HVEAN-110	Heated valve enclosure for NW valve:4"x4.25"x3.63", 65W-110Vac, Non-CE	343.10	JR-T-98025	Tubing, PEEK, precut kit 1-16" x 0.25 mm:	38.60
HVEAN-220	Heated valve enclosure for NW valve:4"x4.25"x3.63", 65W-220Vac, Non-CE	343.10	JR-T-98050	Tubing, PEEK, precut kit 1-16" x 0.50 mm:	38.60
HVEANX	Heated valve enclosure for NW valve:4"x4.25"x3.63", no heater cartridg	316.50	JR-T-98075	Tubing, PEEK, precut kit 1-16" x 0.75 mm:	38.60
HVEAX	Heated valve enclosure for 1 valve:4"x4.25"x3.63", no heater cartridge	316.50	JR-T-98200	Tubing, PEEK, precut super kit 1-16":	160.00
HVEB-110	Heated valve enclosure for 1 valve:4.25"x5.13"x3.63"65W-110Vac, Non-CE	343.10	JR-TD-5804-M3	Tubing, Dual Layer PEEK, 1-16" x 100 um ID:solid black outside, natu	39.70
HVEB-220	Heated valve enclosure for 1 valve:4.25"x5.13"x3.63", 65W-220Vac, Non	343.10	JR-TD-6007-M3	Tubing, Dual Layer PEEK, 1-16" x 0.13 mm ID:solid red outside, natur	28.90
HVEBN-110	Heated valve enclosure for NW valve:4.25"x5.13"x3.63", 65W-110Vac, Non	343.10	JR-TD-6008-M3	Tubing, Dual Layer PEEK, 1-16" x 0.18 mm ID:solid yellow outside, na	28.90
HVEBN-220	Heated valve enclosure for NW valve:4.25"x5.13"x3.63", 65W-220Vac, Non	343.10	JR-TD-6009-M3	Tubing, Dual Layer PEEK, 1-16" x 0.25 mm ID:solid blue outside, natu	28.90
HVEBNX	Heated valve enclosure for NW valve:4.25"x5.13"x3.63", no heater cartr	316.50	JR-TD-6010-M3	Tubing, Dual Layer PEEK, 1-16" x 0.50 mm ID:solid orange outside, na	28.90
HVEBX	Heated valve enclosure for 1 valve:4.25"x5.13"x3.63", no heater cartri	316.50	JR-TD-6011-M3	Tubing, Dual Layer PEEK, 1-16" x 0.75 mm ID:solid green outside, nat	28.90
HVEC-110	Heated valve enclosure for 1 valve:8"x8"x6" 100W-110Vac, Non-CE !!!	510.70	LNZ-5-10	Nut 1-32", 11mm long, SS, 10-pkg:	51.50
HVEC-220	Heated valve enclosure for 1 valve:8"x8"x6" 100W-220Vac, Non-CE !!!	510.70	LNZ-5FPK-10	Nut 1-32", fingertight, 13.7mm long:PEEK, 10-pkg	58.50
HVECX	Heated valve enclosure for 1 valve:8"x8"x6", no heater cartridge	484.10	LNZ1-10	Nut 1-16", 19mm long, SS, 10-pkg:	40.50
HWSC-SC8-6	Screw, 8-32"3-8" long:counter sunk, SS	80	LNZ1PK-10	Nut 1-16", hex, 22mm long:PEEK, 10-pkg	49.60
HWSC-SC8-8B	Screw, 8-32"1-2" long:counter sunk, black oxide, SS	80	LNZ2-10	Nut 1-8", 21mm long, SS, 10-pkg:	80.90
HWSC-SC8-8TDH	Screw, 8-32"1-2" long:counter sunk, turned down head, SS	80	LNZ4-10	Nut 1-4", 28mm long, SS, 10-pkg:	117.60
I-21014-01	Thermocouple wire assay:ITC typ. K, non-CE	30.90	LNZF1KF-5	Nut 1-16", No Twist hex long, PEEK:with CTFE ferrule, 5-pkg	133.00
I-21208-05	Heater cartridge, repl. for HVEC:100W-110Vac	67.60	LNZF1PK-5	Nut 1-16", No Twist hex long, PEEK:with PEEK ferrule, 5-pkg	256.70
I-21208-06	Heater cartridge, repl. for HVEC:100W-220Vac	76.40	LNZF1PKG-5	Nut 1-16", No Twist hex long, PEEK:with glass-filled PEEK ferrule, 5-p	135.80
I-21208-32	Heater cartridge for HVEA:HVEB:65W-120Vac	60.30	LZP5FPK	Plug 1-32", fingertight, PEEK:	16.50
I-21208-33	Heater cartridge repl. for HVEA:HVEB:65W-220Vac	60.30	LZP1	Plug 1-16", 19mm long:SS	10.40
I-22697-02	Interface cable RS-232, 6 feet:for 2-pos-mpos micro electric actuator	42.70	LZP1H	Plug 1-16", 19mm long, high pressure:SS	14.70
I-22897-02	Interface cable RS-232, 2 output:for 2-pos-mpos micro electric actuat	110.60	LZP1PK	Plug 1-16", long hex, PEEK:	30.00
I-22897-03	Interface cable RS-232, 3 output:for 2-pos-mpos micro electric actuat	128.80	LZP2	Plug 1-8", 21mm long:SS	10.40
I-22897-04	Interface cable RS-232, 4 output:for 2-pos-mpos micro electric actuat	142.80	LZP2H	Plug 1-8", 21mm long, high pressure:SS	29.40
I-22897-05	Interface cable RS-232, 5 output:for 2-pos-mpos micro electric actuat	162.40	MR	Mirror:	29.40
I-22897-06	Interface cable RS-232, 6 output:for 2-pos-mpos micro electric actuat	176.40	MRX-5PK	Micro volume replacement ring 1-32":for union, tee, cross, PEEK	50.00
I-22897-08	Interface cable RS-232, 8 output:for 2-pos-mpos micro electric actuat	214.20	MRX-5S6	Micro volume replacement ring 1-32":for union, tee, cross, 316SS	50.00
I-23062	Communication cable, multidrop, 22' long:for 2-pos-mpos micro elec. ac	48.60	MRX1PK	Micro volume replacement ring 1-16":for union, tee, cross, PEEK	50.00
I-23572HP2	Getter assembly, replacement for HP2:helium purifier	574.60	MRX1S6	Micro volume replacement ring 1-16":for union, tee, cross, 316SS	50.00
I-23572NP2	Getter assembly, replacement for NP2:nitrogen purifier	574.60	MRY-5PK	Micro volume replacement ring 1-32":for Y, PEEK	50.00
I4UWE-2	4 port 2-pos int vol valve, manual:1-8"75mm, 175C-1000psi liq., 2ul,	871.20	MRY-5S6	Micro volume replacement ring 1-32":for Y, 316SS	50.00
I4UWE-5	4 port 2-pos int vol valve, manual:1-8"75mm, 175C-1000psi liq., 5ul,	871.20	MRY1PK	Micro volume replacement ring 1-16":for Y, PEEK	50.00
I4UWE1	4 port 2-pos int vol valve, manual:1-8"75mm, 175C-1000psi liq., 1ul,	871.20	MRY1S6	Micro volume replacement ring 1-16":for Y, 316SS	50.00
I4UWE2	4 port 2-pos int vol valve, manual:1-8"75mm, 175C-1000psi liq., 2ul,	871.20	MS-P100-1	Helium Purifier-1-8" brass caps, Part No. P100-1	305.90
ITC10399-110	Instrumentation temperature controller:0-399 deg. C, 10A-110Vac, non-C	566.60	MS-P100-2	Helium Purifier-1-4" brass caps, Part No. P100-2	305.90
ITC10399-220	Instrumentation temperature controller:0-399 deg. C, 10A-220Vac, non-C	566.60	MS-P200-1	Hydrogen Purifier-1-8" brass caps, Part No. P200-1	305.90

VICI / VALCO Preisliste in Euro, Stand Januar 2016

MS-P200-2	Hydrogen Purifier-1.4" brass caps, Part No. P200-2	305.90	MZN1PK-10	Nut 1-16", hex, 15.7mm long;PEEK, 10-pkg	42.00
MS-P300-1	Nitrogen Purifier-1.8" brass caps, Part No. P300-1	305.90	MZNF1KF-5	Nut 1-16", No Twist hexmedium, PEEK with CTFE ferrule, 5-pkg	126.00
MS-P300-2	Nitrogen Purifier-1.4" brass caps, Part No. P300-2	305.90	MZNF1PK-5	Nut 1-16", No Twist hex medium, PEEK with PEEK ferrule, 5-pkg	126.00
MS-P310-1	Nitrogen Purifier for LC-MS applications:1.8" brass caps, Part No. P3	305.90	MZNF1PKG-5	Nut 1-16", No Twist hex medium, PEEK with glass-filled PEEK ferrule, 5	130.20
MS-P310-2	Nitrogen Purifier for LC-MS applications:1.4" brass caps, Part No. P3	305.90	MZPF1PK	Plug 1-16", hex, PEEK	15.00
MS-P350-1	Nitrogen Purifier for nitrogen generators:1.8" brass caps, Part No. P	305.90	NP2-110	Nitrogen purifier, Model 2.24VDC, input 110-230Vac US power cable	1141.10
MS-P350-2	Nitrogen Purifier for nitrogen generators:1.4" brass caps, Part No. P	305.90	NP2-220	Nitrogen purifier, Model 2.24VDC, input 110-230Vac EUR power cable	1141.10
MS-P400-1	Air Purifier-1.8" brass caps, Part No. P400-1	305.90	NPM-110	Nitrogen purifier, Mini version:24VDC, input 110-230Vac US power cabl	691.60
MS-P400-2	Air Purifier-1.4" brass caps, Part No. P400-2	305.90	NPM-220	Nitrogen purifier, Mini version:24VDC, input 110-230Vac, power cable	691.60
MS-P500-1	Methane Purifier-CI:1.8" brass caps, Part No. P500-1	292.60	OEW-1	Open end wrench 3-16"x1.4" for 1-32" and 1-16" fittings	8.80
MS-P500-2	Methane Purifier-CI:1.4" brass caps, Part No. P500-2	292.60	OEW-2	Open end wrench 3-8"x7-16" for 1-8" fittings	17.60
MS-P600-1	Carbon Dioxide (gas) Purifier with:1.8" brass caps, Part No. P600-1	305.90	OEW-3	Open end wrench 1-2"x9-16" for 1-4" fittings	17.60
MS-P600-2	Carbon Dioxide (gas) Purifier with:1.4" brass caps, Part No. P600-2	305.90	OR	O-ring set, incl. lubricant:standard 2-pos air actuator	20.60
MS-P700-1	Carbon Dioxide (liquid) Purifier with:1.8" brass caps, Part No. P700-	305.90	ORVP	O-ring set, incl. lubricant:standard mpos air actuator	23.50
MS-P700-2	Carbon Dioxide (liquid) Purifier with:1.4" brass caps, Part No. P700-	305.90	ORT	O-ring set, incl. lubricant:high temperature 2-pos air actuator	23.50
MS-T100-1	Moisture Trap:1.8" brass caps, Part No. T100-1	305.90	ORTMP	O-ring set, incl. lubricant:high temperature mpos air actuator	29.40
MS-T100-2	Moisture Trap:1.4" brass caps, Part No. T100-2	305.90	PCL412	Precolum 1-4"2cm, 4.6mm ID:incl. insert, nut and ferrule, 2um fit,	85.30
MS-T200-1	Hydrocarbon Trap:1.8" brass caps, Part No. T200-1	305.90	PCL415	Precolum 1-4"5cm, 4.6mm ID:incl. insert, nut and ferrule, 2um fit,	117.60
MS-T200-2	Hydrocarbon Trap:1.4" brass caps, Part No. T200-2	305.90	PCS412F	Precolum system 1-4"2cm:incl. insert, body and 2um fit, SS	127.40
MS-T300-1	Oxygen Trap:1.8" brass caps, Part No. T300-1	305.90	PCS415F	Precolum system 1-4"5cm:incl. insert, body and 2um fit, SS	80.90
MS-T300-2	Oxygen Trap:1.4" brass caps, Part No. T300-2	305.90	PD-D2-IM	Pulsed discharge detector assembly:ECD-HID, Mini, D2, 48V, CE	3724.00
MS-T400-1	Sulfur-Halocarbon Trap, length 12":1.8" brass caps, Part No. T400-1	292.60	PEA22	Male pipe adaptor 1-8"M-NPT"1-8"ext:2mm bore, SS	41.20
MS-T400-2	Sulfur-Halocarbon Trap, length 12":1.4" brass caps, Part No. T400-2	292.60	PEA24	Male pipe adaptor 1-8"M-NPT"1-4"ext:4.6mm bore, SS	41.20
MS-T401-1	Sulfur-Halocarbon Trap, length 22.5":1.8" brass caps, Part No. T401-1	332.50	PEA42	Male pipe adaptor 1-4"M-NPT"1-8"ext:2mm bore, SS	41.20
MS-T401-2	Sulfur-Halocarbon Trap, length 22.5":1.4" brass caps, Part No. T401-2	332.50	PEA44	Male pipe adaptor 1-4"M-NPT"1-4"ext:4.6mm bore, SS	41.20
MS-T700-1	Mercury Trap:1.8" brass caps, Part No. T700-1	332.50	PEA82	Male pipe adaptor 1-2"M-NPT"1-8"ext:2mm bore, SS	70.60
MS-T700-2	Mercury Trap:1.4" brass caps, Part No. T700-2	332.50	PEA84	Male pipe adaptor 1-2"M-NPT"1-4"ext:4.6mm bore, SS	73.50
MT-5XCH	Micro volume tee-assy 1-32":.25mm bore, HC	215.60	PFAP	Position feedback adapter:for air actuator	221.20
MT-5XCF	Micro volume tee-assy 1-32":.25mm bore, CTFE	141.40	PFC2	Position feedback:Cheminert C2 and C3 series 6-10 port	242.10
MT-5XCPK	Micro volume tee-assy 1-32":.25mm bore, PEEK	141.40	PF4	Position feedback to flat plate valve C4	284.60
MT-5XS6	Micro volume tee-assy 1-32":.25mm bore, 316SS	141.40	PFV36	Position feedback for 2-pos manual valve:W type 8 and 10 port, 36 deg	126.00
MT-5XTI	Micro volume tee-assy 1-32":.25mm bore, Titanium	238.10	PFW60	Position feedback for 2-pos manual valve:W type 6 port and int. 4 port	126.00
MT-5XCHC	Micro volume tee-assy 1-32":.15mm bore, HC	251.40	PFV90	Position feedback for 2-pos manual valve:W type 4 port, 90 deg	126.00
MT-5XCFK	Micro volume tee-assy 1-32":.15mm bore, CTFE	176.40	FM	Pencil magnet:for W and UW rotor seals	7.40
MT-5XCPK	Micro volume tee-assy 1-32":.15mm bore, PEEK	176.40	PR50A15E2	Combo pressure regulator, 0-15psi:1-8" ext, Aluminum-SS	315.20
MT-5XS6S	Micro volume tee-assy 1-32":.15mm bore, 316SS	100.00	PR50A15Z1	Combo pressure regulator, 0-15psi:1-16" int, Aluminum-SS	315.20
MT-5XTI	Micro volume tee-assy 1-32":.15mm bore, Titanium	266.00	PR50A15Z2	Combo pressure regulator, 0-15psi:1-8" int, Aluminum-SS	315.20
MT-1XCH	Micro volume tee-assy 1-16":.25mm bore, HC	197.40	PR50A30E2	Combo pressure regulator, 0-30psi:1-8" ext, Aluminum-SS	315.20
MT-1XCF	Micro volume tee-assy 1-16":.25mm bore, CTFE	127.40	PR50A30Z1	Combo pressure regulator, 0-30psi:1-16" int, Aluminum-SS	315.20
MT-1XCFK	Micro volume tee-assy 1-16":.25mm bore, CTFE	127.40	PR50A30Z2	Combo pressure regulator, 0-30psi:1-8" int, Aluminum-SS	315.20
MT-1XCPK	Micro volume tee-assy 1-16":.25mm bore, PEEK	127.40	PR50A60E2	Combo pressure regulator, 0-60psi:1-8" ext, Aluminum-SS	315.20
MT-1XS6	Micro volume tee-assy 1-16":.25mm bore, 316SS	63.30	PR50A60Z1	Combo pressure regulator, 0-60psi:1-16" int, Aluminum-SS	315.20
MT-1XTI	Micro volume tee-assy 1-16":.25mm bore, Titanium	215.60	PR50A60Z2	Combo pressure regulator, 0-60psi:1-8" int, Aluminum-SS	315.20
MT-1XCHC	Micro volume tee-assy 1-16":.15mm bore, HC	238.10	PR50A60Z2	Combo pressure regulator, 0-60psi:1-8" int, Aluminum-SS	315.20
MT-1XCFK	Micro volume tee-assy 1-16":.15mm bore, CTFE	162.40	PR51A15E2	Pressure regulator, 0-15psi:1-8" ext, Aluminum-SS	271.30
MT-1XCPK	Micro volume tee-assy 1-16":.15mm bore, PEEK	80.90	PR51A15Z1	Pressure regulator, 0-15psi:1-16" int, Aluminum-SS	271.30
MT-1XS6S	Micro volume tee-assy 1-16":.15mm bore, 316SS	88.20	PR51A15Z2	Pressure regulator, 0-15psi:1-8" int, Aluminum-SS	271.30
MT-1XCTI	Micro volume tee-assy 1-16":.15mm bore, Titanium	251.40	PR51A30E2	Pressure regulator, 0-30psi:1-8" ext, Aluminum-SS	271.30
MU-5XCH	Micro volume union-assy 1-32":.25mm bore, HC	197.40	PR51A30Z1	Pressure regulator, 0-30psi:1-16" int, Aluminum-SS	271.30
MU-5XCF	Micro volume union-assy 1-32":.25mm bore, CTFE	127.40	PR51A30Z2	Pressure regulator, 0-30psi:1-8" int, Aluminum-SS	271.30
MU-5XCPK	Micro volume union-assy 1-32":.25mm bore, PEEK	127.40	PR51A60E2	Pressure regulator, 0-60psi:1-8" ext, Aluminum-SS	271.30
MU-5XS6	Micro volume union-assy 1-32":.25mm bore, 316SS	127.40	PR51A60Z1	Pressure regulator, 0-60psi:1-16" int, Aluminum-SS	271.30
MU-5XTI	Micro volume union-assy 1-32":.25mm bore, Titanium	215.60	PR51A60Z2	Pressure regulator, 0-60psi:1-8" int, Aluminum-SS	271.30
MU-5XCHC	Micro volume union-assy 1-32":.15mm bore, HC	229.60	PS-050023	Gas syringe A-2, 25 ul:RN, .028"x.005"x2", bevel open end	98.00
MU-5XCFK	Micro volume union-assy 1-32":.15mm bore, CTFE	141.40	PS-050024	Gas syringe A-2, 50 ul:RN, .029"x.005"x2", bevel open end	98.00
MU-5XCPK	Micro volume union-assy 1-32":.15mm bore, PEEK	141.40	PS-050025	Gas syringe A-2, 100 ul:RN, .028"x.005"x2", bevel open end	102.20
MU-5XS6S	Micro volume union-assy 1-32":.15mm bore, 316SS	162.40	PS-050031	Gas syringe A-2, 250 ul:RN, .029"x.012"x2", bevel open end	102.20
MU-5XTI	Micro volume union-assy 1-32":.15mm bore, Titanium	238.10	PS-050032	Gas syringe A-2, 500 ul:RN, .029"x.012"x2", bevel open end	102.20
MU-1XCH	Micro volume union-assy 1-16":.25mm bore, HC	109.20	PS-050033	Gas syringe A-2, 1 ml:RN, .029"x.012"x2", bevel open end	105.00
MU-1XCF	Micro volume union-assy 1-16":.25mm bore, CTFE	109.20	PS-050034	Gas syringe A-2, 2 ml:RN, .029"x.012"x2", bevel open end	105.00
MU-1XCFK	Micro volume union-assy 1-16":.25mm bore, CTFE	109.20	PS-050035	Gas syringe A-2, 5 ml:RN, .029"x.012"x2", bevel open end	110.60
MU-1XCPK	Micro volume union-assy 1-16":.25mm bore, PEEK	109.20	PS-050036	Gas syringe A-2, 10 ml:RN, .029"x.012"x2", bevel open end	110.60
MU-1XS6	Micro volume union-assy 1-16":.25mm bore, 316SS	109.20	PS-050043	OBSOLETE, REPLACED BY PS-050043-LL	.00
MU-1XTI	Micro volume union-assy 1-16":.25mm bore, Titanium	212.20	PS-050043-LL	Gas syringe A-2, 25 ul:RN, .028"x.005"x2", bevel open end, luer lock	105.00
MU-1XCHC	Micro volume union-assy 1-16":.15mm bore, HC	200.20	PS-050044	OBSOLETE, REPLACED BY PS-050044-LL	.00
MU-1XCFK	Micro volume union-assy 1-16":.15mm bore, CTFE	127.40	PS-050044-LL	Gas syringe A-2, 50 ul:RN, .028"x.005"x2", bevel open end, luer lock	105.00
MU-1XCPK	Micro volume union-assy 1-16":.15mm bore, PEEK	127.40	PS-050045	OBSOLETE, REPLACED BY PS-050045-LL	.00
MU-1XS6S	Micro volume union-assy 1-16":.15mm bore, 316SS	141.40	PS-050045-LL	Gas syringe A-2, 100 ul:RN, .028"x.005"x2", bevel open end, luer lock	109.20
MU-1XCTI	Micro volume union-assy 1-16":.15mm bore, Titanium	229.60	PS-050051	OBSOLETE, REPLACED BY PS-050051-LL	.00
MX-5XCH	Micro volume cross-assy 1-32":.25mm bore, HC	238.10	PS-050051-LL	Gas syringe A-2, 250 ul:RN, .029"x.012"x2", bevel open end, luer lock	109.20
MX-5XCF	Micro volume cross-assy 1-32":.25mm bore, CTFE	191.80	PS-050052	OBSOLETE, REPLACED BY PS-050052-LL	.00
MX-5XCFK	Micro volume cross-assy 1-32":.25mm bore, CTFE	191.80	PS-050052-LL	Gas syringe A-2, 500 ul:RN, .029"x.012"x2", bevel open end, luer lock	109.20
MX-5XCPK	Micro volume cross-assy 1-32":.25mm bore, PEEK	191.80	PS-050053	OBSOLETE, REPLACED BY PS-050053-LL	.00
MX-5XS6	Micro volume cross-assy 1-32":.25mm bore, 316SS	200.20	PS-050053-LL	Gas syringe A-2, 1 ml:RN, .029"x.012"x2", bevel open end, luer lock	112.00
MX-5XTI	Micro volume cross-assy 1-32":.25mm bore, Titanium	133.00	PS-050054	OBSOLETE, REPLACED BY PS-050054-LL	.00
MX-5XCHC	Micro volume cross-assy 1-32":.15mm bore, HC	154.00	PS-050054-LL	Gas syringe A-2, 2 ml:RN, .029"x.012"x2", bevel open end, luer lock	112.00
MX-5XCFK	Micro volume cross-assy 1-32":.15mm bore, CTFE	221.20	PS-050055	OBSOLETE, REPLACED BY PS-050055-LL	.00
MX-5XCPK	Micro volume cross-assy 1-32":.15mm bore, PEEK	221.20	PS-050055-LL	Gas syringe A-2, 5 ml:RN, .029"x.012"x2", bevel open end, luer lock	119.00
MX-5XS6S	Micro volume cross-assy 1-32":.15mm bore, 316SS	229.60	PS-050056	OBSOLETE, REPLACED BY PS-050056-LL	.00
MX-5XCTI	Micro volume cross-assy 1-32":.15mm bore, Titanium	307.20	PS-050056-LL	Gas syringe A-2, 10 ml:RN, .029"x.012"x2", bevel open end, luer lock	119.00
MX-1XCH	Micro volume cross-assy 1-16":.25mm bore, HC	235.20	PS-123050	Needles removable C-160, CG-130:.019"x.005"x2.25", bevel open end, 3-p	39.20
MX-1XCF	Micro volume cross-assy 1-16":.25mm bore, CTFE	176.40	PS-123050R	Needles removable C-160, 22GAX2", blunt tip, open end, V-C-Rh, 3-pkg	39.20
MX-1XCFK	Micro volume cross-assy 1-16":.25mm bore, CTFE	176.40	PS-160021	Liquid syringe C-160, 5 ul:FN, .019"x.005"x2", bevel open end	42.00
MX-1XCPK	Micro volume cross-assy 1-16":.25mm bore, PEEK	176.40	PS-160021R	Liquid syringe C-160, 5 ul:FN, .019"x.005"x2", blunt tip open end, V-C-Rh	42.00
MX-1XS6	Micro volume cross-assy 1-16":.25mm bore, 316SS	176.40	PS-160022	Liquid syringe C-160, 10 ul:FN, .019"x.005"x2", bevel open end	32.20
MX-1XTI	Micro volume cross-assy 1-16":.25mm bore, Titanium	238.10	PS-160022R	Liquid syringe C-160, 10 ul:FN, 22GAX2", blunt tip open end, V-C-Rh	32.20
MX-1XCHC	Micro volume cross-assy 1-16":.15mm bore, HC	279.30	PS-160023	Liquid syringe C-160, 25 ul:FN, .019"x.005"x2", bevel open end	37.80
MX-1XCFK	Micro volume cross-assy 1-16":.15mm bore, CTFE	200.20	PS-160023R	Liquid syringe C-160, 25 ul:FN, 22GAX2", blunt tip open end, V-C-Rh	37.80
MX-1XCPK	Micro volume cross-assy 1-16":.15mm bore, PEEK	200.20	PS-160024	Liquid syringe C-160, 50 ul:FN, .019"x.005"x2", bevel open end	42.00
MX-1XS6S	Micro volume cross-assy 1-16":.15mm bore, 316SS	215.60	PS-160024R	Liquid syringe C-160, 50 ul:FN, 22GAX2", blunt tip open end, V-C-Rh	42.00
MX-1XCTI	Micro volume cross-assy 1-16":.15mm bore, Titanium	293.90	PS-160025	Liquid syringe C-160, 100 ul:FN, .019"x.005"x2", bevel open end	46.20
MY-5XCH	Micro volume Y-assy 1-32":.25mm bore, HC	215.60	PS-160025R	Liquid syringe C-160, 100 ul:FN, 22GAX2", blunt tip open end, V-C-Rh	46.20
MY-5XCF	Micro volume Y-assy 1-32":.25mm bore, CTFE	147.00	PS-160026	Liquid syringe C-160, 5 ul:FN, .019"x.005"x2.25", bevel open end	64.40
MY-5XCFK	Micro volume Y-assy 1-32":.25mm bore, CTFE	147.00	PS-160026R	Liquid syringe C-160, 5 ul:FN, .019"x.005"x2.25", blunt tip open end, V-C-Rh	64.40
MY-5XCPK	Micro volume Y-assy 1-32":.25mm bore, PEEK	147.00	PS-160027	Liquid syringe C-160, 10 ul:RN, .019"x.005"x2.25", bevel open end	44.80
MY-5XS6	Micro volume Y-assy 1-32":.25mm bore, 316SS	141.40	PS-160027R	Liquid syringe C-160, 10 ul:RN, 22GAX2", blunt tip open end, V-C-Rh	44.80
MY-5XTI	Micro volume Y-assy 1-32":.25mm bore, Titanium	238.10	PS-160028	Liquid syringe C-160, 25 ul:RN, .019"x.005"x2.25", bevel open end	50.40
MY-5XCHC	Micro volume Y-assy 1-32":.15mm bore, HC	251.40	PS-160028R	Liquid syringe C-160, 25 ul:RN, 22GAX2", blunt tip open end, V-C-Rh	50.40
MY-5XCFK	Micro volume Y-assy 1-32":.15mm bore, CTFE	176.40	PS-160029	Liquid syringe C-160, 50 ul:RN, .019"x.005"x2.25", bevel open end	53.20
MY-5XCPK	Micro volume Y-assy 1-32":.15mm bore, PEEK	176.40	PS-160029R	Liquid syringe C-160, 50 ul:RN, 22GAX2", blunt tip open end, V-C-Rh	53.20
MY-5XS6S	Micro volume Y-assy 1-32":.15mm bore, 316SS	200.20	PS-160030	Liquid syringe C-160, 100 ul:RN, .019"x.005"x2.25", bevel open end	57.40
MY-5XTI	Micro volume Y-assy 1-32":.15mm bore, Titanium	140.00	PS-160030R	Liquid syringe C-160, 100 ul:RN, 22GAX2", blunt tip open end, V-C-Rh	57.40
MY-1XCH	Micro volume Y-assy 1-16":.25mm bore, HC	200.20	PS-614158	Mininert valve, 13mm-425, 12-pkg:	107.80
MY-1XCF	Micro volume Y-assy 1-16":.25mm bore, CTFE	127.40	PS-614160	Mininert valve, 15mm-425, 12-pkg:	110.60
MY-1XCFK	Micro volume Y-assy 1-16":.25mm bore, CTFE	127.40	PS-614161	Mininert valve, 18mm-400, 12-pkg:	116.20
MY-1XCPK	Micro volume Y-assy 1-16":.25mm bore, PEEK	127.40	PS-614163	Mininert valve, 24mm-400, 12-pkg:	128.80
MY-1XS6	Micro volume Y-assy 1-16":.25mm bore, 316SS	176.40	PS-614170	Mininert valve, 20mm-400, 12-pkg:	123.20
MY-1XTI	Micro volume Y-assy 1-16":.25mm bore, Titanium	251.40	PS-614250	Mininert valve, crimp-top, 12-pkg:for 13 mm ID glassware	145.60
MZN1-10	Nut 1-16", 13mm long, SS, 10-pkg:	36.80	PS-631201	Mininert valve, termination:1-4"-28 male to Mininert	35.00

VICI / VALCO Preisliste in Euro, Stand Januar 2016

PS-631202	Mininert valve, termination:1-8" male NPT to Mininert	35.00	SL20UW	Sample loop 20ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	53.90
PS-631203	Mininert valve, termination:1-4"-28 female to Mininert	35.00	SL250CSTP	Sample loop 250ul, mpos ST-UW-type valve:1-16" ends with nuts & ferr	36.70
PS-631204	Mininert valve, termination:1-8" female NPT to Mininert	42.00	SL250CSTUW	Sample loop 250ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrul	44.40
PS-631205	Mininert valve, in-line:1-4"-28 male to 1-4"-28 male	42.00	SL250CUW	Sample loop 250ul, UW type valve:1-16" ends with nuts & ferrules, 316S	42.40
PS-631206	Mininert valve, in-line:1-4"-28 female to 1-4"-28 female	42.00	SL250CJW	Sample loop 250ul, W type valve:1-16" ends with nuts & ferrules, 316SS	42.40
PS-644350	Mininert needle seal septa, 50-pkg:	37.80	SL250NW	Sample loop 250ul, W type valve:1-32" ends with nuts & ferrules, 316SS	48.20
PS-644850	Septum installation tool:	33.60	SL250STP	Sample loop 250ul, mpos ST-MW P-type valve:1-8" ends with nuts & ferru	44.40
PS-654050	Mininert syringe valve for C or D syringe	26.60	SL250UW	Sample loop 250ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	42.40
PS-654051	Mininert syringe valve for luer-tip	28.00	SL25CGTUW	Sample loop 25ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrule	36.70
PS-660100	Valve, 3-port, manual, T-flow, w-o nuts,ferrules:200psi, .06" bore, 1	110.60	SL25CUW	Sample loop 25ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70
PS-660110	Valve, 4-port, manual, T-flow, w-o nuts,ferrules:200psi, .06" bore, 1	117.60	SL25CW	Sample loop 25ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70
PS-660200	Valve, 2-port, manual, 180-flow, w-o nuts,ferrules:200psi, .06" bore,	103.60	SL25NW	Sample loop 25ul, W type valve:1-32" ends with nuts & ferrules, 316SS	38.50
PS-660210	Valve, 4-port, manual, 180-flow, w-o nuts,ferrules:200psi, .06" bore,	117.60	SL25UW	Sample loop 25ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	53.90
PS-660300	Valve, 2-port, manual, 90-flow, w-o nuts,ferrules:200psi, .06" bore,	103.60	SL25UW	Sample loop 25ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	34.70
PS-660310	Valve, 3-port, manual, 90-flow, w-o nuts,ferrules:200psi, .06" bore,	110.60	SL2K2CSTP	Sample loop 2ml, mpos ST-MW P-type valve:1-16" ends with nuts & ferrul	71.30
PS-660320	Valve, 4-port, manual, 90-flow, w-o nuts,ferrules:200psi, .06" bore,	117.60	SL2K2CSTUW	Sample loop 2ml, mpos ST-UW-type valve:1-16" ends with nuts & ferrules	71.30
PS-943050	Needles RN p-lok A-2, C, D.028"x.005"x2", bevel open end, 3-pkg	32.20	SL2K2CW	Sample loop 2ml, UW type valve:1-16" ends with nuts & ferrules, 316SS	69.30
PS-943051	Needles RN p-lok A-2, C, D.029"x.012"x2", bevel open end, 3-pkg	32.20	SL2K2UW	Sample loop 2ml, UW type valve:1-16" ends with nuts & ferrules, 316SS	69.30
PS-943052	Needles RN p-lok A-2, C, D.029"x.012"x2", side-port taper, 3-pkg	46.20	SL2K2STP	Sample loop 2ml, mpos ST-MW P-type valve:1-8" ends with nuts & ferrule	52.10
PS-943060	Needles RN luer A-2, C, D.028"x.006"x2", bevel open end, 3-pkg	32.20	SL2K2UW	Sample loop 2ml, UW type valve:1-8" ends with nuts & ferrules, 316SS	50.10
PS-943061	Needles RN luer A-2, C, D.028"x.012"x2", bevel open end, 3-pkg	32.20	SL25NW	Sample loop 2ul, W type valve:1-32" ends with nuts & ferrules, 316SS	38.50
PS-943062	Needles RN luer A-2, C, D, D.028"x.012"x2", side port taper, 3-p	46.20	SL3CUW	Sample loop 3ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70
PV	Pin vise and drill index .34-1mm:	85.30	SL500CSTP	Sample loop 500ul, mpos ST-MW P-type valve:1-16" ends with nuts & ferr	50.10
PZA21	Male pipe adaptor 1-8"M-NPT*1-16"int:1mm bore, SS	20.60	SL500CSTUW	Sample loop 500ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrul	50.10
PZA21T	Male pipe adaptor 1-8"M-NPT*1-16"int:1-16"trough bore, SS	20.60	SL500CUW	Sample loop 500ul, UW type valve:1-16" ends with nuts & ferrules, 316S	48.20
PZA22	Male pipe adaptor 1-8"M-NPT*1-8"int:1mm bore, SS	20.60	SL500CJW	Sample loop 500ul, W type valve:1-16" ends with nuts & ferrules, 316SS	48.20
PZA41	Male pipe adaptor 1-4"M-NPT*1-16"int:1mm bore, SS	20.60	SL500NW	Sample loop 500ul, W type valve:1-32" ends with nuts & ferrules, 316SS	57.80
PZA42	Male pipe adaptor 1-4"M-NPT*1-8"int:1mm bore, 316SS	41.20	SL500STP	Sample loop 500ul, mpos ST-MW P-type valve:1-8" ends with nuts & ferru	48.20
PZA42L	Male pipe adaptor 1-4"M-NPT*1-8"int:2mm bore, 316SS	20.60	SL500UW	Sample loop 500ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	46.20
PZA44L	Male pipe adaptor 1-4"M-NPT*1-4"int:4.6mm bore, SS	41.20	SL50CSTP	Sample loop 50ul, mpos ST-MW P-type valve:1-16" ends with nuts & ferru	36.70
PZA81	Male pipe adaptor 1-2"M-NPT*1-16"int:1mm bore, SS	70.60	SL50CSTUW	Sample loop 50ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrule	36.70
PZA82	Male pipe adaptor 1-2"M-NPT*1-8"int:1mm bore, SS	70.60	SL50CUW	Sample loop 50ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70
PZA82L	Male pipe adaptor 1-2"M-NPT*1-8"int:2mm bore, SS	70.60	SL50CW	Sample loop 50ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70
PZA84L	Male pipe adaptor 1-2"M-NPT*1-4"int:4.6mm bore, SS	70.60	SL50NW	Sample loop 50ul, W type valve:1-32" ends with nuts & ferrules, 316SS	42.40
RAD	Right angle drive, close mount:	335.20	SL50UW	Sample loop 50ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	53.90
RF1.5KF-5	Standard reducing ferrule 1-16"*1-32".CTFE, 5-pkg	50.00	SL5CUW	Sample loop 5ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70
RF1.5PK-5	Standard reducing ferrule 1-16"*1-32".PEEK, 5-pkg	50.00	SL5CW	Sample loop 5ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70
RF1.5TFG-5	Standard reducing ferrule 1-16"*1-32".PTFE, Glass-filled 25%, 5-pkg	50.00	SL5K2CSTP	Sample loop 5ml, mpos ST-MW P-type valve:1-16" ends with nuts & ferrul	82.90
RF1.5V-5	Standard reducing ferrule 1-16"*1-32".Polyimide, Valcon, 5-pkg	85.30	SL5K2CSTUW	Sample loop 5ml, mpos ST-UW-type valve:1-16" ends with nuts & ferrules	82.90
RF2.5KF-5	Standard reducing ferrule 1-8"*1-32".CTFE, 5-pkg	50.00	SL5KCUW	Sample loop 5ml, UW type valve:1-16" ends with nuts & ferrules, 316SS	80.90
RF2.5PK-5	Standard reducing ferrule 1-8"*1-32".PEEK, 5-pkg	50.00	SL5KJW	Sample loop 5ml, W type valve:1-16" ends with nuts & ferrules, 316SS	80.90
RF2.5TFG-5	Standard reducing ferrule 1-8"*1-32".PTFE, Glass-filled 25%, 5-pkg	50.00	SL5KSTP	Sample loop 5ml, mpos ST-MW P-type valve:1-8" ends with nuts & ferrule	63.60
RF2.5V-5	Standard reducing ferrule 1-8"*1-32".Polyimide, Valcon, 5-pkg	85.30	SL5KUW	Sample loop 5ml, UW type valve:1-8" ends with nuts & ferrules, 316SS	61.60
RF21KF-5	Standard reducing ferrule 1-8"*1-16".CTFE, 5-pkg	50.00	SL5NW	Sample loop 5ul, W type valve:1-32" ends with nuts & ferrules, 316SS	38.50
RF21PK-5	Standard reducing ferrule 1-8"*1-16".PEEK, 5-pkg	25.10	SOMAP	Manual adaptor for standoff.incl. MHA and SVH	46.20
RF21TFG-5	Standard reducing ferrule 1-8"*1-16".PTFE, Glass-filled 25%, 5-pkg	50.00	SOMAPPF	Manual adaptor with Position feedback for standoff incl. MHA and SVH	102.90
RF21V-5	Standard reducing ferrule 1-8"*1-16".Polyimide, Valcon, 5-pkg	44.10	SOMAW	Manual adaptor for standoff.incl. MHA and WK	44.80
RF41KF-5	Standard reducing ferrule 1-4"*1-16".CTFE, 5-pkg	67.60	SOUTH	Handle for use with standoff-2-pos. UW-type valve	29.40
RF41PK-5	Standard reducing ferrule 1-4"*1-16".PEEK, 5-pkg	67.60	SPSS40	auf Anfrage:Ultra High Pressure Injection System:40K psi liq	.00
RF41TFG-5	Standard reducing ferrule 1-4"*1-16".PTFE, Glass-filled 25%, 5-pkg	67.60	SSA10UW	Rotor seal 10 port 2-pos UW-valve:1-8".75mm, 75C-5000psi liq, H	110.60
RF41V-5	Standard reducing ferrule 1-4"*1-16".Polyimide, Valcon, 5-pkg	117.60	SSA10UWE	Rotor seal 10 port 2-pos UW-valve:1-8".75mm, 225C-400psi gas, E	110.60
RF42KF-5	Standard reducing ferrule 1-4"*1-8".CTFE, 5-pkg	67.60	SSA10UWT	Rotor seal 10 port 2-pos UW-valve:1-8".75mm, 330C-300psi gas, T	110.60
RF42PK-5	Standard reducing ferrule 1-4"*1-8".PEEK, 5-pkg	67.60	SSA4UW	Rotor seal 4 port 2-pos UW-valve:1-8".75mm, 75C-5000psi liq, H	110.60
RF42TFG-5	Standard reducing ferrule 1-4"*1-8".PTFE, Glass-filled 25%, 5-pkg	67.60	SSA4UWE	Rotor seal 4 port 2-pos UW-valve:1-8".75mm, 225C-400psi gas, E	110.60
RF42V-5	Standard reducing ferrule 1-4"*1-8".Polyimide, Valcon, 5-pkg	117.60	SSA4UWT	Rotor seal 4 port 2-pos UW-valve:1-8".75mm, 330C-300psi gas, T	110.60
SD4UW	4 mpos dead-end path, manual:1-8".75mm, 75C-5000psi liq, N60-E	1150.40	SSA6UW	Rotor seal 6 port 2-pos UW-valve:1-8".75mm, 75C-5000psi liq, H	110.60
SD6UW	6 mpos dead-end path, manual:1-8".75mm, 75C-5000psi liq, N60-E	1223.60	SSA6UWE	Rotor seal 6 port 2-pos UW-valve:1-8".75mm, 225C-400psi gas, E	110.60
SD8UW	8 mpos dead-end path, manual:1-8".75mm, 75C-5000psi liq, N60-E	1336.60	SSA6UWT	Rotor seal 6 port 2-pos UW-valve:1-8".75mm, 330C-300psi gas, T	110.60
SEAL1HP	Seal disk split-splitless for HP5890:SS	88.20	SSA8UW	Rotor seal 8 port 2-pos UW-valve:1-8".75mm, 75C-5000psi liq, H	110.60
SFEC42	HPLC precolumn replacement cartridge 250 ul:1-4" OD*4mm ID, 2cm long,	58.80	SSA8UWE	Rotor seal 8 port 2-pos UW-valve:1-8".75mm, 225C-400psi gas, E	110.60
SFECH412	HPLC precolumn cartridge assy, fingertight 250 ul:1-4"OD*4mm ID, 2cm l	169.40	SSA8UWT	Rotor seal 8 port 2-pos UW-valve:1-8".75mm, 330C-300psi gas, T	110.60
SFV	Prime-Purge valve, manual:3*1-16".50 mm bore, 100C-10000psi, SS	238.00	SSAC10UW	Rotor seal 10 port 2-pos UW-valve:1-16".75mm, 75C-5000psi liq, H	110.60
SFVHT	Prime-Purge valve, manual, high temp.:3*1-16".50 mm bore, 300C-6000ps	332.50	SSAC10UWE	Rotor seal 10 port 2-pos UW-valve:1-16".75mm, 225C-400psi gas, E	110.60
SFVHT4	Prime-Purge valve, manual-4" knob, high temp.:3*1-16".50 mm bore, 300C	345.80	SSAC10UWT	Rotor seal 10 port 2-pos UW-valve:1-16".75mm, 330C-300psi gas, T	110.60
SFVL	Prime-Purge valve, manual:3*1-16".75 mm bore, 100C-10000psi, SS	286.00	SSAC10W	Rotor seal 10 port 2-pos W-valve:1-16".4mm, 75C-5000psi liq, H	110.60
SFVLHT	Prime-Purge valve, manual, high temp.:3*1-16".75 mm bore, 300C-6000ps	399.00	SSAC10WE	Rotor seal 10 port 2-pos W-valve:1-16".4mm, 225C-400psi gas, E	110.60
SFVLHT4	Prime-Purge valve, manual-4"knob, high temp.:3*1-16".75 mm bore, 300C-	452.20	SSAC10WT	Rotor seal 10 port 2-pos W-valve:1-16".4mm, 350C-300psi gas, T	110.60
SFVO	On-Off valve, manual:2*1-16".50 mm bore, 100C-10000psi liq, SS	231.00	SSAC4UW	Rotor seal 4 port 2-pos UW-valve:1-16".75mm, 75C-5000psi liq, H	110.60
SFVOHT	On-Off valve, manual, high temperature-pressure:2*1-16".50 mm bore, 30	299.20	SSAC4UWE	Rotor seal 4 port 2-pos UW-valve:1-16".75mm, 225C-400psi gas, E	110.60
SFVOHT4	On-Off valve, manual, high temp-pressure:4"so:2*1-16".50 mm bore, 100C	345.80	SSAC4UWT	Rotor seal 4 port 2-pos UW-valve:1-16".75mm, 330C-300psi gas, T	110.60
SFVOL	On-Off valve, manual:2*1-16".75 mm bore, 100C-10000psi, SS	286.00	SSAC4W	Rotor seal 4 port 2-pos W-valve:1-16".4mm, 75C-5000psi liq, H	110.60
SFVOLHT	On-Off valve, manual, high temp.:2*1-16".75 mm bore, 300C-6000psi, SS	399.00	SSAC4WE	Rotor seal 4 port 2-pos W-valve:1-16".4mm, 225C-400psi gas, E	110.60
SFVOLHT4	On-Off valve, manual-4" knob, high temp.:2*1-16".75 mm bore, 300C-600	452.20	SSAC4WT	Rotor seal 4 port 2-pos W-valve:1-16".4mm, 350C-300psi gas, T	110.60
SI4G	Replacement septa for septum injector, 350C:1-4" OD low bleed, 10-pkg	25.10	SSAC6UW	Rotor seal 6 port 2-pos UW-valve:1-16".75mm, 75C-5000psi liq, H	110.60
SL100CSTP	Sample loop 100ul, mpos ST-MW P-type valve:1-16" ends with nuts & ferr	36.70	SSAC6UWE	Rotor seal 6 port 2-pos UW-valve:1-16".75mm, 225C-400psi gas, E	110.60
SL100CSTUW	Sample loop 100ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrul	36.70	SSAC6UWT	Rotor seal 6 port 2-pos UW-valve:1-16".75mm, 330C-300psi gas, T	110.60
SL100CUW	Sample loop 100ul, UW type valve:1-16" ends with nuts & ferrules, 316S	34.70	SSAC8W	Rotor seal, 6 port 2-pos W-valve:1-16".4mm, 75C-5000psi liq, H	110.60
SL100CW	Sample loop 100ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC8WE	Rotor seal 6 port 2-pos W-valve:1-16".4mm, 225C-400psi gas, E	110.60
SL100NW	Sample loop 100ul, W type valve:1-32" ends with nuts & ferrules, 316SS	42.40	SSAC8WT	Rotor seal 6 port 2-pos W-valve:1-16".4mm, 350C-300psi gas, T	110.60
SL100STP	Sample loop 100ul, mpos ST-MW P-type valve:1-8" ends with nuts & ferru	44.40	SSAC8UW	Rotor seal 8 port 2-pos UW-valve:1-16".75mm, 75C-5000psi liq, H	110.60
SL100UW	Sample loop 100ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	42.40	SSAC8UWE	Rotor seal 8 port 2-pos UW-valve:1-16".75mm, 225C-400psi gas, E	110.60
SL100CSTUW	Sample loop 10ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrule	36.70	SSAC8UWT	Rotor seal 8 port 2-pos UW-valve:1-16".75mm, 330C-300psi gas, T	110.60
SL10CUW	Sample loop 10ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC8W	Rotor seal 8 port 2-pos W-valve:1-16".4mm, 75C-5000psi liq, H	110.60
SL10CW	Sample loop 10ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC8WE	Rotor seal 8 port 2-pos W-valve:1-16".4mm, 225C-400psi gas, E	110.60
SL10K2CSTP	Sample loop 10ml, mpos ST-MW P-type valve:1-16" ends with nuts & ferru	107.80	SSAC8WT	Rotor seal 8 port 2-pos W-valve:1-16".4mm, 350C-300psi gas, T	110.60
SL10K2CSTUW	Sample loop 10ml, mpos ST-UW-type valve:1-16" ends with nuts & ferrule	107.80	SSAC14UW.2	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 75C-5000psi liq, H	110.60
SL10KCUW	Sample loop 10ml, UW type valve:1-16" ends with nuts & ferrules, 316SS	106.40	SSAC14UW.5	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 75C-5000psi liq, 5	110.60
SL10K2CW	Sample loop 10ml, W type valve:1-16" ends with nuts & ferrules, 316SS	106.40	SSAC14UW1	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 75C-5000psi liq, 0	110.60
SL10K2STP	Sample loop 10ml, mpos ST-MW P-type valve:1-8" ends with nuts & ferrul	88.60	SSAC14UW2	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 75C-5000psi liq, 1	110.60
SL10KUW	Sample loop 10ml, UW type valve:1-8" ends with nuts & ferrules, 316SS	86.70	SSAC14UW.2	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 175C-1000psi liq, H	110.60
SL10NW	Sample loop 10ul, W type valve:1-32" ends with nuts & ferrules, 316SS	38.50	SSAC14UW.5	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 175C-1000psi liq, 5	110.60
SL10UW	Sample loop 10ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	53.90	SSAC14UW1	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 175C-1000psi liq, 0	110.60
SL15CSTUW	Sample loop 15ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrule	36.70	SSAC14UW.2	Rotor seal 4 port 2-pos int vol UW-valve:1-16".75mm, 175C-1000psi liq, 1	110.60
SL15CUW	Sample loop 15ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC14UW.5	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 75C-5000psi liq, 2	110.60
SL15CW	Sample loop 15ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC14W.5	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 75C-5000psi liq, 5	110.60
SL15NW	Sample loop 15ul, W type valve:1-32" ends with nuts & ferrules, 316SS	38.50	SSAC14W.06	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, H	110.60
SL15UW	Sample loop 15ul, UW type valve:1-8" ends with nuts & ferrules, 316SS	53.90	SSAC14W.1	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 1	110.60
SL1K2CSTP	Sample loop 1ml, mpos ST-MT P-type valve:1-16" ends with nuts & ferrul	55.90	SSAC14W.2	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 2	110.60
SL1K2CSTUW	Sample loop 1ml, mpos ST-UW-type valve:1-16" ends with nuts & ferrules	55.90	SSAC14W.5	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 5	110.60
SL1KCUW	Sample loop 1ml, UW type valve:1-16" ends with nuts & ferrules, 316SS	53.90	SSAC14W.06	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, H	110.60
SL1K2CW	Sample loop 1ml, W type valve:1-16" ends with nuts & ferrules, 316SS	53.90	SSAC14W.1	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 1	110.60
SL1K2UW	Sample loop 1ml, UW type valve:1-16" ends with nuts & ferrules, 316SS	53.90	SSAC14W.2	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 2	110.60
SL1KSTP	Sample loop 1ml, mpos ST-MW P-type valve:1-8" ends with nuts & ferrule	50.10	SSAC14W.5	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 5	110.60
SL1KUW	Sample loop 1ml, UW type valve:1-8" ends with nuts & ferrules, 316SS	46.20	SSAC14W.06	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, H	110.60
SL20CSTUW	Sample loop 20ul, mpos ST-UW-type valve:1-16" ends with nuts & ferrule	36.70	SSAC14W.1	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 1	110.60
SL20CUW	Sample loop 20ul, UW type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC14W.2	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 2	110.60
SL20CW	Sample loop 20ul, W type valve:1-16" ends with nuts & ferrules, 316SS	34.70	SSAC14W.5	Rotor seal 4 port 2-pos int vol W-valve:1-16".4mm, 175C-1000psi liq, 5	110.60
SL20KUW	Sample loop 20 ml, UW type valve:1-8"				

SSACSD16MWE	Rotor seal 16 mpos dead-end path MW-valve:1-16*.75mm, 200C-400psi gas, E	155.40	T10C30-10	Tube-kit 1-16", 030*-75mm:10 cm long, 316SS, 10-pkg	58.80
SSACSD4UW	Rotor seal 4 mpos dead-end path UW-valve:1-16*.4mm, 75C-5000psi liq, E	155.40	T10C30-100	Tube-kit 1-16", 030*-75mm:10 cm long, 316SS, 100-pkg	496.10
SSACSD6MWE	Rotor seal 6 mpos dead-end path MW-valve:1-16*.75mm, 200C-400psi gas, E	155.40	T10C30-50	Tube-kit 1-16", 030*-75mm:10 cm long, 316SS, 50-pkg	266.00
SSACSD6UW	Rotor seal 6 mpos dead-end path UW-valve:1-16*.4mm, 75C-5000psi liq, E	155.40	T10C30D	Tube-kit 1-16", 030*-75mm:10 cm long, 316SS, 2-pkg	13.30
SSACSFI10MWE	Rotor seal 10 mpos flow-through MW-valve:1-16*1mm, 200C-200psi gas, E	169.40	T10C40-10	Tube-kit 1-16", 040*-1.0mm:10 cm long, 316SS, 10-pkg	58.80
SSACSFI12MWE	Rotor seal 12 mpos flow-through MW-valve:1-16*1mm, 200C-200psi gas, E	169.40	T10C40-100	Tube-kit 1-16", 040*-1.0mm:10 cm long, 316SS, 100-pkg	496.10
SSACSFI16MWE	Rotor seal 16 mpos flow-through MW-valve:1-16*1mm, 200C-200psi gas, E	169.40	T10C40-50	Tube-kit 1-16", 040*-1.0mm:10 cm long, 316SS, 50-pkg	266.00
SSACSF16MWE	Rotor seal 6 mpos flow-through MW-valve:1-16*1mm, 200C-200psi gas, E	169.40	T10C40D	Tube-kit 1-16", 040*-1.0mm:10 cm long, 316SS, 2-pkg	13.30
SSACST10MWE	Rotor seal 10 mpos trapping path MW-valve:1-16*.75mm, 200C-200psi gas, E	169.40	T10C5-10	Tube-kit 1-16", 005*-12mm:10 cm long, 316SS, 10-pkg	58.80
SSACST12MWE	Rotor seal 12 mpos trapping path MW-valve:1-16*.75mm, 200C-200psi gas, E	169.40	T10C5-100	Tube-kit 1-16", 005*-12mm:10 cm long, 316SS, 100-pkg	496.10
SSACST16MWE	Rotor seal 16 mpos trapping path MW-valve:1-16*.75mm, 200C-200psi gas, E	169.40	T10C5-50	Tube-kit 1-16", 005*-12mm:10 cm long, 316SS, 50-pkg	266.00
SSACST4UW	Rotor seal 4 mpos trapping-path UW-valve:1-16*.4mm, 75C-5000psi liq, E	155.40	T10C5D	Tube-kit 1-16", 005*-12mm:10 cm long, 316SS, 2-pkg	13.30
SSACST6MWE	Rotor seal 6 mpos trapping path MW-valve:1-16*.75mm, 200C-200psi gas, E	155.40	T10N10-10	Tube-kit 1-32", 010*-25mm:10 cm long, 316SS, 10-pkg	67.60
SSACST6UW	Rotor seal 6 mpos trapping-path UW-valve:1-16*.4mm, 75C-5000psi liq, E	155.40	T10N10-100	Tube-kit 1-32", 010*-25mm:10 cm long, 316SS, 100-pkg	558.60
SSACSTF10MWE	Rotor seal 10 mpos trap-flow path MW-valve:1-16*.75mm, 200C-200psi gas, E	169.40	T10N10-50	Tube-kit 1-32", 010*-25mm:10 cm long, 316SS, 50-pkg	293.90
SSACSTF12MWE	Rotor seal 12 mpos trap-flow path MW-valve:1-16*.75mm, 200C-200psi gas, E	169.40	T10N10D	Tube-kit 1-32", 010*-25mm:10 cm long, 316SS, 2-pkg	14.70
SSACSTF16MWE	Rotor seal 16 mpos trap-flow path MW-valve:1-16*.75mm, 200C-200psi gas, E	169.40	T10N20-10	Tube-kit 1-32", 020*-50mm:10 cm long, 316SS, 10-pkg	67.60
SSACSTF6MWE	Rotor seal 6 mpos trap-flow path MW-valve:1-16*.75mm, 200C-200psi gas, E	155.40	T10N20-100	Tube-kit 1-32", 020*-50mm:10 cm long, 316SS, 100-pkg	558.60
SSAI4UWE.2	Rotor seal 4 port 2-pos int vol UW-valve:1-8*.75mm, 175C-1000psi liq, H	110.60	T10N20-50	Tube-kit 1-32", 020*-50mm:10 cm long, 316SS, 50-pkg	293.90
SSAI4UWE.5	Rotor seal 4 port 2-pos int vol UW-valve:1-8*.75mm, 175C-1000psi liq, H	110.60	T10N20D	Tube-kit 1-32", 020*-50mm:10 cm long, 316SS, 2-pkg	14.70
SSAI4UWE1	Rotor seal 4 port 2-pos int vol UW-valve:1-8*.75mm, 175C-1000psi liq, H	110.60	T10N5-10	Tube-kit 1-32", 005*-12mm:10 cm long, 316SS, 10-pkg	67.60
SSAI4UWE2	Rotor seal 4 port 2-pos int vol UW-valve:1-8*.75mm, 175C-1000psi liq, H	110.60	T10N5-100	Tube-kit 1-32", 005*-12mm:10 cm long, 316SS, 100-pkg	558.60
SSAL10UW	Rotor seal 10 port 2-pos UW-valve:1-8*1.0mm, 75C-5000psi liq, H	155.40	T10N5-50	Tube-kit 1-32", 005*-12mm:10 cm long, 316SS, 50-pkg	293.90
SSAL4UW	Rotor seal 4 port 2-pos UW-valve:1-8*1.7mm, 75C-5000psi liq, H	155.40	T10N5D	Tube-kit 1-32", 005*-12mm:10 cm long, 316SS, 2-pkg	14.70
SSAL6UW	Rotor seal 6 port 2-pos UW-valve:1-8*1.7mm, 75C-5000psi liq, H	155.40	T20C10-10	Tube-kit 1-16", 010*-25mm:20 cm long, 316SS, 10-pkg	70.60
SSAL8UW	Rotor seal 8 port 2-pos UW-valve:1-8*1.3mm, 75C-5000psi liq, H	155.40	T20C10-100	Tube-kit 1-16", 010*-25mm:20 cm long, 316SS, 100-pkg	614.50
SSAN10WV	Rotor seal 10 port 2-pos W-valve:1-32*.25mm, 225C-400psi gas, E	110.60	T20C10-50	Tube-kit 1-16", 010*-25mm:20 cm long, 316SS, 50-pkg	335.20
SSAN10WT	Rotor seal 10 port 2-pos W-valve:1-32*.25mm, 300C-300psi gas, T	110.60	T20C10D	Tube-kit 1-16", 010*-25mm:20 cm long, 316SS, 2-pkg	14.70
SSAN4WE	Rotor seal 4 port 2-pos W-valve:1-32*.25mm, 225C-400psi gas, E	110.60	T20C20-10	Tube-kit 1-16", 020*-50mm:20 cm long, 316SS, 10-pkg	70.60
SSAN4WT	Rotor seal 4 port 2-pos W-valve:1-32*.25mm, 350C-300psi gas, T	110.60	T20C20-100	Tube-kit 1-16", 020*-50mm:20 cm long, 316SS, 100-pkg	614.50
SSAN6WE	Rotor seal 6 port 2-pos W-valve:1-32*.25mm, 250C-400psi gas, E	110.60	T20C20-50	Tube-kit 1-16", 020*-50mm:20 cm long, 316SS, 50-pkg	335.20
SSAN6WT	Rotor seal 6 port 2-pos W-valve:1-32*.25mm, 350C-300psi gas, T	110.60	T20C20D	Tube-kit 1-16", 020*-50mm:20 cm long, 316SS, 2-pkg	14.70
SSAN8WE	Rotor seal 8 port 2-pos W-valve:1-32*.25mm, 225C-400psi gas, E	110.60	T20C30-10	Tube-kit 1-16", 030*-75mm:20 cm long, 316SS, 10-pkg	70.60
SSAN8WT	Rotor seal 8 port 2-pos W-valve:1-32*.25mm, 350C-300psi gas, T	110.60	T20C30-100	Tube-kit 1-16", 030*-75mm:20 cm long, 316SS, 100-pkg	614.50
SSANI4WE.06	Rotor seal 4 port 2-pos int vol W-valve:1-32*.25mm, 175C-1000psi liq, H	110.60	T20C30-50	Tube-kit 1-16", 030*-75mm:20 cm long, 316SS, 50-pkg	335.20
SSANI4WE.1	Rotor seal 4 port 2-pos int vol W-valve:1-32*.25mm, 175C-1000psi liq, H	110.60	T20C30D	Tube-kit 1-16", 030*-75mm:20 cm long, 316SS, 2-pkg	14.70
SSANI4WE.2	Rotor seal 4 port 2-pos int vol W-valve:1-32*.25mm, 175C-1000psi liq, H	110.60	T20C40-10	Tube-kit 1-16", 040*-1.0mm:20 cm long, 316SS, 10-pkg	70.60
SSANI4WE.5	Rotor seal 4 port 2-pos int vol W-valve:1-32*.25mm, 175C-1000psi liq, H	110.60	T20C40-100	Tube-kit 1-16", 040*-1.0mm:20 cm long, 316SS, 100-pkg	614.50
SSASC10MWE	Rotor seal 10 mpos common outlet MW valve:1-8*1mm, 200C-200psi gas, E	155.40	T20C40-50	Tube-kit 1-16", 040*-1.0mm:20 cm long, 316SS, 50-pkg	335.20
SSASC12MWE	Rotor seal 12 mpos common outlet MW valve:1-8*1mm, 200C-200psi gas, E	155.40	T20C40D	Tube-kit 1-16", 040*-1.0mm:20 cm long, 316SS, 2-pkg	14.70
SSASC16MWE	Rotor seal 16 mpos common outlet MW valve:1-8*1mm, 200C-200psi gas, E	169.40	T20C5-10	Tube-kit 1-16", 005*-12mm:20 cm long, 316SS, 10-pkg	70.60
SSASC6MWE	Rotor seal 6 mpos common outlet MW valve:1-8*1mm, 200C-200psi gas, E	155.40	T20C5-100	Tube-kit 1-16", 005*-12mm:20 cm long, 316SS, 100-pkg	614.50
SSASD10MWE	Rotor seal 10 mpos dead-end path MW-valve:1-8*1mm, 200C-200psi gas, E	155.40	T20C5-50	Tube-kit 1-16", 005*-12mm:20 cm long, 316SS, 50-pkg	335.20
SSASD12MWE	Rotor seal 12 mpos dead-end path MW-valve:1-8*1mm, 200C-200psi gas, E	155.40	T20C5D	Tube-kit 1-16", 005*-12mm:20 cm long, 316SS, 2-pkg	14.70
SSASD16MWE	Rotor seal 16 mpos dead-end path MW-valve:1-8*1mm, 200C-200psi gas, E	155.40	T20N10-10	Tube-kit 1-32", 010*-25mm:20 cm long, 316SS, 10-pkg	80.90
SSASD4UW	Rotor seal 4 mpos dead-end path UW-valve:1-8*.75mm, 75C-5000psi liq, E	155.40	T20N10-100	Tube-kit 1-32", 010*-25mm:20 cm long, 316SS, 100-pkg	698.20
SSASD6MWE	Rotor seal 6 mpos dead-end path MW-valve:1-8*1mm, 200C-400psi gas, E	155.40	T20N10-50	Tube-kit 1-32", 010*-25mm:20 cm long, 316SS, 50-pkg	377.70
SSASD8UW	Rotor seal 6 mpos dead-end path UW-valve:1-8*.75mm, 75C-5000psi liq, E	155.40	T20N10D	Tube-kit 1-32", 010*-25mm:20 cm long, 316SS, 2-pkg	16.20
SSASDS6UW	Rotor seal 8 mpos dead-end path UW-valve:1-8*.75mm, 75C-5000psi liq, E	155.40	T20N20-10	Tube-kit 1-32", 020*-50mm:20 cm long, 316SS, 10-pkg	80.90
SSASFI10MWE	Rotor seal 10 mpos flow-through MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T20N20-100	Tube-kit 1-32", 020*-50mm:20 cm long, 316SS, 100-pkg	698.20
SSASFI12MWE	Rotor seal 12 mpos flow-through MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T20N20-50	Tube-kit 1-32", 020*-50mm:20 cm long, 316SS, 50-pkg	377.70
SSASFI16MWE	Rotor seal 16 mpos flow-through MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T20N20D	Tube-kit 1-32", 020*-50mm:20 cm long, 316SS, 2-pkg	16.20
SSASF6MWE	Rotor seal 6 mpos flow-through MW-valve:1-8*1mm, 200C-200psi gas, E	155.40	T20N5-10	Tube-kit 1-32", 005*-12mm:20 cm long, 316SS, 10-pkg	80.90
SSAST10MWE	Rotor seal 10 mpos trapping path MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T20N5-100	Tube-kit 1-32", 005*-12mm:20 cm long, 316SS, 100-pkg	698.20
SSAST12MWE	Rotor seal 12 mpos trapping path MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T20N5-50	Tube-kit 1-32", 005*-12mm:20 cm long, 316SS, 50-pkg	377.70
SSAST16MWE	Rotor seal 16 mpos trapping path MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T20N5D	Tube-kit 1-32", 005*-12mm:20 cm long, 316SS, 2-pkg	16.20
SSAST6MWE	Rotor seal 6 mpos trapping path MW-valve:1-8*1mm, 200C-200psi gas, E	155.40	T30C10-10	Tube-kit 1-16", 010*-25mm:30 cm long, 316SS, 10-pkg	80.90
SSASTF10MWE	Rotor seal 10 mpos trap-flow path MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T30C10-100	Tube-kit 1-16", 010*-25mm:30 cm long, 316SS, 100-pkg	663.70
SSASTF12MWE	Rotor seal 12 mpos trap-flow path MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T30C10-50	Tube-kit 1-16", 010*-25mm:30 cm long, 316SS, 50-pkg	363.10
SSASTF16MWE	Rotor seal 16 mpos trap-flow path MW-valve:1-8*1mm, 200C-200psi gas, E	169.40	T30C10D	Tube-kit 1-16", 010*-25mm:30 cm long, 316SS, 2-pkg	17.60
SSASTF6MWE	Rotor seal 6 mpos trap-flow path MW-valve:1-8*1mm, 200C-200psi gas, E	155.40	T30C20-10	Tube-kit 1-16", 020*-50mm:30 cm long, 316SS, 10-pkg	80.90
SSAVL4MWE2	Rotor seal 4 port 2 pos MW-valve:1-4*4mm, 75C-100psi gas, E2	244.70	T30C20-100	Tube-kit 1-16", 020*-50mm:30 cm long, 316SS, 100-pkg	663.70
SSAVL6MWE2	Rotor seal 6 port 2 pos MW-valve:1-4*4mm, 75C-100psi gas, E2	244.70	T30C20-50	Tube-kit 1-16", 020*-50mm:30 cm long, 316SS, 50-pkg	363.10
SSAVL8MWE2	Rotor seal 8 port 2 pos MW-valve:1-4*4mm, 75C-100psi gas, E2	244.70	T30C20D	Tube-kit 1-16", 020*-50mm:30 cm long, 316SS, 2-pkg	17.60
SSAVLSC4MWE2	Rotor seal 4 mpos common outlet MW valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C30-10	Tube-kit 1-16", 030*-75mm:30 cm long, 316SS, 10-pkg	80.90
SSAVLSC6MWE2	Rotor seal 6 mpos common outlet MW valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C30-100	Tube-kit 1-16", 030*-75mm:30 cm long, 316SS, 100-pkg	663.70
SSAVLSC8MWE2	Rotor seal 8 mpos common outlet MW valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C30-50	Tube-kit 1-16", 030*-75mm:30 cm long, 316SS, 50-pkg	363.10
SSAVLSD10MWE2	Rotor seal 10 mpos dead-end path MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C30D	Tube-kit 1-16", 030*-75mm:30 cm long, 316SS, 2-pkg	17.60
SSAVLSD4MWE2	Rotor seal 4 mpos dead-end path MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C40-10	Tube-kit 1-16", 040*-1.0mm:30 cm long, 316SS, 10-pkg	80.90
SSAVLSD6MWE2	Rotor seal 6 mpos dead-end path MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C40-100	Tube-kit 1-16", 040*-1.0mm:30 cm long, 316SS, 100-pkg	663.70
SSAVLSD8MWE2	Rotor seal 8 mpos dead-end path MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C40-50	Tube-kit 1-16", 040*-1.0mm:30 cm long, 316SS, 50-pkg	363.10
SSAVLSF4MWE2	Rotor seal 4 mpos flow-through MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C40D	Tube-kit 1-16", 040*-1.0mm:30 cm long, 316SS, 2-pkg	17.60
SSAVLSF6MWE2	Rotor seal 6 mpos flow-through MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C5-10	Tube-kit 1-16", 005*-12mm:30 cm long, 316SS, 10-pkg	80.90
SSAVLSF8MWE2	Rotor seal 8 mpos flow-through MW-valve:1-4*4mm, 75C-100psi gas, E2	266.00	T30C5-100	Tube-kit 1-16", 005*-12mm:30 cm long, 316SS, 100-pkg	663.70
SWH3	Socket wrench handle 3-16" for 1-32" nuts	29.40	T30C5-50	Tube-kit 1-16", 005*-12mm:30 cm long, 316SS, 50-pkg	363.10
SWH4	Socket wrench handle 1-4" for 1-16" nuts	14.70	T30C5D	Tube-kit 1-16", 005*-12mm:30 cm long, 316SS, 2-pkg	17.60
T10C10-10	Tube-kit 1-16", 010*-25mm:100 cm long, 316SS, 10-pkg	147.00	T30N10-10	Tube-kit 1-32", 010*-25mm:30 cm long, 316SS, 10-pkg	92.70
T10C10-100	Tube-kit 1-16", 010*-25mm:100 cm long, 316SS, 100-pkg	1312.70	T30N10-100	Tube-kit 1-32", 010*-25mm:30 cm long, 316SS, 100-pkg	754.10
T10C10-50	Tube-kit 1-16", 010*-25mm:100 cm long, 316SS, 50-pkg	684.90	T30N10-50	Tube-kit 1-32", 010*-25mm:30 cm long, 316SS, 50-pkg	412.30
T10C10D	Tube-kit 1-16", 010*-25mm:100 cm long, 316SS, 2-pkg	32.30	T30N10D	Tube-kit 1-32", 010*-25mm:30 cm long, 316SS, 2-pkg	20.60
T10C20-10	Tube-kit 1-16", 020*-50mm:100 cm long, 316SS, 10-pkg	147.00	T30N20-10	Tube-kit 1-32", 020*-50mm:30 cm long, 316SS, 10-pkg	92.70
T10C20-100	Tube-kit 1-16", 020*-50mm:100 cm long, 316SS, 100-pkg	1312.70	T30N20-100	Tube-kit 1-32", 020*-50mm:30 cm long, 316SS, 100-pkg	754.10
T10C20-50	Tube-kit 1-16", 020*-50mm:100 cm long, 316SS, 50-pkg	684.90	T30N20-50	Tube-kit 1-32", 020*-50mm:30 cm long, 316SS, 50-pkg	412.30
T10C20D	Tube-kit 1-16", 020*-50mm:100 cm long, 316SS, 2-pkg	32.30	T30N20D	Tube-kit 1-32", 020*-50mm:30 cm long, 316SS, 2-pkg	20.60
T10C30-10	Tube-kit 1-16", 030*-75mm:100 cm long, 316SS, 10-pkg	147.00	T30N5-10	Tube-kit 1-32", 005*-12mm:30 cm long, 316SS, 10-pkg	92.70
T10C30-100	Tube-kit 1-16", 030*-75mm:100 cm long, 316SS, 100-pkg	1312.70	T30N5-50	Tube-kit 1-32", 005*-12mm:30 cm long, 316SS, 50-pkg	412.30
T10C30-50	Tube-kit 1-16", 030*-75mm:100 cm long, 316SS, 50-pkg	684.90	T30N5D	Tube-kit 1-32", 005*-12mm:30 cm long, 316SS, 2-pkg	20.60
T10C30D	Tube-kit 1-16", 030*-75mm:100 cm long, 316SS, 2-pkg	32.30	T50C10-10	Tube-kit 1-16", 010*-25mm:50 cm long, 316SS, 10-pkg	97.00
T10C40-10	Tube-kit 1-16", 040*-1.0mm:100 cm long, 316SS, 10-pkg	147.00	T50C10-100	Tube-kit 1-16", 010*-25mm:50 cm long, 316SS, 100-pkg	790.00
T10C40-100	Tube-kit 1-16", 040*-1.0mm:100 cm long, 316SS, 100-pkg	1312.70	T50C10-50	Tube-kit 1-16", 010*-25mm:50 cm long, 316SS, 50-pkg	419.00
T10C40-50	Tube-kit 1-16", 040*-1.0mm:100 cm long, 316SS, 50-pkg	684.90	T50C10D	Tube-kit 1-16", 010*-25mm:50 cm long	

VICI / VALCO Preisliste in Euro, Stand Januar 2016

T50N10-10	Tube-kit 1-32", 010"-25mm:50 cm long, 316SS, 10-pkg	110.60	TNI.510	Tubing 1-32" OD, 010"-25mm ID, Nickel:	46.20
T50N10-100	Tube-kit 1-32", 010"-25mm:50 cm long, 316SS, 100-pkg	908.40	TNI.520	Tubing 1-32" OD, 020"-5mm ID, Nickel:	46.20
T50N10-50	Tube-kit 1-32", 010"-25mm:50 cm long, 316SS, 50-pkg	496.10	TNI105	Tubing 1-16" OD, 005"-12mm ID, Nickel:	55.40
T50N10D	Tube-kit 1-32", 010"-25mm:50 cm long, 316SS, 2-pkg	23.50	TNI120	Tubing 1-16" OD, 020"-5mm ID, Nickel:	46.20
T50N20-10	Tube-kit 1-32", 020"-50mm:50 cm long, 316SS, 10-pkg	110.60	TNI130	Tubing 1-16" OD, 030"-75mm ID, Nickel:	27.70
T50N20-100	Tube-kit 1-32", 020"-50mm:50 cm long, 316SS, 100-pkg	908.40	TNI140	Tubing 1-16" OD, 040"-1mm ID, Nickel:	27.70
T50N20-50	Tube-kit 1-32", 020"-50mm:50 cm long, 316SS, 50-pkg	496.10	TNI285	Tubing 1-8" OD, 085"-2.15mm ID, Nickel:	27.70
T50N20D	Tube-kit 1-32", 020"-50mm:50 cm long, 316SS, 2-pkg	23.50	TNPK16001140050	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" (1600um) x 11	.00
T50N5-10	Tube-kit 1-32", 005"-12mm:50 cm long, 316SS, 10-pkg	110.60	TNPK16001140075	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" (1600um) x 11	.00
T50N5-100	Tube-kit 1-32", 005"-12mm:50 cm long, 316SS, 100-pkg	908.40	TNPK16001140100	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 100um ID	.00
T50N5-50	Tube-kit 1-32", 005"-12mm:50 cm long, 316SS, 50-pkg	496.10	TNPK160011401015	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 1015um I	.00
T50N5D	Tube-kit 1-32", 005"-12mm:50 cm long, 316SS, 2-pkg	23.50	TNPK16001140125	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 125um ID	.00
T5C10-10	Tube-kit 1-16", 010"-25mm:5 cm long, 316SS, 10-pkg	55.90	TNPK16001140180	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 180um ID	.00
T5C10-100	Tube-kit 1-16", 010"-25mm:5 cm long, 316SS, 100-pkg	440.20	TNPK16001140250	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 250um ID	.00
T5C10-50	Tube-kit 1-16", 010"-25mm:5 cm long, 316SS, 50-pkg	238.10	TNPK16001140305	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 305um ID	.00
T5C10D	Tube-kit 1-16", 010"-25mm:5 cm long, 316SS, 2-pkg	11.80	TNPK16001140510	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 510um ID	.00
T5C20-10	Tube-kit 1-16", 020"-50mm:5 cm long, 316SS, 10-pkg	55.90	TNPK16001140760	auf Anfrage:Tubing, electroformed Nickel over PEEK:1-16" OD x 760 um I	.00
T5C20-100	Tube-kit 1-16", 020"-50mm:5 cm long, 316SS, 100-pkg	440.20	TNPK800360050	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C20-50	Tube-kit 1-16", 020"-50mm:5 cm long, 316SS, 50-pkg	238.10	TNPK800360075	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C20D	Tube-kit 1-16", 020"-50mm:5 cm long, 316SS, 2-pkg	11.80	TNPK800360100	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C30-10	Tube-kit 1-16", 030"-75mm:5cm long, 316SS, 10-pkg	55.90	TNPK800360125	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C30-100	Tube-kit 1-16", 030"-75mm:5 cm long, 316SS, 100-pkg	440.20	TNPK800360180	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C30-50	Tube-kit 1-16", 030"-75mm:5 cm long, 316SS, 50-pkg	238.10	TNPK800360205	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C30D	Tube-kit 1-16", 030"-75mm:5 cm long, 316SS, 2-pkg	11.80	TNPK800404250	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C40-10	Tube-kit 1-16", 040"-1.0mm:5 cm long, 316SS, 10-pkg	55.90	TNPK800510305	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C40-100	Tube-kit 1-16", 040"-1.0mm:5 cm long, 316SS, 100-pkg	440.20	TNPK800535380	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C40-50	Tube-kit 1-16", 040"-1.0mm:5 cm long, 316SS, 50-pkg	238.10	TNPK800660510	auf Anfrage:Tubing, electroformed Nickel over PEEK:800um OD (1-32") x	.00
T5C40D	Tube-kit 1-16", 040"-1.0mm:5 cm long, 316SS, 2-pkg	11.80	TPK.102	Tubing 360um OD, 002"-50um ID:PEEK	21.00
T5C5-10	Tube-kit 1-16", 005"-12mm:5 cm long, 316SS, 10-pkg	55.90	TPK.104	Tubing 360um OD, 004"-100um ID:PEEK	21.00
T5C5-100	Tube-kit 1-16", 005"-12mm:5 cm long, 316SS, 100-pkg	440.20	TPK.105	Tubing 360um OD, 005"-125um ID:PEEK	21.00
T5C5-50	Tube-kit 1-16", 005"-12mm:5 cm long, 316SS, 50-pkg	238.10	TPK.106	Tubing 360um OD, 006"-150um ID:PEEK	21.00
T5C5D	Tube-kit 1-16", 005"-12mm:5 cm long, 316SS, 2-pkg	11.80	TPK.502-10M	Tubing 1-32" OD, 0025"-63um ID:PEEK, 10m-pkg	133.00
T5N10-10	Tube-kit 1-32", 010"-25mm:5 cm long, 316SS, 10-pkg	61.70	TPK.502-25M	Tubing 1-32" OD, 0025"-63um ID:PEEK, 25m-pkg	305.90
T5N10-100	Tube-kit 1-32", 010"-25mm:5 cm long, 316SS, 100-pkg	502.70	TPK.502-5M	Tubing 1-32" OD, 0025"-63um ID:PEEK, 5m-pkg	70.00
T5N10-50	Tube-kit 1-32", 010"-25mm:5 cm long, 316SS, 50-pkg	266.00	TPK.505-10M	Tubing 1-32" OD, 005"-125um:PEEK, 10m-pkg	133.00
T5N10D	Tube-kit 1-32", 010"-25mm:5 cm long, 316SS, 2-pkg	13.30	TPK.505-25M	Tubing 1-32" OD, 005"-125um:PEEK, 25m-pkg	305.90
T5N20-10	Tube-kit 1-32", 020"-50mm:5 cm long, 316SS, 10-pkg	61.70	TPK.505-5M	Tubing 1-32" OD, 005"-125um:PEEK, 5m-pkg	70.00
T5N20-100	Tube-kit 1-32", 020"-50mm:5 cm long, 316SS, 100-pkg	502.70	TPK.510-10M	Tubing 1-32" OD, 010"-25mm:PEEK, 10m-pkg	114.80
T5N20-50	Tube-kit 1-32", 020"-50mm:5 cm long, 316SS, 50-pkg	266.00	TPK.510-25M	Tubing 1-32" OD, 010"-25mm:PEEK, 25m-pkg	266.00
T5N20D	Tube-kit 1-32", 020"-50mm:5 cm long, 316SS, 2-pkg	13.30	TPK.510-5M	Tubing 1-32" OD, 010"-25mm:PEEK, 5m-pkg	60.20
T5N5-10	Tube-kit 1-32", 005"-12mm:5 cm long, 316SS, 10-pkg	61.70	TPK.515-10M	Tubing 1-32" OD, 015"-38mm:PEEK, 10m-pkg	114.80
T5N5-100	Tube-kit 1-32", 005"-12mm:5 cm long, 316SS, 100-pkg	502.70	TPK.515-25M	Tubing 1-32" OD, 015"-38mm:PEEK, 25m-pkg	266.00
T5N5-50	Tube-kit 1-32", 005"-12mm:5 cm long, 316SS, 50-pkg	266.00	TPK.515-5M	Tubing 1-32" OD, 015"-38mm:PEEK, 5m-pkg	60.20
T5N5D	Tube-kit 1-32", 005"-12mm:5 cm long, 316SS, 2-pkg	13.30	TPK106-10M	Tubing 1-16" OD, 006"-15mm ID:PEEK, 10m-pkg	133.00
TC2D-C-110	TC2D controller:110Vac	3379.50	TPK106-25M	Tubing 1-16" OD, 006"-15mm ID:PEEK, 25m-pkg	305.90
TC2D-C-220	TC2D controller:220Vac	3379.50	TPK106-5M	Tubing 1-16" OD, 006"-15mm ID:PEEK, 5m-pkg	70.00
TC2D-NIFE-110	TC2D detector with controller:Nickel-Iron filaments, 110Vac	4859.80	TPK110-10M	Tubing 1-16" OD, 010"-25mm ID:PEEK, 10m-pkg	112.00
TC2D-NIFE-220	TC2D detector with controller:Nickel-Iron filaments, 220Vac	4859.80	TPK110-25M	Tubing 1-16" OD, 010"-25mm ID:PEEK, 25m-pkg	252.70
TC2D-NIFED-110	TC2D detector w-controller:NIFE filaments, 110Vac	1619.90	TPK110-5M	Tubing 1-16" OD, 010"-25mm ID:PEEK, 5m-pkg	56.00
TC2D-NIFED-220	TC2D detector w-controller:NIFE filaments, 220Vac	1619.90	TPK120-10M	Tubing 1-16" OD, 020"-5mm ID:PEEK, 10m-pkg	112.00
TCEF1.5.5C	Tee column end fitting 1-16" x 1-32" x 1-32":.25mm in-out, 25mm side, 1mm	200.20	TPK120-25M	Tubing 1-16" OD, 020"-5mm ID:PEEK, 25m-pkg	252.70
TCEF1.5.5T	Tee column end fitting 1-16" x 1-32" x 1-32":.9mm in-out, 25mm side, 1mm	200.20	TPK120-5M	Tubing 1-16" OD, 020"-5mm ID:PEEK, 5m-pkg	56.00
TCEF111	Tee column end fitting 1-16" x 1-16" x 1-16":.25mm in-out, 25mm side, 1mm	141.40	TPK130-10M	Tubing 1-16" OD, 030"-75mm ID:PEEK, 10m-pkg	112.00
TCEF211	Tee column end fitting 1-8" x 1-16" x 1-16":.50mm in-out, 50mm side, 1mm	141.40	TPK130-25M	Tubing 1-16" OD, 030"-75mm ID:PEEK, 25m-pkg	252.70
TCEF211T	Tee column end fitting 1-8" x 1-16" x 1-16":1.65mm in-out, 4mm side, 1mm	141.40	TPK130-5M	Tubing 1-16" OD, 030"-75mm ID:PEEK, 5m-pkg	56.00
TCEF411	Tee column end fitting 1-4" x 1-16" x 1-16":.75mm in-out, 75mm side, 4.6mm	141.40	TPK260-10M	Tubing 1-8" OD, 060"-1.52mm ID:PEEK, 10m-pkg	175.00
TCEF411C	Tee column end fitting 1-4" x 1-16" x 1-16":.25mm in-out, 25mm side, 4.6mm	162.40	TPK260-25M	Tubing 1-8" OD, 060"-1.52mm ID:PEEK, 25m-pkg	405.60
TCEF411T	Tee column end fitting 1-4" x 1-16" x 1-16":1.65mm in-out, 75mm side, 4.6mm	141.40	TPK260-5M	Tubing 1-8" OD, 060"-1.52mm ID:PEEK, 5m-pkg	92.40
TCEF421	Tee column end fitting 1-4" x 1-8" x 1-16":.75mm in-out, 75mm side, 4.6mm	141.40	TSS.505	Tubing 1-32" OD, 005"-12mm, 316SS:	16.00
TCEF611	Tee column end fitting 3-8" x 1-16" x 1-16":.75mm in-out, 75mm side, 6mm	176.40	TSS.507	Tubing 1-32" OD, 007"-18mm, 316SS:	16.00
TCEF611T	Tee column end fitting 3-8" x 1-16" x 1-16":1.65mm in-out, 75mm side, 6mm	176.40	TSS.510	Tubing 1-32" OD, 010"-25mm, 316SS:	16.00
TCEF811	Tee column end fitting 1-2" x 1-16" x 1-16":.75mm in-out, 75mm side, 9mm	200.20	TSS.520	Tubing 1-32" OD, 020"-5mm ID, 316SS:	16.00
TCEF811T	Tee column end fitting 1-2" x 1-16" x 1-16":1.65mm in-out, 75mm side, 9mm	200.20	TSS105	Tubing 1-16" OD, 060"-1.52mm ID, 316SS:	16.00
TEFNI.101	auf Anfrage:Tubing electroformed.360um OD, 001"-25um ID:Nickel	.00	TSS110	Tubing 1-16" OD, 010"-25mm ID, 316SS:	16.00
TEFNI.102	auf Anfrage:Tubing electroformed.360um OD, 002"-50um ID, Nickel	.00	TSS115	Tubing 1-16" OD, 015"-38mm ID, 316SS:	16.00
TEFNI.104	auf Anfrage:Tubing electroformed.360um OD, 004"-100um ID, Nickel	.00	TSS120	Tubing 1-16" OD, 020"-5mm ID, 316SS:	16.00
TEFNI.105	auf Anfrage:Tubing electroformed.360um OD, 005"-125um ID, Nickel	.00	TSS126	Tubing 1-16" OD, 026"-66mm ID, 316SS:	16.00
TEFNI.110	auf Anfrage:Tubing electroformed.360um OD, 007"-175um ID, Nickel	.00	TSS130	Tubing 1-16" OD, 030"-75mm ID, 316SS:	16.00
TEFNI.502	auf Anfrage:Tubing electroformed.1.32"OD, 002"-05mm ID:Nickel	.00	TSS140	Tubing 1-16" OD, 040"-1mm ID, 316SS:	16.00
TEFNI.504	auf Anfrage:Tubing electroformed.1.32"OD, 004"-1mm ID:Nickel	.00	TSS230	Tubing 1-8" OD, 030"-75mm ID, 316SS:	22.00
TEFNI.505	auf Anfrage:Tubing electroformed.1.32"OD, 005"-12mm ID:Nickel	.00	TSS240	Tubing 1-8" OD, 040"-1mm ID, 316SS:	22.00
TEFNI.507	auf Anfrage:Tubing electroformed.1.32"OD, 007"-18mm ID:Nickel	.00	TSS260	Tubing 1-8" OD, 060"-1.50mm ID:	22.00
TEFNI.510	auf Anfrage:Tubing electroformed.1.32"OD, 010"-25mm ID:Nickel	.00	TSS267	Tubing 1-8" OD, 067"-1.7mm ID, 316SS:	22.00
TEFNI.512	auf Anfrage:Tubing electroformed.1.32"OD, 0126"-32mm ID, Nickel	.00	TSS285	Tubing 1-8" OD, 085"-2.15mm ID, 316SS:	22.00
TEFNI.515	auf Anfrage:Tubing electroformed.1.32"OD, 015"-38mm ID:Nickel	.00	TTF106-10M	Tubing 1-16" OD, 006"-15mm ID:PTFE, 10m-pkg	64.30
TEFNI.520	auf Anfrage:Tubing electroformed.1.32"OD, 020"-5mm ID:Nickel	.00	TTF106-25M	Tubing 1-16" OD, 006"-15mm ID:PTFE, 25m-pkg	149.20
TEFNI120	auf Anfrage:Tubing electroformed.1-16"OD, 020"-5mmID:Nickel	.00	TTF106-5M	Tubing 1-16" OD, 006"-15mm ID:PTFE, 5m-pkg	34.40
TEFNH30	auf Anfrage:Tubing electroformed.1-16"OD, 030"-75mmID:Nickel	.00	TTF110-10M	Tubing 1-16" OD, 010"-25mm ID:PTFE, 10m-pkg	64.30
TEFNI140	auf Anfrage:Tubing electroformed.1-16"OD, 040"-1mm ID:Nickel	.00	TTF110-25M	Tubing 1-16" OD, 010"-25mm ID:PTFE, 25m-pkg	149.20
TEMPLATE1	Template for flow diagrams:	4.90	TTF110-5M	Tubing 1-16" OD, 010"-25mm ID:PTFE, 5m-pkg	34.40
TFEP110-10M	Tubing 1-16" OD, 010"-25mm ID:FEP, 10m-pkg	71.70	TTF115-10M	Tubing 1-16" OD, 015"-38mm ID:PTFE, 10m-pkg	64.30
TFEP110-25M	Tubing 1-16" OD, 010"-25mm ID:FEP, 25m-pkg	179.10	TTF115-25M	Tubing 1-16" OD, 015"-38mm ID:PTFE, 25m-pkg	149.20
TFEP110-5M	Tubing 1-16" OD, 010"-25mm ID:FEP, 5m-pkg	36.70	TTF115-5M	Tubing 1-16" OD, 015"-38mm ID:PTFE, 5m-pkg	34.40
TFEP120-10M	Tubing 1-16" OD, 020"-5mm ID:FEP, 10m-pkg	71.70	TTF120-10M	Tubing 1-16" OD, 020"-5mm ID:PTFE, 10m-pkg	64.30
TFEP120-25M	Tubing 1-16" OD, 020"-5mm ID:FEP, 25m-pkg	179.10	TTF120-25M	Tubing 1-16" OD, 020"-5mm ID:PTFE, 25m-pkg	149.20
TFEP120-5M	Tubing 1-16" OD, 020"-5mm ID:FEP, 5m-pkg	36.70	TTF120-5M	Tubing 1-16" OD, 020"-5mm ID:PTFE, 5m-pkg	34.40
TFEP130-10M	Tubing 1-16" OD, 030"-75mm ID:FEP, 10m-pkg	71.70	TTF130-10M	Tubing 1-16" OD, 030"-75mm ID:PTFE, 10m-pkg	64.30
TFEP130-25M	Tubing 1-16" OD, 030"-75mm ID:FEP, 25m-pkg	179.10	TTF130-25M	Tubing 1-16" OD, 030"-75mm ID:PTFE, 25m-pkg	149.20
TFEP130-5M	Tubing 1-16" OD, 030"-75mm ID:FEP, 5m-pkg	36.70	TTF130-5M	Tubing 1-16" OD, 030"-75mm ID:PTFE, 5m-pkg	34.40
TFEP260-10M	Tubing 1-8" OD, 060"-1.52mm ID:FEP, 10m-pkg	82.60	TTF230-10M	Tubing 1-8" OD, 030"-75mm ID:PTFE, 10m-pkg	82.60
TFEP260-25M	Tubing 1-8" OD, 060"-1.52mm ID:FEP, 25m-pkg	200.90	TTF230-25M	Tubing 1-8" OD, 030"-75mm ID:PTFE, 25m-pkg	195.20
TFEP260-5M	Tubing 1-8" OD, 060"-1.52mm ID:FEP, 5m-pkg	45.90	TTF230-5M	Tubing 1-8" OD, 030"-75mm ID:PTFE, 5m-pkg	45.90
THC110	Tubing 1-16" OD, 010"-25mm ID, HC:	67.90	TTF260-10M	Tubing 1-8" OD, 060"-1.52mm ID:PTFE, 10m-pkg	82.60
THC120	Tubing 1-16" OD, 020"-50mm ID, HC:	67.90	TTF260-25M	Tubing 1-8" OD, 060"-1.52mm ID:PTFE, 25m-pkg	195.20
THC130	Tubing 1-16" OD, 030"-75mm ID, HC:	67.90	TTF260-5M	Tubing 1-8" OD, 060"-1.52mm ID:PTFE, 5m-pkg	45.90
THC140	Tubing 1-16" OD, 040"-1.00mm ID, HC:	67.90	TTF285-10M	Tubing 1-8" OD, 085"-2.15mm ID:PTFE, 10m-pkg	82.60
THC270	Tubing 1-8" OD, 070"-1.77mm ID, HC:	97.00	TTF285-25M	Tubing 1-8" OD, 085"-2.15mm ID:PTFE, 25m-pkg	195.20
THC285	Tubing 1-8" OD, 085"-2.16mm ID, HC:	97.00	TTF285-5M	Tubing 1-8" OD, 085"-2.15mm ID:PTFE, 5m-pkg	45.90
TINCO261	Tubing 1-8" OD, 061"-1.55mm ID:Inconel 600	48.60	TTZ110-10M	Tubing 1-16" OD,	

VICI / VALCO Preislste in Euro, Stand Januar 2016

TTZ260-25M	Tubing 1-8" OD, .060"-1.52mm ID:ETFE, 25m-pkg	338.10	ZBRUFR1.5	Bulkhead reducing union 1-16"*-1-32":.25mm bore, removable 2 um screen,	123.20
TTZ260-5M	Tubing 1-8" OD, .060"-1.52mm ID:ETFE, 5m-pkg	80.40	ZBRUFR1.5F	Bulkhead reducing union 1-16"*-1-32":.25mm bore, removable 2um frit, 31	130.20
UMD	Universal actuator, modular, no clamp ring;medium torque 24Vdc, w.110-	1230.20	ZBRUFR21	Bulkhead reducing union 1-8"*-1-16":.75mm bore, removable 2 um frit, 31	112.00
UMDA	Universal actuator, modular, no clamp ring;medium torque 24Vdc, w.110-	1310.00	ZBRUFR21F	Bulkhead reducing union 1-8"*-1-16":.75mm bore, removable 2 um frit, 31	107.80
UMDB	Universal actuator, modular, no clamp ring;medium torque 24Vdc, w.110-	1310.00	ZBRUFR41	Bulkhead reducing union 1-4"*-1-16":1mm bore, removable 2 um screen, SS	123.20
UMDC	Universal actuator, modular, no clamp ring;medium torque 24Vdc, w.110-	1310.00	ZBRUFR41F	Bulkhead reducing union 1-4"*-1-16":1mm bore, removable 2 um frit, 316S	117.60
UMH	Universal actuator, modular, no clamp ring;high speed 24Vdc, w.110-220	1197.00	ZBRUFR42	Bulkhead reducing union 1-4"*-1-8":2mm bore, removable 2 um screen, SS	123.20
UMHA	Universal actuator, modular, no clamp ring;high speed 24Vdc, w.110-220	1276.80	ZBRUFR42F	Bulkhead reducing union 1-4"*-1-8":2mm bore, removable 2 um frit, 316SS	117.60
UMHB	Universal actuator, modular, no clamp ring;high speed 24Vdc, w.110-220	1276.80	ZBU.5	Bulkhead union 1-32":.25mm bore, SS	47.00
UMHC	Universal actuator, modular, no clamp ring;high speed 24Vdc, w.110-220	1276.80	ZBU.5FFK	Bulkhead union 1-32", fingertight;.25mm bore, PEEK	109.20
UMT	Universal actuator, modular, no clamp ring;high torque 24Vdc, w.110-22	1256.80	ZBU.5L	Bulkhead union 1-32":.5mm bore, SS	94.10
UMTA	Universal actuator, modular, no clamp ring;high torque 24Vdc, w.110-22	1336.60	ZBU.5LFPK	Bulkhead union 1-32", fingertight;.5mm bore, PEEK	109.20
UMTB	Universal actuator, modular, no clamp ring;high torque 24Vdc, w.110-22	1336.60	ZBU.5T	Bulkhead union 1-32":1-32" through bore, SS	94.10
UMTC	Universal actuator, modular, no clamp ring;high torque 24Vdc, w.110-22	1336.60	ZBU.5TFPK	Bulkhead union 1-32", fingertight:1-32" trough bore, PEEK	109.20
V-EMPMCR-HP1100	Remote cable VICI micro E mpos. actuator:4-6 pos to HP1100, G1351A int	110.60	ZBU.5XC	Bulkhead union 1-32":.15mm bore, SS	112.00
V-EMPMCR-HP1100-10	Remote cable VICI micro E mpos. actuator:8-10 pos to HP1100, G1351A in	84.60	ZBU1	Bulkhead union 1-16":.75mm bore, SS	33.90
V-EMPMCR-HP6890	BCD cable VICI micro E mpos. actuator:(26 pin connector) to HP 6890	147.00	ZBU1C	Bulkhead union 1-16":.25mm bore, SS	41.20
V-EMPMCR-HP6890N	BCD cable VICI micro E mpos. actuator:(26 pin connector) to HP 6890N-7	169.40	ZBU1CFPK	Bulkhead union 1-16", hex;.25mm bore, PEEK	39.10
V-EMPMCR-WA2690	Remote cable VICI micro E mpos. actuator:4-6pos to Waters 2690 Separat	147.00	ZBU1CPK	Bulkhead union 1-16", hex;.25mm bore, PEEK	156.80
V-EMPMCR-WA2690-10	Remote cable VICI micro E mpos. actuator:10pos to Waters 2690 Separat	176.40	ZBU1FPK	Bulkhead union 1-16", fingertight;.75mm bore, PEEK	65.90
VISF5FFK	Syringe fillport for 1-32" connection, fingertight;for .75"-19mm long	36.00	ZBU1ML	Bulkhead union 1-16":.1mm bore, SS	33.90
VISF-1	Syringe fillport for 1-16" connection;for .75"-19mm long needle, 22Gau	13.30	ZBU1M	Bulkhead union 1-16":.5mm bore, SS	36.80
VISF-2	Syringe fillport for 1-16" connection;for 2.0"-51mm long needle, 22Gau	22.10	ZBU1MFPK	Bulkhead union 1-16", fingertight;.5mm bore, PEEK	72.00
VISF-A	Syringe fillport for 1-8" fittings;for 2.0"-51mm long needle, 22Gauge	67.60	ZBU1MPK	Bulkhead union 1-16", hex;.5mm bore, PEEK	72.00
VISL-1	Liner, replacement for VISF-1 or C-VISF-1L:PTFE	3.70	ZBU1PK	Bulkhead union 1-16", hex;.75mm bore, PEEK	65.90
VISL-1H	Liner, replacement for C-VISF-1H:PTFE	7.50	ZBU1T	Bulkhead union 1-16":1-16" through bore, SS	33.90
VISL-2	Liner, replacement for VISF-2 or VISF-A:PTFE	3.70	ZBU1TFPK	Bulkhead union 1-16", fingertight:1-16" trough bore, PEEK	133.00
V-RA-24VDC-HP6890	Relay assy. for 2pos micro actuator;to HP6890-7890, 24VDC	147.00	ZBU1TPK	Bulkhead union 1-16", hex:1-16" trough bore, PEEK	133.00
V-RA-24VDC-VA3800	Relay assy. for 2pos micro actuator;to VA3800, 24VDC	147.00	ZBU1XC	Bulkhead union 1-16":.15mm bore, SS	55.90
V-RA-5VDC-HP1100	Relay assy. for 2pos micro actuator;to HP1100 external event, 5VDC fro	147.00	ZBU2	Bulkhead union 1-8":.75mm bore, SS	30.90
V-RA-5VDC-WA2690	Relay assy. for 2pos micro actuator;to WA2690 external event, 5VDC fro	147.00	ZBU2L	Bulkhead union 1-8":.2mm bore, SS	30.90
VSH	Valve spanner handle for mpos valve:	73.50	ZBU2LPK	Bulkhead union 1-8", hex;.2mm bore, PEEK	74.90
V-SV-S32-110VAC	3-way solenoid air valve;for diaphragm valves, 110VAC, CE	125.00	ZBU2PK	Bulkhead union 1-8", hex;.75mm bore, PEEK	74.90
V-SV-S32-220VAC	3-way solenoid air valve;for diaphragm valves, 220VAC, CE	125.00	ZBU2T	Bulkhead union 1-8":1-8" through bore, SS	61.70
V-SV-S32-24VAC	3-way solenoid air valve;for diaphragm valves, 24VAC, CE	125.00	ZBU2TPK	Bulkhead union 1-8", hex:1-8" trough bore, PEEK	74.90
V-SV-S32-24VDC	3-way solenoid air valve;for diaphragm valves, 24VDC, CE	125.00	ZBU4	Bulkhead union 1-4":.75mm bore, SS	64.70
V-SV-S52-110VAC	4-way solenoid air valve, m-pos air actuator;110VAC, CE	125.00	ZBU4L	Bulkhead union 1-4":4.6mm bore, SS	64.70
V-SV-S52-220VAC	4-way solenoid air valve, m-pos air actuator;220VAC, CE	125.00	ZBU4T	Bulkhead union 1-4":1-4" through bore, SS	64.70
V-SV-S52-24VAC	4-way solenoid air valve, m-pos air actuator;24VAC, CE	125.00	ZBUF1	Bulkhead union 1-16":.75mm bore, pressed 2 um frit, SS	37.00
V-SV-S52-24VDC	4-way solenoid air valve, m-pos air actuator;24VDC, CE	125.00	ZBUF2	Bulkhead union 1-8":.75mm bore, pressed 2 um frit, SS	77.00
V-SV-S53-110VAC	5-way 3-pos solenoid air valve;for 2-pos air actuator, 110VAC, CE	304.00	ZBUF4	Bulkhead union 1-4":4.6mm bore, pressed 2 um frit, SS	80.10
V-SV-S53-220VAC	5-way 3-pos solenoid air valve;for 2-pos air actuator, 220VAC, CE	304.00	ZBULKF	Chemintert luer adapter bulkhead union;female luer to 10-32, 1mm bore,	36.00
V-SV-S53-24VAC	5-way 3-pos solenoid air valve;for 2-pos air actuator, 24VAC, CE	304.00	ZBULPK	Chemintert luer adapter bulkhead union;female luer to 10-32, 1 mm bore,	72.00
V-SV-S53-24VDC	5-way 3-pos solenoid air valve;for 2-pos air actuator, 24VDC, CE	304.00	ZBULR.5	Bulkhead union 1-32":.25mm bore, removable 2 um screen, SS	176.40
WMMA	Close mount hdw. manual, W-UW-2-pos, 3,4,6,8 port valves	51.50	ZBULR.5F	Bulkhead union 1-32":.25mm bore, removable 2 um frit, 316SS	176.40
WMMA10	Close mount hdw. manual;valves with unthreaded mounting holes	51.50	ZBULR1	Bulkhead union 1-16":.50mm bore, removable 2 um screen, SS	55.40
WMMASO	Manual W-knob for use with standoff;2-pos, W-type valves	36.80	ZBULR1C	Bulkhead union 1-16":.25mm bore, removable 2 um screen, SS	138.60
XLZN1-10	Nut 1-16", 25mm long, SS, 10-pkg:	44.10	ZBULR1CF	Bulkhead union 1-16":.25mm bore, removable 2 um frit, 316SS	138.60
XLZN2-10	Nut 1-8", 27mm long, SS, 10-pkg:	47.90	ZBULR1F	Bulkhead union 1-16":.5mm bore, removable 2 um frit, 316SS	107.80
Z10M1	Manifold 1-16", 10 inlets 1 outlet;inlet .25mm-outlet .75mm bore, SS	489.40	ZBULR2	Bulkhead union 1-8":.2mm bore, removable 2 um screen, SS	112.00
Z10M1PK	Manifold 1-16", 10 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	558.60	ZBULR2F	Bulkhead union 1-8":.2mm bore, removable 2 um frit, 316SS	107.80
Z10M2	Manifold 1-8", 10 inlets 1 outlet;inlet 2mm-outlet 2mm bore, SS	558.60	ZBULMFK	Chemintert luer adapter bulkhead union;luer male to 10-32 ZDV, 1mm bore	72.00
Z12M1	Manifold 1-16", 12 inlets 1 outlet;inlet .25mm-outlet .75mm bore, SS	558.60	ZBULMLPK	Chemintert luer adapter bulkhead union;luer male to 10-32 ZDV, 1mm bore	36.00
Z12M1PK	Manifold 1-16", 12 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	642.40	ZC.5	Cap 1-32":SS	14.70
Z12M2	Manifold 1-8", 12 inlets 1 outlet;inlet 2mm-outlet 2mm bore, SS	642.40	ZC.5FFK	Cap 1-32", fingertight, PEEK:	39.10
Z14M1	Manifold 1-16", 14 inlets 1 outlet;inlet .25mm-outlet .75mm bore, SS	642.40	ZC1	Cap 1-16":SS	13.30
Z14M1PK	Manifold 1-16", 14 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	726.20	ZC1FPK	Cap 1-16", fingertight, PEEK:	36.00
Z16M1PK	Manifold 1-16", 16 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	810.00	ZC1PK	Cap 1-16", hex, PEEK:	19.60
Z4M1	Manifold 1-16", 4 inlets 1 outlet;inlet .25mm-outlet .75mm bore, SS	243.40	ZC2	Cap 1-8":SS	13.30
Z4M1PK	Manifold 1-16", 4 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	321.90	ZC2PK	Cap 1-8", hex, PEEK:	39.10
Z4M2	Manifold 1-8", 4 inlets 1 outlet;inlet 2mm-outlet 2mm bore, SS	321.90	ZC4	Cap 1-4":SS	35.30
Z6M1	Manifold 1-16", 6 inlets 1 outlet;inlet .25mm-outlet .75mm bore, SS	321.90	ZERU1.5FFK	Union, Reducing, Int-Ext, 1-16"*-1-32", 20mm;200um, PEEK	78.00
Z6M1PK	Manifold 1-16", 6 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	405.60	ZF.5-10	Ferrule 1-32", 303SS, 10-pkg:	44.10
Z6M2	Manifold 1-8", 6 inlets 1 outlet;inlet 2mm-outlet 2mm bore, SS	405.60	ZF.5B-10	Ferrule 1-32", Brass, 10-pkg:	26.50
Z8M1	Manifold 1-16", 8 inlets 1 outlet;inlet .25mm-outlet .75mm bore, SS	405.60	ZF.5FEP-10	Ferrule 1-32", FEP, 10-pkg:	44.10
Z8M1PK	Manifold 1-16", 8 inlets 1 outlet;inlet .25mm-outlet .75mm bore, PEEK	489.40	ZF.5GP-10	Ferrule 1-32", SS, gold plated, 10-pkg:	61.70
Z8M2	Manifold 1-8", 8 inlets 1 outlet;inlet 2mm-outlet 2mm bore, SS	489.40	ZF.5GV5	Ferrule 1-32":Polyimide, Graphite, 5-pkg	51.50
ZAOR11	Internal adaptor 1-16" to 10-32 thread;O-ring seal, SS	19.60	ZF.5HC	Ferrule 1-32", HC:	26.50
ZAOR12	Internal adaptor 1-16" to 5-16-24 thread;O-ring seal, SS	20.60	ZF.5KF-10	Ferrule 1-32", CTFE, 10-pkg:	117.60
ZAOR22	Internal adaptor 1-8" to 5-16-24 thread;O-ring seal, SS	41.20	ZF.5NI	Ferrule 1-32", Nickel:	26.50
ZBAA1	Aerosol adaptor bulkhead union 1-16", SS:Bore 0.75 mm	85.30	ZF.5PFA-10	Ferrule 1-32", PFA, 10-pkg:	120.40
ZBNV1	Micrometering needle valve, bulkhead, 2-225 ml-min;1-16" int, 2um scre	191.80	ZF.5PK-10	Ferrule 1-32", PEEK, 10-pkg:	49.60
ZBNV1-D	Micrometering needle valve, bulkhead, 2-225 ml-min;1-16" int, 2um scre	228.20	ZF.5PK-5	Ferrule 1-32", PEEK, 5-pkg:	24.80
ZBNV1F	Micrometering needle valve, bulkhead, 2-175 ml-min;1-16" int, 2um scre	214.20	ZF.5PKG-10	auf Anfrage:Ferrule 1-32", 10-pkg;PEEK, glass-filled	.00
ZBNV1F-D	Micrometering needle valve, bulkhead, 2-175 ml-min;1-16" int, 2um scre	244.70	ZF.5SS-10	Ferrule 1-32", 316SS, 10-pkg:	44.10
ZBNV1F-KZ	Micrometering needle valve, bulkhead, 2-175 ml-min;1-16" int, 2um scre	272.60	ZF.5TF-10	Ferrule 1-32":PTFE, Virgin, 10-pkg	88.20
ZBNV1KZ	Micrometering needle valve, bulkhead, 2-225 ml-min;1-16" int, 2um scre	251.40	ZF.5TFG-10	Ferrule 1-32":PTFE, Glass-filled 25%, 10-pkg	44.10
ZBNV1LF	Micrometering needle valve, bulkhead, 2-90 ml-min;1-16" int,2um screen	198.80	ZF.5TI	Ferrule 1-32", Titanium:	29.40
ZBNV1LF-D	Micrometering needle valve, bulkhead, 2-90 ml-min;1-16" int,2um screen	235.20	ZF.5V1-5	Ferrule 1-32":Polyimide, Virgin, 5-pkg	200.20
ZBNV1LF-KZ	Micrometering needle valve, bulkhead, 2-90 ml-min;1-16" int,2um screen	259.30	ZF.5V-5	Ferrule 1-32":Polyimide, Valcon, 5-pkg	44.10
ZBRU1.5	Bulkhead reducing union 1-16"*-1-32":.25mm bore, SS	47.00	ZF1-10	Ferrule 1-16", 303SS, 10-pkg:	29.40
ZBRU1.5FFK	Bulkhead reducing union 1-16"*-1-32":.25mm bore, PEEK	99.00	ZF1B-10	Ferrule 1-16", Brass, 10-pkg:	19.20
ZBRU1.5L	Bulkhead reducing union 1-16"*-1-32":.5mm bore, SS	94.10	ZF1FEP-10	Ferrule 1-16", FEP, 10-pkg:	52.90
ZBRU1.5LFPK	Bulkhead reducing union 1-16"*-1-32":.5mm bore, PEEK	99.00	ZF1GP-10	Ferrule 1-16", SS, gold plated, 10-pkg	51.50
ZBRU1.5T	Bulkhead reducing union 1-16"*-1-32":1-32" through bore, SS	94.10	ZF1GV-5	Ferrule 1-16":Polyimide, Graphite, 5-pkg	33.90
ZBRU1.5TFPK	Bulkhead reducing union 1-16"*-1-32":1-32" trough bore, PEEK	99.00	ZF1HC	Ferrule 1-16", HC:	11.80
ZBRU2.5	Bulkhead reducing union 1-8"*-1-32":.25mm bore, SS	102.90	ZF1KF-10	Ferrule 1-16", CTFE, 10-pkg:	50.00
ZBRU2.5FFK	Bulkhead reducing union 1-8"*-1-32":.25mm bore, PEEK	105.00	ZF1NI	Ferrule 1-16", Nickel:	11.80
ZBRU2.5L	Bulkhead reducing union 1-8"*-1-32":.5mm bore, SS	102.90	ZF1PFA-10	Ferrule 1-16", PFA, 10-pkg:	51.00
ZBRU2.5LFPK	Bulkhead reducing union 1-8"*-1-32":.5mm bore, PEEK	105.00	ZF1PK-10	Ferrule 1-16", PEEK, 10-pkg:	49.60
ZBRU2.5T	Bulkhead reducing union 1-8"*-1-32":1-32" through bore, SS	102.90	ZF1PKG-10	Ferrule 1-16", 10-pkg;PEEK, glass-filled	60.20
ZBRU2.5TFPK	Bulkhead reducing union 1-8"*-1-32":1-32" trough bore, PEEK	105.00	ZF1S6-10	Ferrule 1-16", 316SS, 10-pkg:	44.10
ZBRU21	Bulkhead reducing union 1-8"*-1-16":.75mm bore, SS	32.30	ZF1TF-10	Ferrule 1-16":PTFE, Virgin, 10-pkg	26.50
ZBRU21C	Bulkhead reducing union 1-8"*-1-16":.25mm bore, SS	82.30	ZF1TFG-10	Ferrule 1-16":PTFE, Glass-filled 25%, 10-pkg	26.50
ZBRU21CFPK	Bulkhead reducing union 1-8"*-1-16":.25mm bore, PEEK	95.90	ZF1TI	Ferrule 1-16", Titanium:	13.30
ZBRU21FPK	Bulkhead reducing union 1-8"*-1-16":.75mm bore, PEEK	84.00	ZF1V1-5	Ferrule 1-16":Polyimide, Virgin, 5-pkg	191.80
ZBRU21LFPK	Bulkhead reducing union 1-8"*-1-16":.1mm bore, PEEK	84.00	ZF1V-5	Ferrule 1-16":Polyimide, Valcon, 5-pkg	36.80
ZBRU21T	Bulkhead reducing union 1-8"*-1-16":1-16" through bore, SS	32.30	ZF1V1SF	Ferrule, replacement for VISF-1 or VISF-2;or C-VISF-1 (L or H), CTFE	6.70
ZBRU21TFPK	Bulkhead reducing union 1-8"*-1-16":1-16" trough bore, PEEK	84.00	ZF2-10	Ferrule 1-8", 303SS, 10-pkg:	26.50
ZBRU41	Bulkhead reducing union 1-4"*-1-16":.75mm bore, SS	67.60	ZF2B-10	Ferrule 1-8", Brass, 10-pkg:	22.10
ZBRU41C	Bulkhead reducing union 1-4"*-1-16":.25mm bore, SS	82.30	ZF2FEP-10	Ferrule 1-8", FEP, 10-pkg:	33.90
ZBRU41T	Bulkhead reducing union 1-4"*-1-16":1-16" through bore, SS	67.60	ZF2GP-10	Ferrule 1-8", SS, gold plated, 10-pkg:	44.10
ZBRU42	Bulkhead reducing union 1-4"*-1-8":0.75mm bore, SS	67.60	ZF2GV-5	Ferrule 1-8":Polyimide, Graphite, 5-pkg	102.90
ZBRU42L	Bulkhead reducing union 1-4"*-1-8":.2mm bore, 316SS	33.90	ZF2HC	Ferrule 1-8", HC:	11.80
ZBRU42T	Bulkhead reducing union 1-4"*-1-8":1-8" through bore, 316SS	67.60	ZF2KF-10	Ferrule 1-8", CTFE, 10-pkg:	50.00
ZBRUF1.5	Bulkhead reducing union 1-16"*-1-32" 2 um frit, pressed, SS	107.80	ZF2NI	Ferrule 1-8", Nickel:	23.50
ZBRUF21	Bulkhead reducing union 1-8"*-1-16":.75mm bore, pressed 2 um frit, SS	77.00	ZF2PFA-10	Ferrule 1-8", PFA, 10-pkg:	101.90
ZBRUF42	Bulkhead reducing union 1-4"*-1-8":.2mm bore, pressed 2 um frit, SS	80.10	ZF2PK-10	Ferrule 1-8", PEEK, 10-pkg:	49.60

ZF2PKG-10	Ferrule 1-8", 10-pkg:PEEK, glass-filled	210.00	ZRF42TFG-5	Internal reducing ferrule 1-4**1-8":PTFE, Glass-filled 25%, 5-pkg	85.30
ZF2S6-10	Ferrule 1-8", 316SS, 10-pkg:	32.30	ZRF42V1-5	Internal reducing ferrule 1-4**1-8":Polyimide, Virgin, 5-pkg	251.40
ZF2SI	Replacement support for septum injector:Valcon T polyimide	8.80	ZRF42V-5	Internal reducing ferrule 1-4**1-8":Polyimide, Valcon, 5-pkg	154.00
ZF2TF-10	Ferrule 1-8":PTFE, Virgin, 10-pkg	33.90	ZRU1.5	Reducing union 1-16**1-32":.25mm bore, SS	38.20
ZF2TFG-10	Ferrule 1-8":PTFE, Glass-filled 25%, 10-pkg	33.90	ZRU1.5FPK	Reducing union 1-16**1-32":.25mm bore, PEEK	42.00
ZF2TI	Ferrule 1-8", Titanium:	26.50	ZRU1.5L	Reducing union 1-16**1-32":.5mm bore, SS	38.20
ZF2V1-5	Ferrule 1-8":Polyimide, Virgin, 5-pkg	251.40	ZRU1.5LFPK	Reducing union 1-16**1-32":.5mm bore, PEEK	84.00
ZF2V-5	Ferrule 1-8":Polyimide, Valcon, 5-pkg	51.50	ZRU1.5T	Reducing union 1-16**1-32":.32" through bore, SS	38.20
ZF4B-10	Ferrule 1-4", Brass, 10-pkg:	50.00	ZRU1.5TFPK	Reducing union 1-16**1-32":.32" through bore, PEEK	42.00
ZF4FEP-10	Ferrule 1-4", FEP, 10-pkg:	67.60	ZRU1.5XC	Reducing union 1-16**1-32":.15mm bore, SS	55.90
ZF4GP-10	Ferrule 1-4", SS, gold plated, 10-pkg:	88.20	ZRU2.5	Reducing union 1-8**1-32":.25mm bore, SS	85.30
ZF4GV-5	Ferrule 1-4":Polyimide, Graphite, 5-pkg	133.00	ZRU2.5FPK	Reducing union 1-8**1-32":.25mm bore, PEEK	89.90
ZF4HC	Ferrule 1-4", HC:	26.50	ZRU2.5L	Reducing union 1-8**1-32":.5mm bore, SS	85.30
ZF4KF-10	Ferrule 1-4", CTFE, 10-pkg:	100.00	ZRU2.5LFPK	Reducing union 1-8**1-32":.5mm bore, PEEK	89.90
ZF4NI	Ferrule 1-4", Nickel:	26.50	ZRU2.5T	Reducing union 1-8**1-32":.132" through bore, SS	85.30
ZF4PFA-10	Ferrule 1-4", PFA, 10-pkg:	100.00	ZRU2.5TFPK	Reducing union 1-8**1-32":.132" trough bore, PEEK	89.90
ZF4PK-10	Ferrule 1-4", PEEK, 10-pkg:	51.50	ZRU2I	Reducing union 1-8**1-16":.75mm bore, SS	23.50
ZF4PKG-10	Ferrule 1-4", 10-pkg:PEEK, glass-filled	102.90	ZRU21C	Reducing union 1-8**1-16":.25mm bore, SS	32.30
ZF4S6-10	Ferrule 1-4", 316SS, 10-pkg:	28.00	ZRU21CFPK	Reducing union 1-8**1-16":.25mm bore, PEEK	78.00
ZF4TF-10	Ferrule 1-4":PTFE, Virgin, 10-pkg	33.90	ZRU21FPK	Reducing union 1-8**1-16":.75mm bore, PEEK	33.00
ZF4TFG-10	Ferrule 1-4":PTFE, Glass-filled 25%, 10-pkg	33.90	ZRU21LFPK	Reducing union 1-8**1-16":.1mm bore, PEEK	65.90
ZF4TI	Ferrule 1-4", Titanium:	26.50	ZRU21T	Reducing union 1-8**1-16":.116" through bore, SS	23.50
ZF4V1-5	Ferrule 1-4":Polyimide, Virgin, 5-pkg	335.20	ZRU21TFPK	Reducing union 1-8**1-16":.116" trough bore, PEEK	65.90
ZF4V-5	Ferrule 1-4":Polyimide, Valcon, 5-pkg	66.20	ZRU41	Reducing union 1-4**1-16":.75mm bore, SS	50.00
ZF6FEP-10	Ferrule 3-8", FEP, 10-pkg:	88.20	ZRU41C	Reducing union 1-4**1-16":.25mm bore, SS	64.70
ZF6GV-5	Ferrule 3-8":Polyimide, Graphite, 5-pkg	191.80	ZRU41T	Reducing union 1-4**1-16":.116" through bore, SS	25.10
ZF6KF-10	Ferrule 3-8", CTFE, 10-pkg:	147.00	ZRU42	Reducing union 1-4**1-8":0.75 mm bore, SS	50.00
ZF6PFA-10	Ferrule 3-8", PFA, 10-pkg:	147.00	ZRU42L	Reducing union 1-4**1-8":.2mm bore, SS	50.00
ZF6PK-10	Ferrule 3-8", PEEK, 10-pkg:	154.00	ZRU42T	Reducing union 1-4**1-8":.1-8" through bore, SS	50.00
ZF6PKG-10	auf Anfrage:Ferrule 3-8", 10-pkg:PEEK, glass-filled	.00	ZRUF1.5	Reducing union 1-16**1-32":.25mm bore, pressed 2 um frit, SS	89.30
ZF6TF-10	Ferrule 3-8":PTFE, Virgin, 10-pkg	44.10	ZRUF21	Reducing union 1-8**1-16":.75mm bore, pressed 2 um frit, SS	64.70
ZF6TFG-10	Ferrule 3-8":PTFE, Glass-filled 25%, 10-pkg	88.20	ZRUF42	Reducing union 1-4**1-8":.2mm bore, pressed 2 um frit, SS	64.70
ZF6V1-5	Ferrule 3-8":Polyimide, Virgin, 5-pkg	391.00	ZRUF1.5	Reducing filter union 1-16**1-32":.25mm bore, removable 2 um screen, S	112.00
ZF6V-5	Ferrule 3-8":Polyimide, Valcon, 5-pkg	191.80	ZRUF1.5F	Reducing filter union 1-16**1-32":.25mm bore, removable 2 um frit, 316SS	112.00
ZF8FEP-10	Ferrule 1-2", FEP, 10-pkg:	133.00	ZRUF21	Reducing filter union 1-8**1-16":.75mm bore, removable 2 um screen, SS	46.20
ZF8GV-5	Ferrule 1-2":Polyimide, Graphite, 5-pkg	307.20	ZRUF21F	Reducing filter union 1-8**1-16":.75mm bore, removable 2 um frit, 316S	92.40
ZF8KF-10	Ferrule 1-2", CTFE, 10-pkg:	205.80	ZRUF41	Reducing filter union 1-4**1-16":.1mm bore, removable 2 um screen, SS	107.80
ZF8PFA-10	Ferrule 1-2", PFA, 10-pkg:	205.80	ZRUF41F	Reducing filter union 1-4**1-16":.1mm bore, removable 2 um frit, 316SS	101.60
ZF8PK-10	Ferrule 1-2", PEEK, 10-pkg:	205.80	ZRUF42	Reducing filter union 1-4**1-8":.2mm bore, removable 2 um screen, SS	107.80
ZF8PKG-10	auf Anfrage:Ferrule 1-2", 10-pkg:PEEK, glass-filled	.00	ZRUF42F	Reducing filter union 1-4**1-8":.2mm bore, removable 2 um frit, 316SS	101.60
ZF8TF-10	Ferrule 1-2":PTFE, Virgin, 10-pkg	66.20	ZSN1R	Nut 1-16", length .30", controlled radius:SS	5.90
ZF8TFG-10	Ferrule 1-2":PTFE, Glass-filled 25%, 10-pkg	133.00	TT5	Tee 1-32", .25mm bore, SS:	51.50
ZF8V1-5	Ferrule 1-2":Polyimide, Virgin, 5-pkg	446.90	TT5FPK	Tee 1-32", fingertight: 25mm bore, PEEK	126.00
ZF8V-5	Ferrule 1-2":Polyimide, Valcon, 5-pkg	307.20	TT5L	Tee 1-32", .50mm bore, SS:	102.90
ZGF5PK	Ferrule double grip, 1-32":PEEK	6.80	TT5LFPK	Tee 1-32", fingertight: 5mm bore, PEEK	126.00
ZGF5PK-10	Ferrule double grip, 1-32":PEEK, 10-pkg:	65.90	TT1	Tee 1-16", .75mm bore, SS:	33.90
ZGF1PK-10	Ferrule double grip, 1-16", PEEK, 10-pkg:	58.50	TT1C	Tee 1-16", .25mm bore, SS:	47.00
ZLA-5	Female luer adapter to 1-32" fittings	67.60	TT1CFPK	Tee 1-16", fingertight: 25mm bore, PEEK	117.60
ZLA-1	Female luer adapter to 1-16" fittings	20.60	TT1FPK	Tee 1-16", fingertight: 75mm bore, PEEK	99.00
ZLA-2	Female luer adapter to 1-8" fittings	33.90	TT1L	Tee 1-16", 1.0mm bore, SS:	33.90
ZLCA1PK	Chemintert adaptor, 1-4-28 to 10-32 ZDV:0.5mm bore, PEEK	32.30	TT1LFPK	Tee 1-16", fingertight: 1mm bore, PEEK	49.60
ZLTA41	Tube adaptor 1-4**1-16", 2.075" (52.70 mm) long:1-16" bore, SS	20.60	TT1M	Tee 1-16", .50mm bore, SS:	41.20
ZN.5	Nut 1-32", standard:SS	4.40	TT1MFPK	Tee 1-16", fingertight: 5mm bore, PEEK	109.20
ZN.5-10	Nut 1-32", standard, SS, 10-pkg:	44.10	TT2	Tee 1-8", .75mm bore, SS:	35.30
ZN.5FPK	Nut 1-32", fingertight, 10.7mm long:PEEK	5.00	TT2L	Tee 1-8", .2mm bore, SS	35.30
ZN.5FPK-10	Nut 1-32", fingertight, 10.7 mm long:PEEK, 10-pkg	49.60	TT2LPK	Tee 1-8", hex:2mm bore, PEEK	109.20
ZN1	Nut 1-16", standard:SS	2.50	TT2PK	Tee 1-8", hex: .75mm bore, PEEK	109.20
ZN1-10	Nut 1-16", standard, SS, 10-pkg:	25.10	TT4	Tee 1-4", 1.0mm bore, SS:	82.30
ZN1FPK	Nut 1-16" fingertight, 22.4mm long:PEEK	5.00	TT4L	Tee 1-4", 4.6mm bore, SS:	82.30
ZN1FPK-10	Nut 1-16", fingertight, 22.4mm long:PEEK, 10-pkg	49.60	TTA41	Tube adaptor 1-4**1-16", 0.975" (24.76 mm) long:1-16" bore, SS	17.60
ZN1PK-10	Nut 1-16", hex, 11.4mm long:PEEK, 10-pkg	42.00	ZU.5	Union 1-32":.25mm bore, SS	38.20
ZN1R	Nut 1-16", length .43", radiused:SS	2.60	ZU.5FPK	Union 1-32", fingertight: 25mm bore, PEEK	78.00
ZN1RFPK	Nut 1-16" fingertight, controlled radius:PEEK	13.60	ZU.5L	Union 1-32":.5mm bore, SS	33.90
ZN2-10	Nut 1-8", standard, SS, 10-pkg:	30.90	ZU.5LFPK	Union 1-32", fingertight: 5mm bore, PEEK	78.00
ZN2PK-10	Nut 1-8", hex, 15.7mm long:PEEK, 10-pkg	49.60	ZU.5T	Union 1-32":.132" through bore, SS	38.20
ZN2R	Nut 1-8" standard, hex, controlled radius:SS	6.30	ZU.5TFPK	Union 1-32", fingertight: 1-32" through bore, PEEK	78.00
ZN4-10	Nut 1-4", standard, SS, 10-pkg:	36.80	ZU.5XC	Union 1-32":.15mm bore, SS	47.00
ZNF5PK-5	auf Anfrage:Nut 1-32", No Twist fingertight :PEEK with glass-filled P	.00	ZU1	Union 1-16":.75mm bore, SS	25.10
ZNF5PKG-5	auf Anfrage:Nut 1-32", No Twist, hex, short:PEEK with glass-filled PEE	.00	ZU1C	Union 1-16":.25mm bore, SS	32.30
ZNF1KF-5	Nut 1-16", No Twist fingertight, PEEK:with CTFE ferrule, 5-pkg	133.00	ZU1CFPK	Union 1-16", fingertight: 25mm bore, PEEK	31.50
ZNF1FPK-5	Nut 1-16", No Twist fingertight, PEEK:with PEEK ferrule, 5-pkg	133.00	ZU1CPK	Union 1-16", hex: 25mm bore, PEEK	31.50
ZNF1FPKG-5	auf Anfrage:Nut 1-16", No Twist fingertight, PEEK:with glass-filled PE	.00	ZU1FPK	Union 1-16", fingertight: 75mm bore, PEEK	25.50
ZNF1KF-5	Nut 1-16", No Twist hex short, PEEK:with CTFE ferrule, 5-pkg	126.00	ZU1FPK-5	Filter 1-16", fingertight 0.5 micron filter TT:5mm bore, PEEK	133.00
ZNF1PK-5	Nut 1-16", No Twist hex short, PEEK:with PEEK ferrule, 5-pkg	239.40	ZU1L	Union 1-16":.1mm bore, SS	25.10
ZNF1PKG-5	Nut 1-16", No Twist hex short, PEEK:with glass-filled PEEK ferrule, 5-	130.20	ZU1M	Union 1-16":.5mm bore, SS	29.40
ZNFT	Tightening Tool for PEEK hex-head:1-16" nuts, blue	13.30	ZU1MFPK	Union 1-16", fingertight: 5mm bore, PEEK	28.60
ZP5	Plug 1-32":SS	11.80	ZU1MPK	Union 1-16", hex: .5mm bore, PEEK	57.00
ZP5FPK	Plug 1-32", fingertight, PEEK:	16.50	ZU1PK	Union 1-16", hex: .75mm bore, PEEK	25.50
ZP5H	Plug 1-32", high pressure:SS	17.60	ZU1T	Union 1-16":.116" through bore, SS	25.10
ZP1	Plug 1-16":SS	8.80	ZU1TFPK	Union 1-16", fingertight: 1-16" through bore, PEEK	51.00
ZP1FPK	Plug 1-16", fingertight, PEEK:	15.00	ZU1TPK	Union 1-16", hex: 1-16" through bore, PEEK	51.00
ZP1H	Plug 1-16", high pressure:SS	13.30	ZU1XC	Union 1-16":.15mm bore, SS	47.00
ZP2	Plug 1-8":SS	8.80	ZU2	Union 1-8":.75mm bore, 316SS	22.10
ZP2H	Plug 1-8", high pressure:SS	13.30	ZU2L	Union 1-8":.2mm bore, 316SS	22.10
ZP2PK	Plug 1-8", hex, PEEK:	19.60	ZU2LPK	Union 1-8", hex: 2mm bore, PEEK	59.90
ZP4	Plug 1-4":SS	23.50	ZU2PK	Union 1-8", hex: .75mm bore, PEEK	59.90
ZRF1.5KF-5	Internal reducing ferrule 1-16**1-32":CTFE, 5-pkg	67.60	ZU2T	Union 1-8":.1-8" through bore, SS	22.10
ZRF1.5PK-5	Internal reducing ferrule 1-16**1-32":PEEK, 5-pkg	33.90	ZU2TPK	Union 1-8", hex: 1-8" through bore, PEEK	59.90
ZRF1.5TFG-5	Internal reducing ferrule 1-16**1-32":PTFE, Glass-filled 25%, 5-pkg	33.90	ZU4	Union 1-4":.75mm bore, SS	47.00
ZRF1.5V1-5	Internal reducing ferrule 1-16**1-32":Polyimide, Virgin, 5-pkg	205.80	ZU4L	Union 1-4":.46mm bore, SS	47.00
ZRF1.5V-5	Internal reducing ferrule 1-16**1-32":Polyimide, Valcon, 5-pkg	51.50	ZU4T	Union 1-4":.1-4" through bore, SS	47.00
ZRF2.5KF-5	Internal reducing ferrule 1-8**1-32":CTFE, 5-pkg	67.60	ZUF1	Filter union 1-16":.75mm bore, pressed 2 um frit, SS	27.70
ZRF2.5PK-5	Internal reducing ferrule 1-8**1-32":PEEK, 5-pkg	67.60	ZUF2	Filter union 1-8":.75mm bore, pressed 2 um frit, SS	64.70
ZRF2.5TFG-5	Internal reducing ferrule 1-8**1-32":PTFE, Glass-filled 25%, 5-pkg	67.60	ZUF4	Filter union 1-4":4.6mm bore, pressed 2 um frit, SS	64.70
ZRF2.5V1-5	Internal reducing ferrule 1-8**1-32":Polyimide, Virgin, 5-pkg	221.20	ZUFLKF	Chemintert female luer adapter to 10-32:0.75mm bore, CTFE	65.90
ZRF2.5V-5	Internal reducing ferrule 1-8**1-32":Polyimide, Valcon, 5-pkg	102.90	ZUFLPK	Chemintert female luer adapter to 10-32 female:0.75mm bore, PEEK	65.90
ZRF21KF-5	Internal reducing ferrule 1-8**1-16":CTFE, 5-pkg	67.60	ZUFLP	Filter union 1-32":.25mm bore, removable 2 um screen, SS	161.00
ZRF21PK-5	Internal reducing ferrule 1-8**1-16":PEEK, 5-pkg	67.60	ZUFR.5F	Filter union 1-32":.25mm bore, removable 2 um frit, 316SS	161.00
ZRF21TFG-5	Internal reducing ferrule 1-8**1-16":PTFE, Glass-filled 25%, 5-pkg	67.60	ZUFR1	Filter union, 1-16":.50mm bore, removable 2 um screen, SS	46.20
ZRF21V1-5	Internal reducing ferrule 1-8**1-16":Polyimide, Virgin, 5-pkg	235.20	ZUFR1C	Filter union 1-16":.25mm bore, removable 2 um screen, SS	123.20
ZRF21V-5	Internal reducing ferrule 1-8**1-16":Polyimide, Valcon, 5-pkg	102.90	ZUFR1CF	Filter union 1-16":.25mm bore, removable 2 um frit, 316SS	61.60
ZRF41KF-5	Internal reducing ferrule 1-4**1-16":CTFE, 5-pkg	102.90	ZUFR1F	Filter union 1-16":.5mm bore, removable 2um frit, 316SS	46.20
ZRF41PK-5	Internal reducing ferrule 1-4**1-16":PEEK, 5-pkg	102.90	ZUFR2	Filter 1-8":2mm bore, removable 2 um screen, SS	46.20
ZRF41TFG-5	Internal reducing ferrule 1-4**1-16":PTFE, Glass-filled 25%, 5-pkg	85.30	ZUFR2F	Filter union 1-8":2mm bore, removable 2 um frit, 316SS	92.40
ZRF41V1-5	Internal reducing ferrule 1-4**1-16":Polyimide, Virgin, 5-pkg	251.40	ZV1SF-1PE	Syringe fillport for 1-16", high throughput, HPE:for minimum 35mm long	102.90
ZRF41V-5	Internal reducing ferrule 1-4**1-16":Polyimide, Valcon, 5-pkg	154.00	ZV1SF-1PEH	Syringe fillport for 1-16", high throughput, HPE:for minimum 35mm long	117.60
ZRF42KF-5	Internal reducing ferrule 1-4**1-8":CTFE, 5-pkg	102.90	ZV1SF-1PFA	Fillport, ZDV for 1-16", PEEK with PFA bushing:for minimum 35mm long n	88.20
ZRF42PK-5	Internal reducing ferrule 1-4**1-8":PEEK, 5-pkg	102.90	ZV1SF-1PFAH	Fillport, ZDV for 1-16", PEEK with PFA bushing HP:for minimum 35mm lon	102.90

ZX5	Cross 1-32", .25mm bore, SS:	135.80	JR-TD-6008-M10	Tubing, Dual Layer PEEK, 1-16" x 0.18 mm ID, solid yellow outside, na	101.20
ZX5FPK	Cross 1-32", fingertight:.25mm bore, PEEK	156.80	JR-TD-6008-M25	Tubing, Dual Layer PEEK, 1-16" x 0.18 mm ID, solid yellow outside, na	230.00
ZX5L	Cross 1-32", .50mm bore, SS:	135.80	JR-TD-6008-M3	Tubing, Dual Layer PEEK, 1-16" x 0.18 mm ID, solid yellow outside, na	31.70
ZX5LFPK	Cross 1-32", fingertight:.5mm bore, PEEK	156.80	JR-TD-6009-M10	Tubing, Dual Layer PEEK, 1-16" x 0.25 mm ID, solid blue outside, natu	101.20
ZX1	Cross 1-16", .75mm bore, SS:	51.50	JR-TD-6009-M25	Tubing, Dual Layer PEEK, 1-16" x 0.25 mm ID, solid blue outside, natu	230.00
ZX1C	Cross 1-16", .25mm bore, SS:	67.60	JR-TD-6009-M3	Tubing, Dual Layer PEEK, 1-16" x 0.25 mm ID, solid blue outside, natu	31.70
ZX1CFFPK	Cross 1-16", fingertight:.25mm bore, PEEK	149.80	JR-TD-6010-M10	Tubing, Dual Layer PEEK, 1-16" x 0.50 mm ID, solid orange outside, na	101.20
ZX1FFPK	Cross 1-16", fingertight:.75mm bore, PEEK	133.00	JR-TD-6010-M25	Tubing, Dual Layer PEEK, 1-16" x 0.50 mm ID, solid orange outside, na	230.00
ZX1L	Cross 1-16", 1.0mm bore, SS:	51.50	JR-TD-6010-M3	Tubing, Dual Layer PEEK, 1-16" x 0.50 mm ID, solid orange outside, na	31.70
ZX1LFPK	Cross 1-16", fingertight:1mm bore, PEEK	133.00	JR-TD-6011-M10	Tubing, Dual Layer PEEK, 1-16" x 0.75 mm ID, solid green outside, nat	101.20
ZX1M	Cross 1-16", .50mm bore, SS:	58.80	JR-TD-6011-M25	Tubing, Dual Layer PEEK, 1-16" x 0.75 mm ID, solid green outside, nat	230.00
ZX1MFFPK	Cross 1-16", fingertight:.5mm bore, PEEK	138.60	JR-TD-6011-M3	Tubing, Dual Layer PEEK, 1-16" x 0.75 mm ID, solid green outside, nat	31.70
ZX2	Cross 1-8", .75mm bore, SS:	109.20	JR-T-37100-M1	Tubing, PEEK, 360um OD x 100um ID, grey solid, 1 m-pkg:	15.80
ZX2L	Cross 1-8", 2.0mm bore, SS:	109.20	JR-T-37100-M3	Tubing, PEEK, 360um OD x 100um ID, grey solid, 3 m-pkg:	44.90
ZX2LPK	Cross 1-8", hex:2mm bore, PEEK	138.60	JR-T-37125-M1	Tubing, PEEK, 360um OD x 125um ID, red solid, 1 m-pkg:	15.80
ZX2PK	Cross 1-8", hex:7.5mm bore, PEEK	138.60	JR-T-37125-M3	Tubing, PEEK, 360um OD x 125um ID, red solid, 3 m-pkg:	44.90
ZX4	Cross 1-4", 1.0mm bore, SS:	117.60	JR-T-37150-M1	Tubing, PEEK, 360um OD x 150um ID, black solid, 1 m-pkg:	15.80
ZX4L	Cross 1-4", 4.6mm bore, SS:	117.60	JR-T-37150-M3	Tubing, PEEK, 360um OD x 150um ID, black solid, 3 m-pkg:	44.90
ZXLTA41	Tube adaptor 1.4"=1.16", 2.800" (71.12 mm) long:1-16" bore, SS	50.00	JR-T-3750-M1	Tubing, PEEK, 360um OD x 50um ID, orange solid, 1 m-pkg:	15.80
			JR-T-3750-M3	Tubing, PEEK, 360um OD x 50um ID, orange solid, 3 m-pkg:	44.90
JR-T-5993-M10	Tubing, PEEK, 1-32" x 0.13 mm ID, natural, 10m-pkg:	144.00	JR-T-3775-M1	Tubing, PEEK, 360um OD x 75um ID, green solid, 1 m-pkg:	15.80
JR-T-5993-M3	Tubing, PEEK, 1-32" x 0.13 mm ID, natural, 3m-pkg:	45.40	JR-T-3775-M3	Tubing, PEEK, 360um OD x 75um ID, green solid, 3 m-pkg:	44.90
JR-T-5998-M10	Tubing, PEEK, 1-16" x 0.064 mm ID, natural, 10m-pkg, tolerance OD-ID	97.90	JR-T-5602-M1	Tubing, PEEK, 1-32" x 50 um - .002" ID, orange solid, 1 m-pkg:	15.10
JR-T-5998-M3	Tubing, PEEK, 1-16" x 0.064 mm ID, natural, 3m-pkg, tolerance OD-ID ±	30.70	JR-T-5602-M3	Tubing, PEEK, 1-32" x 50 um - .002" ID, orange solid, 3 m-pkg:	43.20
JR-T-60041-M10	Tubing, PEEK, 1-8" x 0.75 mm ID, natural, 10m-pkg:	177.70	JR-T-5603-M1	Tubing, PEEK, 1-32" x 75 um - .003" ID, green solid, 1 m-pkg:	15.10
JR-T-60041-M3	Tubing, PEEK, 1-8" x 0.75 mm ID, natural, 3m-pkg:	58.70	JR-T-5603-M3	Tubing, PEEK, 1-32" x 75 um - .003" ID, green solid, 3 m-pkg:	43.20
JR-T-60042-M10	Tubing, PEEK, 1-8" x 2.0 mm ID, natural, 10m-pkg:	177.70	JR-T-5604-M1	Tubing, PEEK, 1-32" x 100 um - .004" ID, black solid, 1 m-pkg:	15.10
JR-T-60042-M3	Tubing, PEEK, 1-8" x 2.0 mm ID, natural, 3m-pkg:	58.70	JR-T-5604-M3	Tubing, PEEK, 1-32" x 100 um - .004" ID, black solid, 3 m-pkg:	43.20
JR-T-6004-M10	Tubing, PEEK, 1-8" x 1.59 mm ID, natural, 10m-pkg:	177.70	JR-T-5605-M1	Tubing, PEEK, 1-32" x 0.13 mm - .005" ID, red solid, 1 m-pkg:	15.10
JR-T-6004-M3	Tubing, PEEK, 1-8" x 1.59 mm ID, natural, 3m-pkg:	58.70	JR-T-5605-M3	Tubing, PEEK, 1-32" x 0.13 mm - .005" ID, red solid, 3 m-pkg:	43.20
JR-T-6006	Tubing, PEEK, 1-4" x 3.17 mm ID, natural:	63.30	JR-T-5606-M1	Tubing, PEEK, 1-32" x 0.15 mm - .006" ID, purple solid, 1 m-pkg:	15.10
JR-T-6060-M10	Tubing, PEEK, 0.36 x 0.075 mm ID, natural, 10m-pkg:	135.90	JR-T-5606-M3	Tubing, PEEK, 1-32" x 0.15 mm - .006" ID, purple solid, 3 m-pkg:	43.20
JR-T-6060-M3	Tubing, PEEK, 0.36 x 0.075 mm ID, natural, 3m-pkg:	40.80	JR-T-5607-M1	Tubing, PEEK, 1-32" x 0.18 mm - .007" ID, yellow solid, 1 m-pkg:	15.10
JR-T-36100-M1	Tubing, PEEK, 360um OD x 100um ID, grey solid, 1 m-pkg:	15.80	JR-T-5607-M3	Tubing, PEEK, 1-32" x 0.18 mm - .007" ID, yellow solid, 3 m-pkg:	43.20
JR-T-36100-M3	Tubing, PEEK, 360um OD x 100um ID, grey solid, 3 m-pkg:	44.90	JR-T-5608-M1	Tubing, PEEK, 1-32" x 0.20 mm - .008" ID, orange solid, 1 m-pkg:	15.10
JR-T-36125-M1	Tubing, PEEK, 360um OD x 125um ID, red striped, 1 m-pkg:	15.80	JR-T-5608-M3	Tubing, PEEK, 1-32" x 0.20 mm - .008" ID, orange solid, 3 m-pkg:	43.20
JR-T-36125-M3	Tubing, PEEK, 360um OD x 125um ID, red striped, 3 m-pkg:	44.90	JR-T-5610-M1	Tubing, PEEK, 1-32" x 0.25 mm - .010" ID, blue solid, 1 m-pkg:	15.10
JR-T-36150-M1	Tubing, PEEK, 360um OD x 150um ID, black striped, 1 m-pkg:	15.80	JR-T-5610-M3	Tubing, PEEK, 1-32" x 0.25 mm - .010" ID, blue solid, 3 m-pkg:	43.20
JR-T-36150-M3	Tubing, PEEK, 360um OD x 150um ID, black striped, 3 m-pkg:	44.90	JR-T-5620-M1	Tubing, PEEK, 1-32" x 0.50 mm - .020 , ID, orange solid, 1 m-pkg:	15.10
JR-T-3650-M1	Tubing, PEEK, 360um OD x 50um ID, orange striped, 1 m-pkg:	15.80	JR-T-5620-M3	Tubing, PEEK, 1-32" x 0.50 mm - .020 , ID, orange solid, 3 m-pkg:	43.20
JR-T-3650-M3	Tubing, PEEK, 360um OD x 50um ID, orange striped, 3 m-pkg:	44.90	JR-T-5664-M1	Tubing, PEEK, 1-32" x 64 um - .0025" ID, pink solid, 1 m-pkg:	15.10
JR-T-3675-M1	Tubing, PEEK, 360um OD x 75um ID, green striped, 1 m-pkg:	15.80	JR-T-5664-M3	Tubing, PEEK, 1-32" x 64 um - .0025" ID, pink solid, 3 m-pkg:	43.20
JR-T-3675-M3	Tubing, PEEK, 360um OD x 75um ID, green striped, 3 m-pkg:	44.90	JR-T-5715-M10	Tubing, PEEK, 1-32" x 0.38 mm - .015" ID, natural, 10 m-pkg:	144.00
JR-T-5702-M1	Tubing, PEEK, 1-32" x 50 um - .002" ID, orange striped, 1 m-pkg:	15.10	JR-T-5715-M3	Tubing, PEEK, 1-32" x 0.38 mm - .015" ID, natural, 3 m-pkg:	43.20
JR-T-5702-M3	Tubing, PEEK, 1-32" x 50 um - .002" ID, orange striped, 3 m-pkg:	43.20	JR-T-5994-M10	Tubing, PEEK, 1-32" x 0.18 mm ID, natural, 10m-pkg:	144.00
JR-T-5703-M1	Tubing, PEEK, 1-32" x 75 um - .003" ID, green striped, 1 m-pkg:	15.10	JR-T-5994-M3	Tubing, PEEK, 1-32" x 0.18 mm ID, natural, 3m-pkg:	45.40
JR-T-5703-M3	Tubing, PEEK, 1-32" x 75 um - .003" ID, green striped, 3 m-pkg:	43.20	JR-T-5995-M10	Tubing, PEEK, 1-32" x 0.25 mm ID, natural, 10m-pkg:	144.00
JR-T-5704-M1	Tubing, PEEK, 1-32" x 100 um - .004" ID, black striped, 1 m-pkg:	15.10	JR-T-5995-M3	Tubing, PEEK, 1-32" x 0.25 mm ID, natural, 3m-pkg:	45.30
JR-T-5704-M3	Tubing, PEEK, 1-32" x 100 um - .004" ID, black striped, 3 m-pkg:	43.20	JR-T-6007-M10	Tubing, PEEK, 1-16" x 0.13 mm ID, solid red, 10m-pkg:	88.60
JR-T-5705-M1	Tubing, PEEK, 1-32" x 0.13 mm - .005" ID, red striped, 1 m-pkg:	15.10	JR-T-6007-M25	Tubing, PEEK, 1-16" x 0.13 mm ID, solid red, 25m-pkg:	201.30
JR-T-5705-M3	Tubing, PEEK, 1-32" x 0.13 mm - .005" ID, red striped, 3 m-pkg:	43.20	JR-T-6007-M3	Tubing, PEEK, 1-16" x 0.13 mm ID, solid red, 3m-pkg:	27.80
JR-T-5706-M1	Tubing, PEEK, 1-32" x 0.15 mm - .006" ID, natural, 1 m-pkg:	15.10	JR-T-6008-M10	Tubing, PEEK, 1-16" x 0.18 mm ID, solid yellow, 10m-pkg:	88.60
JR-T-5706-M3	Tubing, PEEK, 1-32" x 0.15 mm - .006" ID, natural, 3 m-pkg:	43.20	JR-T-6008-M25	Tubing, PEEK, 1-16" x 0.18 mm ID, solid yellow, 25m-pkg:	201.30
JR-T-5707-M1	Tubing, PEEK, 1-32" x 0.18 mm - .007" ID, yellow striped, 1 m-pkg:	15.10	JR-T-6008-M3	Tubing, PEEK, 1-16" x 0.18 mm ID, solid yellow, 3m-pkg:	27.80
JR-T-5707-M3	Tubing, PEEK, 1-32" x 0.18 mm - .007" ID, yellow striped, 3 m-pkg:	43.20	JR-T-6009-M10	Tubing, PEEK, 1-16" x 0.25 mm ID, solid blue, 10m-pkg:	88.60
JR-T-5708-M1	Tubing, PEEK, 1-32" x 0.20 mm - .008" ID, orange striped, 1 m-pkg:	15.10	JR-T-6009-M25	Tubing, PEEK, 1-16" x 0.25 mm ID, solid blue, 25m-pkg:	201.30
JR-T-5708-M3	Tubing, PEEK, 1-32" x 0.20 mm - .008" ID, orange striped, 3 m-pkg:	43.20	JR-T-6009-M3	Tubing, PEEK, 1-16" x 0.25 mm ID, solid blue, 3m-pkg:	27.80
JR-T-5710-M1	Tubing, PEEK, 1-32" x 0.25 mm - .010" ID, blue striped, 1 m-pkg:	15.10	JR-T-6010-M10	Tubing, PEEK, 1-16" x 0.50 mm ID, solid orange, 10m-pkg:	88.60
JR-T-5710-M3	Tubing, PEEK, 1-32" x 0.25 mm - .010" ID, blue striped, 3 m-pkg:	43.20	JR-T-6010-M25	Tubing, PEEK, 1-16" x 0.50 mm ID, solid orange, 25 m-pkg:	201.30
JR-T-5720-M1	Tubing, PEEK, 1-32" x 0.50 mm ID, orange striped, 1 m-pkg:	15.10	JR-T-6010-M3	Tubing, PEEK, 1-16" x 0.50 mm ID, solid orange, 3m-pkg:	27.80
JR-T-5720-M3	Tubing, PEEK, 1-32" x 0.50 mm ID, orange striped, 3 m-pkg:	43.20	JR-T-6011-M10	Tubing, PEEK, 1-16" x 0.75 mm ID, solid green, 10m-pkg:	88.60
JR-T-5764-M1	Tubing, PEEK, 1-32" x 64 um - .003" ID, pink striped, 1 m-pkg:	15.10	JR-T-6011-M25	Tubing, PEEK, 1-16" x 0.75 mm ID, solid green, 25 m-pkg:	201.30
JR-T-5764-M3	Tubing, PEEK, 1-32" x 64 um - .003" ID, pink striped, 3 m-pkg:	43.20	JR-T-6011-M3	Tubing, PEEK, 1-16" x 0.75 mm ID, solid green, 3m-pkg:	27.80
JR-T-5802-M10	Tubing, PEEK, 1-16" x 0.050 mm ID, orange striped, 10 m-pkg:	139.70	JR-T-6020-M10	Tubing, PEEK, 1-16" x 0.10 mm ID, black solid, 10 m-pkg:	88.60
JR-T-5802-M25	Tubing, PEEK, 1-16" x 0.050 mm ID, orange striped, 25 m-pkg:	301.60	JR-T-6020-M25	Tubing, PEEK, 1-16" x 0.10 mm ID, black solid, 25 m-pkg:	201.30
JR-T-5802-M3	Tubing, PEEK, 1-16" x 0.050 mm ID, orange striped, 3 m-pkg:	43.80	JR-T-6020-M3	Tubing, PEEK, 1-16" x 0.10 mm ID, black solid, 3 m-pkg:	27.80
JR-T-5802-M5	Tubing, PEEK, 1-16" x 0.050 mm ID, orange striped, 5 m-pkg:	71.10	JR-T-6030-M10	Tubing, PEEK, 1-16" x 0.15 mm ID, purple solid, 10 m-pkg:	88.60
JR-T-5803-M10	Tubing, PEEK, 1-16" x 0.075 mm ID, green striped, 10 m-pkg:	139.70	JR-T-6030-M25	Tubing, PEEK, 1-16" x 0.15 mm ID, purple solid, 25 m-pkg:	201.30
JR-T-5803-M25	Tubing, PEEK, 1-16" x 0.075 mm ID, green striped, 25 m-pkg:	301.60	JR-T-6030-M3	Tubing, PEEK, 1-16" x 0.15 mm ID, purple solid, 3 m-pkg:	27.80
JR-T-5803-M3	Tubing, PEEK, 1-16" x 0.075 mm ID, green striped, 3 m-pkg:	43.80	JR-T-6040-M10	Tubing, PEEK, 1-16" x 0.38 mm ID, grey solid, 10m-pkg:	88.60
JR-T-5803-M5	Tubing, PEEK, 1-16" x 0.075 mm ID, green striped, 5 m-pkg:	71.10	JR-T-6040-M25	Tubing, PEEK, 1-16" x 0.38 mm ID, grey solid, 25m-pkg:	201.30
JR-T-5804-M10	Tubing, PEEK, 1-16" x 0.100 mm ID, black striped, 10 m-pkg:	139.70	JR-T-6040-M3	Tubing, PEEK, 1-16" x 0.38 mm ID, grey solid, 3m-pkg:	27.80
JR-T-5804-M25	Tubing, PEEK, 1-16" x 0.100 mm ID, black striped, 25 m-pkg:	301.60	JR-T-078-M10	Tubing, ETFE, 1-16" x 0.17 mm ID, 10m-pkg:	92.30
JR-T-5804-M3	Tubing, PEEK, 1-16" x 0.100 mm ID, black striped, 3 m-pkg:	43.80	JR-T-078-M25	Tubing, ETFE, 1-16" x 0.17 mm ID, 25m-pkg:	209.90
JR-T-5804-M5	Tubing, PEEK, 1-16" x 0.100 mm ID, black striped, 5 m-pkg:	71.10	JR-T-078-M3	Tubing, ETFE, 1-16" x 0.17 mm ID, 3m-pkg:	29.00
JR-T-5998C-M10	Tubing, PEEK, 1-16" x 0.064 mm ID, pink striped, 10 m-pkg:	97.90	JR-T-080-M10	Tubing, ETFE, 1-16" x 0.25 mm ID, 10m-pkg:	64.50
JR-T-5998C-M25	Tubing, PEEK, 1-16" x 0.064 mm ID, pink striped, 25 m-pkg:	222.50	JR-T-080-M25	Tubing, ETFE, 1-16" x 0.25 mm ID, 25m-pkg:	146.60
JR-T-5998C-M3	Tubing, PEEK, 1-16" x 0.064 mm ID, pink striped, 3 m-pkg:	30.70	JR-T-080-M3	Tubing, ETFE, 1-16" x 0.25 mm ID, 3m-pkg:	20.20
JR-T-5998C-M5	Tubing, PEEK, 1-16" x 0.064 mm ID, pink striped, 5 m-pkg:	49.80	JR-T-082-M10	Tubing, ETFE, 1-16" x 0.50 mm ID, 10m-pkg:	61.40
JR-T-5999-M10	Tubing, PEEK, 1-16" x 0.13 mm ID, red striped, 10m-pkg:	97.90	JR-T-082-M25	Tubing, ETFE, 1-16" x 0.50 mm ID, 25m-pkg:	139.50
JR-T-5999-M25	Tubing, PEEK, 1-16" x 0.13 mm ID, red striped, 25m-pkg:	222.50	JR-T-082-M3	Tubing, ETFE, 1-16" x 0.50 mm ID, 3m-pkg:	19.20
JR-T-5999-M3	Tubing, PEEK, 1-16" x 0.13 mm ID, red striped, 3m-pkg:	30.70	JR-T-083-M10	Tubing, ETFE, 1-16" x 0.75 mm ID, 10m-pkg:	58.20
JR-T-5999-M5	Tubing, PEEK, 1-16" x 0.13 mm ID, red striped, 5m-pkg:	49.80	JR-T-083-M25	Tubing, ETFE, 1-16" x 0.75 mm ID, 25m-pkg:	132.30
JR-T-6000-M10	Tubing, PEEK, 1-16" x 0.18 mm ID, yellow striped, 10m-pkg:	97.90	JR-T-083-M3	Tubing, ETFE, 1-16" x 0.75 mm ID, 3m-pkg:	18.30
JR-T-6000-M25	Tubing, PEEK, 1-16" x 0.18 mm ID, yellow striped, 25 m-pkg:	222.50	JR-T-084-M10	Tubing, ETFE, 1-32" x 0.25 mm ID, 10m-pkg:	58.20
JR-T-6000-M3	Tubing, PEEK, 1-16" x 0.18 mm ID, yellow striped, 3m-pkg:	30.70	JR-T-084-M25	Tubing, ETFE, 1-32" x 0.25 mm ID, 25m-pkg:	132.30
JR-T-6001-M10	Tubing, PEEK, 1-16" x 0.25 mm ID, blue striped, 10m-pkg:	88.60	JR-T-084-M3	Tubing, ETFE, 1-32" x 0.25 mm ID, 3m-pkg:	18.30
JR-T-6001-M25	Tubing, PEEK, 1-16" x 0.25 mm ID, blue striped, 25m-pkg:	201.30	JR-T-085-M10	Tubing, ETFE, 1-16" x 1.00 mm ID, 10m-pkg:	48.80
JR-T-6001-M3	Tubing, PEEK, 1-16" x 0.25 mm ID, blue striped, 3m-pkg:	27.80	JR-T-085-M25	Tubing, ETFE, 1-16" x 1.00 mm ID, 25m-pkg:	110.70
JR-T-6002-M10	Tubing, PEEK, 1-16" x 0.50 mm ID, orange striped, 10m-pkg:	88.60	JR-T-085-M3	Tubing, ETFE, 1-16" x 1.00 mm ID, 3m-pkg:	15.30
JR-T-6002-M25	Tubing, PEEK, 1-16" x 0.50 mm ID, orange stripe, 25m-pkg:	201.30	JR-T-086-M10	Tubing, ETFE, 1-8" x 1.59 mm ID, 10m-pkg:	125.20
JR-T-6002-M3	Tubing, PEEK, 1-16" x 0.50 mm ID, orange striped, 3m-pkg:	27.80	JR-T-086-M25	Tubing, ETFE, 1-8" x 1.59 mm ID, 25m-pkg:	270.40
JR-T-60031-M10	Tubing, PEEK, 1-16" x 1.00 mm ID, grey striped, 10m-pkg:	88.60	JR-T-086-M3	Tubing, ETFE, 1-8" x 1.59 mm ID, 3m-pkg:	39.30
JR-T-60031-M25	Tubing, PEEK, 1-16" x 1.00 mm ID, grey striped, 25 m-pkg:	201.30	JR-T-087-M1	Tubing, ETFE, 3.0 x 1.0 mm, 1 m-pkg:	12.00
JR-T-60031-M3	Tubing, PEEK, 1-16" x 1.00 mm ID, grey striped, 3m-pkg:	27.80	JR-T-087-M3	Tubing, ETFE, 3.0 x 1.0 mm, 3 m-pkg:	34.20
JR-T-60032-M10	Tubing, PEEK, 1-16" x 1.40 mm ID, black striped, 10m-pkg:	88.60	JR-T-088-M1	Tubing, ETFE, 6.0 x 4.0 mm, 1 m-pkg:	13.00
JR-T-60032-M25	Tubing, PEEK, 1-1				

VICI / VALCO Preisliste in Euro, Stand Januar 2016

JR-T-4007-M10	Tubing, PFA, 1-16" x 1.0 mm ID, 10m-pkg:	77.00	JR-T-6803-M3	Tubing, FEP, 1-16" x 0.75 mm ID, 3m-pkg:	11.20
JR-T-4007-M25	Tubing, PFA, 1-16" x 1.0 mm ID, 25m-pkg:	175.00	JR-T-6804-M10	Tubing, FEP, 1-8" x 1.59 mm ID, 10m-pkg:	98.90
JR-T-4007-M3	Tubing, PFA, 1-16" x 1.0 mm ID, 3m-pkg:	24.20	JR-T-6804-M25	Tubing, FEP, 1-8" x 1.59 mm ID, 25m-pkg:	224.80
JR-T-4009	Tubing, PFA, 3-16" x 3.20 mm ID:	10.40	JR-T-6804-M3	Tubing, FEP, 1-8" x 1.59 mm ID, 3m-pkg:	31.10
JR-T-436100-M1	Tubing, PFA, 360 um x 100 um ID, 1 m-pkg:	13.30	JR-T-6806-M10	Tubing, FEP, 1-16" x 1.0 mm ID, 10m-pkg:	34.50
JR-T-436100-M3	Tubing, PFA, 360 um x 100 um ID, 3 m-pkg:	38.00	JR-T-6806-M25	Tubing, FEP, 1-16" x 1.0 mm ID, 25m-pkg:	78.40
JR-T-43650-M1	Tubing, PFA, 360 um x 50 um ID, 1 m-pkg:	13.30	JR-T-6806-M3	Tubing, FEP, 1-16" x 1.0 mm ID, 3m-pkg:	10.90
JR-T-43650-M3	Tubing, PFA, 360 um x 50 um ID, 3 m-pkg:	38.00	JR-T-6812-M10	Tubing, FEP, 1-16" x 0.25 mm ID, 10m-pkg:	43.70
JR-T-43675-M1	Tubing, PFA, 360 um x 75 um ID, 1 m-pkg:	13.30	JR-T-6812-M25	Tubing, FEP, 1-16" x 0.25 mm ID, 25m-pkg:	99.40
JR-T-43675-M3	Tubing, PFA, 360 um x 75 um ID, 3 m-pkg:	38.00	JR-T-6812-M3	Tubing, FEP, 1-16" x 0.25 mm ID, 3m-pkg:	13.70
JR-T-6604C-M10	Tubing, FEP, 1-32" x 0.10 mm ID, black solid, 10 m-pkg:	139.20	JR-T-6813-M10	Tubing, FEP, 1-8" x 2.1 mm ID, 10 m-pkg:	113.90
JR-T-6604C-M25	Tubing, FEP, 1-32" x 0.10 mm ID, black solid, 25 m-pkg:	300.50	JR-T-6813-M25	Tubing, FEP, 1-8" x 2.1 mm ID, 25 m-pkg:	245.90
JR-T-6604C-M3	Tubing, FEP, 1-32" x 0.10 mm ID, black solid, 3 m-pkg:	43.60	JR-T-6813-M3	Tubing, FEP, 1-8" x 2.1 mm ID, 3 m-pkg:	35.80
JR-T-6605C-M10	Tubing, FEP, 1-32" x 0.13 mm ID, red solid, 10 m-pkg:	139.20	JR-T-6835-M10	Tubing, FEP, 3-16" x 3.18 mm ID, 10 m-pkg:	151.80
JR-T-6605C-M25	Tubing, FEP, 1-32" x 0.13 mm ID, red solid, 25 m-pkg:	300.50	JR-T-6835-M25	Tubing, FEP, 3-16" x 3.18 mm ID, 25 m-pkg:	327.80
JR-T-6605C-M3	Tubing, FEP, 1-32" x 0.13 mm ID, red solid, 3 m-pkg:	43.60	JR-T-6835-M3	Tubing, FEP, 3-16" x 3.18 mm ID, 3 m-pkg:	47.60
JR-T-6606C-M10	Tubing, FEP, 1-32" x 0.15 mm ID, purple solid, 10 m-pkg:	139.20	JR-T-4011C-M10	Tubing, PTFE, 1-16" x 0.25 mm ID, blue, 10m-pkg:	30.30
JR-T-6606C-M25	Tubing, FEP, 1-32" x 0.15 mm ID, purple solid, 25 m-pkg:	300.50	JR-T-4011C-M25	Tubing, PTFE, 1-16" x 0.25 mm ID, blue, 25m-pkg:	68.80
JR-T-6606C-M3	Tubing, FEP, 1-32" x 0.15 mm ID, purple solid, 3 m-pkg:	43.60	JR-T-4011C-M3	Tubing, PTFE, 1-16" x 0.25 mm ID, blue, 3m-pkg:	9.50
JR-T-6607C-M10	Tubing, FEP, 1-32" x 0.18 mm ID, yellow solid, 10 m-pkg:	139.20	JR-T-4011-M10	Tubing, PTFE, 1-16" x 0.25 mm ID, 10m-pkg:	26.60
JR-T-6607C-M25	Tubing, FEP, 1-32" x 0.18 mm ID, yellow solid, 25 m-pkg:	300.50	JR-T-4011-M25	Tubing, PTFE, 1-16" x 0.25 mm ID, 25m-pkg:	60.00
JR-T-6607C-M3	Tubing, FEP, 1-32" x 0.18 mm ID, yellow solid, 3 m-pkg:	43.60	JR-T-4011-M3	Tubing, PTFE, 1-16" x 0.25 mm ID, 3m-pkg:	8.30
JR-T-6610C-M10	Tubing, FEP, 1-32" x 0.25 mm ID, blue solid, 10 m-pkg:	139.20	JR-T-4011-M5	Tubing, PTFE, 1-16" x 0.25 mm ID, 5m-pkg:	13.80
JR-T-6610C-M25	Tubing, FEP, 1-32" x 0.25 mm ID, blue solid, 25 m-pkg:	300.50	JR-T-4036C-M10	Tubing, PTFE, 1-16" x 0.75 mm ID green, 10m-pkg:	29.10
JR-T-6610C-M3	Tubing, FEP, 1-32" x 0.25 mm ID, blue solid, 3 m-pkg:	43.60	JR-T-4036C-M25	Tubing, PTFE, 1-16" x 0.75 mm ID green, 25m-pkg:	66.10
JR-T-6620C-M10	Tubing, FEP, 1-32" x 0.50 mm ID, orange solid, 10 m-pkg:	139.20	JR-T-4036C-M3	Tubing, PTFE, 1-16" x 0.75 mm ID green, 3m-pkg:	9.10
JR-T-6620C-M25	Tubing, FEP, 1-32" x 0.50 mm ID, orange solid, 25 m-pkg:	300.50	JR-T-4036-M10	Tubing, PTFE, 1-16" OD x 0.75 mm ID, 10m-pkg:	26.60
JR-T-6620C-M3	Tubing, FEP, 1-32" x 0.50 mm ID, orange solid, 3 m-pkg:	43.60	JR-T-4036-M25	Tubing, PTFE, 1-16" x 0.75 mm ID, 25m-pkg:	60.00
JR-T-6704C-M10	Tubing, FEP, 1-16" x 1.0 mm ID, black solid, 10 m-pkg:	139.20	JR-T-4036-M3	Tubing, PTFE, 1-16" x 0.75 mm ID, 3m-pkg:	8.30
JR-T-6704C-M25	Tubing, FEP, 1-16" x 1.0 mm ID, black solid, 25 m-pkg:	300.50	JR-T-4036-M5	Tubing, PTFE, 1-16" x 0.75 mm ID, 5m-pkg:	13.80
JR-T-6704C-M3	Tubing, FEP, 1-16" x 1.0 mm ID, black solid, 3 m-pkg:	43.60	JR-T-4037-M10	Tubing, PTFE, 1-8" x 2.40 mm ID, 10m-pkg:	36.90
JR-T-6705C-M10	Tubing, FEP, 1-16" x 0.13 mm ID, red solid, 10 m-pkg:	139.20	JR-T-4037-M25	Tubing, PTFE, 1-8" x 2.40 mm ID, 25m-pkg:	83.80
JR-T-6705C-M25	Tubing, FEP, 1-16" x 0.13 mm ID, red solid, 25 m-pkg:	300.50	JR-T-4037-M3	Tubing, PTFE, 1-8" x 2.40 mm ID, 3m-pkg:	11.60
JR-T-6705C-M3	Tubing, FEP, 1-16" x 0.13 mm ID, red solid, 3 m-pkg:	43.60	JR-T-4037-M5	Tubing, PTFE, 1-8" x 2.40 mm ID, 5m-pkg:	19.30
JR-T-6706C-M10	Tubing, FEP, 1-16" x 0.15 mm ID, purple solid, 10 m-pkg:	139.20	JR-T-4039-M10	Tubing, PTFE, 4.0 x 3.0 mm ID, 10m-pkg:	56.10
JR-T-6706C-M25	Tubing, FEP, 1-16" x 0.15 mm ID, purple solid, 25 m-pkg:	300.50	JR-T-4039-M3	Tubing, PTFE, 4.0 x 3.0 mm ID, 3m-pkg:	17.60
JR-T-6706C-M3	Tubing, FEP, 1-16" x 0.15 mm ID, purple solid, 3 m-pkg:	43.60	JR-T-4039-M5	Tubing, PTFE, 4.0 x 3.0 mm ID, 5m-pkg:	29.30
JR-T-6707C-M10	Tubing, FEP, 1-16" x 0.18 mm ID, yellow solid, 10 m-pkg:	139.20	JR-T-4041	Tubing, PTFE, 4.76 x 3.76 mm ID:	3.70
JR-T-6707C-M25	Tubing, FEP, 1-16" x 0.18 mm ID, yellow solid, 25 m-pkg:	300.50	JR-T-4183C-M10	Tubing, PTFE, 1-16" x 0.50 mm orange, 10m-pkg:	29.10
JR-T-6707C-M3	Tubing, FEP, 1-16" x 0.18 mm ID, yellow solid, 3 m-pkg:	43.60	JR-T-4183C-M25	Tubing, PTFE, 1-16" x 0.50 mm orange, 25m-pkg:	66.10
JR-T-6802C-M10	Tubing, FEP, 1-16" x 0.50 mm ID, orange solid, 10 m-pkg:	139.20	JR-T-4183C-M3	Tubing, PTFE, 1-16" x 0.50 mm orange, 3m-pkg:	9.10
JR-T-6802C-M25	Tubing, FEP, 1-16" x 0.50 mm ID, orange solid, 25 m-pkg:	300.50	JR-T-4183-M10	Tubing, PTFE, 1-16" x 0.50 mm ID, 10m-pkg:	26.60
JR-T-6802C-M3	Tubing, FEP, 1-16" x 0.50 mm ID, orange solid, 3 m-pkg:	43.60	JR-T-4183-M25	Tubing, PTFE, 1-16" x 0.50 mm ID, 25m-pkg:	60.00
JR-T-6803C-M10	Tubing, FEP, 1-16" x 0.75 mm ID, green solid, 10 m-pkg:	139.20	JR-T-4183-M3	Tubing, PTFE, 1-16" x 0.50 mm ID, 3m-pkg:	8.30
JR-T-6803C-M25	Tubing, FEP, 1-16" x 0.75 mm ID, green solid, 25 m-pkg:	300.50	JR-T-4183-M5	Tubing, PTFE, 1-16" x 0.50 mm ID, 5m-pkg:	13.80
JR-T-6803C-M3	Tubing, FEP, 1-16" x 0.75 mm ID, green solid, 3 m-pkg:	43.60	JR-T-6800-M10	Tubing, PTFE, 1-8" x 1.59 mm ID, 10m-pkg:	40.50
JR-T-6806C-M10	Tubing, FEP, 1-16" x 1.0 mm ID, black solid, 10 m-pkg:	139.20	JR-T-6800-M25	Tubing, PTFE, 1-8" x 1.59 mm ID, 25m-pkg:	92.00
JR-T-6806C-M25	Tubing, FEP, 1-16" x 1.0 mm ID, black solid, 25 m-pkg:	300.50	JR-T-6800-M3	Tubing, PTFE, 1-8" x 1.59 mm ID, 3m-pkg:	12.70
JR-T-6806C-M3	Tubing, FEP, 1-16" x 1.0 mm ID, black solid, 3 m-pkg:	43.60	JR-T-6800-M5	Tubing, PTFE, 1-8" x 1.59 mm ID, 5m-pkg:	20.60
JR-T-6812C-M10	Tubing, FEP, 1-16" x 0.25 mm ID, blue solid, 10 m-pkg:	139.20	JR-T-6801-M10	Tubing, PTFE, 2.0 x 1.70 mm ID, 10m-pkg:	19.00
JR-T-6812C-M25	Tubing, FEP, 1-16" x 0.25 mm ID, blue solid, 25 m-pkg:	300.50	JR-T-6801-M25	Tubing, PTFE, 2.0 x 1.70 mm ID, 25m-pkg:	43.10
JR-T-6812C-M3	Tubing, FEP, 1-16" x 0.25 mm ID, blue solid, 3 m-pkg:	43.60	JR-T-6801-M3	Tubing, PTFE, 2.0 x 1.70 mm ID, 3m-pkg:	6.00
JR-T-6105-M10	Tubing, FEP, 1.0 x 0.50 mm ID, natural, 10 m-pkg:	70.20	JR-T-6805-M10	Tubing, PTFE, 1-16" x 0.18 mm ID, 10m-pkg:	19.00
JR-T-6105-M25	Tubing, FEP, 1.0 x 0.50 mm ID, natural, 25 m-pkg:	159.40	JR-T-6805-M25	Tubing, PTFE, 1-16" x 0.18 mm ID, 25m-pkg:	43.10
JR-T-6105-M3	Tubing, FEP, 1.0 x 0.50 mm ID, natural, 3 m-pkg:	22.00	JR-T-6805-M3	Tubing, PTFE, 1-16" x 0.18 mm ID, 3m-pkg:	6.00
JR-T-6210-M10	Tubing, FEP, 2.0 x 1.0 mm ID, natural, 10 m-pkg:	70.20	JR-T-6805-M5	Tubing, PTFE, 1-16" x 0.18 mm ID, 5m-pkg:	9.70
JR-T-6210-M25	Tubing, FEP, 2.0 x 1.0 mm ID, natural, 25 m-pkg:	159.40	JR-T-6807-M10	Tubing, PTFE, 1-16" x 1.0 mm ID, 10m-pkg:	19.00
JR-T-6210-M3	Tubing, FEP, 2.0 x 1.0 mm ID, natural, 3 m-pkg:	22.00	JR-T-6807-M25	Tubing, PTFE, 1-16" x 1.0 mm ID, 25m-pkg:	43.10
JR-T-6310-M10	Tubing, FEP, 3.0 x 1.0 mm ID, natural, 10 m-pkg:	113.90	JR-T-6807-M3	Tubing, PTFE, 1-16" x 1.0 mm ID, 3m-pkg:	6.00
JR-T-6310-M25	Tubing, FEP, 3.0 x 1.0 mm ID, natural, 25 m-pkg:	245.90	JR-T-6807-M5	Tubing, PTFE, 1-16" x 1.0 mm ID, 5m-pkg:	9.70
JR-T-6310-M3	Tubing, FEP, 3.0 x 1.0 mm ID, natural, 3 m-pkg:	35.80	JR-T-6808-M10	Tubing, PTFE, 1-16" x 0.25 mm ID, black, 10m-pkg:	31.60
JR-T-6320-M10	Tubing, FEP, 3.0 mm OD x 2.0 mm ID, 10 m-pkg:	108.10	JR-T-6808-M25	Tubing, PTFE, 1-16" x 0.25 mm ID, black, 25m-pkg:	71.90
JR-T-6320-M25	Tubing, FEP, 3.0mm OD x 2.0 mm ID, 25 m-pkg:	245.60	JR-T-6808-M3	Tubing, PTFE, 1-16" x 0.25 mm ID, black, 3m-pkg:	9.90
JR-T-6320-M3	Tubing, FEP, 3.0mm OD x 2.0 mm ID, 3 m-pkg:	33.90	JR-T-6810	Tubing, PTFE, 1/4" x 4.75 mm ID:	9.20
JR-T-6605-M1	Tubing, FEP, 1-32" x 0.13 mm ID, natural, 1 m-pkg:	15.20	JR-T-6811-M10	Tubing, PTFE, 1-16" x 0.50 mm ID, black, 10m-pkg:	31.60
JR-T-6605-M10	Tubing, FEP, 1-32" x 0.13 mm ID, natural, 10 m-pkg:	139.20	JR-T-6811-M25	Tubing, PTFE, 1-16" x 0.50 mm ID, black, 25m-pkg:	71.90
JR-T-6605-M3	Tubing, FEP, 1-32" x 0.13 mm ID, natural, 3 m-pkg:	43.60	JR-T-6811-M3	Tubing, PTFE, 1-16" x 0.50 mm ID, black, 3m-pkg:	9.90
JR-T-6606-M1	Tubing, FEP, 1-32" x 0.15 mm ID, natural, 1 m-pkg:	15.20	JR-6140	Kit, PPS, Impermeable fittings:	16.10
JR-T-6606-M10	Tubing, FEP, 1-32" x 0.15 mm ID, natural, 10 m-pkg:	139.20	JR-6141-10	Insert, KEL-F, for Impermeable fitting, 10-pkg:	40.00
JR-T-6606-M3	Tubing, FEP, 1-32" x 0.15 mm ID, natural, 3 m-pkg:	43.60	JR-T-6130-M10	Tubing, Impermeable, 1-8" x 1.65 mm ID, 10m-pkg:	185.90
JR-T-6607-M1	Tubing, FEP, 1-32" x 0.18 mm ID, natural, 1 m-pkg:	15.20	JR-T-6130-M3	Tubing, Impermeable, 1-8" x 1.65 mm ID, 3m-pkg:	58.30
JR-T-6607-M10	Tubing, FEP, 1-32" x 0.18 mm ID, natural, 10 m-pkg:	139.20	JR-T-96005	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 105 mm, with 1-16" e	45.00
JR-T-6607-M3	Tubing, FEP, 1-32" x 0.18 mm ID, natural, 3 m-pkg:	43.60	JR-T-96010	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 150 mm, with 1-16" e	45.00
JR-T-6610-M1	Tubing, FEP, 1-32" x 0.25 mm ID, natural, 1 m-pkg:	15.20	JR-T-96015	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 200 mm, with 1-16" e	45.00
JR-T-6610-M10	Tubing, FEP, 1-32" x 0.25 mm ID, natural, 10 m-pkg:	139.20	JR-T-96020	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 280 mm, with 1-16" e	45.00
JR-T-6610-M3	Tubing, FEP, 1-32" x 0.25 mm ID, natural, 3 m-pkg:	43.60	JR-T-96025	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 400 mm, with 1-16" e	45.00
JR-T-6615-M1	Tubing, FEP, 1-32" x 0.38 mm ID, natural, 1 m-pkg:	15.20	JR-T-96030	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 600 mm, with 1-16" e	45.00
JR-T-6615-M10	Tubing, FEP, 1-32" x 0.38 mm ID, natural, 10 m-pkg:	139.20	JR-T-96035	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 700 mm, with 1-16" e	45.00
JR-T-6615-M3	Tubing, FEP, 1-32" x 0.38 mm ID, natural, 3 m-pkg:	43.60	JR-T-96040	Tubing, SS, flexible, 1-32" x 0.13 mm ID, length 800 mm, with 1-16" e	45.00
JR-T-6620-M1	Tubing, FEP, 1-32" x 0.50 mm ID, natural, 1 m-pkg:	15.20	JR-T-96105	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 105 mm, with 1-16" e	45.00
JR-T-6620-M10	Tubing, FEP, 1-32" x 0.50 mm ID, natural, 10 m-pkg:	139.20	JR-T-96110	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 150 mm, with 1-16" e	45.00
JR-T-6620-M3	Tubing, FEP, 1-32" x 0.50 mm ID, natural, 3 m-pkg:	43.60	JR-T-96115	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 200 mm, with 1-16" e	45.00
JR-T-6702-M10	Tubing, FEP, 1-16" x 0.30 mm ID, natural, 10 m-pkg:	139.20	JR-T-96120	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 280 mm, with 1-16" e	45.00
JR-T-6702-M25	Tubing, FEP, 1-16" x 0.30 mm ID, natural, 25 m-pkg:	300.50	JR-T-96125	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 400 mm, with 1-16" e	45.00
JR-T-6702-M3	Tubing, FEP, 1-16" x 0.30 mm ID, natural, 3 m-pkg:	43.60	JR-T-96130	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 600 mm, with 1-16" e	45.00
JR-T-6704-M10	Tubing, FEP, 1-16" x 0.10 mm ID, natural, 10 m-pkg:	139.20	JR-T-96135	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 700 mm, with 1-16" e	45.00
JR-T-6704-M25	Tubing, FEP, 1-16" x 0.10 mm ID, natural, 25 m-pkg:	300.50	JR-T-96140	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 800 mm, with 1-16" e	45.00
JR-T-6704-M3	Tubing, FEP, 1-16" x 0.10 mm ID, natural, 3 m-pkg:	43.60	JR-T-96145	Tubing, SS, flexible, 1-32" x 0.18 mm ID, length 900 mm, with 1-16" e	45.00
JR-T-6705-M10	Tubing, FEP, 1-16" x 0.13 mm ID, natural, 10 m-pkg:	139.20	JR-T-96205	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 105 mm, with 1-16" e	45.00
JR-T-6705-M25	Tubing, FEP, 1-16" x 0.13 mm ID, natural, 25 m-pkg:	300.50	JR-T-96210	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 150 mm, with 1-16" e	45.00
JR-T-6705-M3	Tubing, FEP, 1-16" x 0.13 mm ID, natural, 3 m-pkg:	43.60	JR-T-96215	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 200 mm, with 1-16" e	45.00
JR-T-6706-M10	Tubing, FEP, 1-16" x 0.15 mm ID, natural, 10 m-pkg:	139.20	JR-T-96220	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 280 mm, with 1-16" e	45.00
JR-T-6706-M25	Tubing, FEP, 1-16" x 0.15 mm ID, natural, 25 m-pkg:	300.50	JR-T-96225	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 400 mm, with 1-16" e	45.00
JR-T-6706-M3	Tubing, FEP, 1-16" x 0.15 mm ID, natural, 3 m-pkg:	43.60	JR-T-96230	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 600 mm, with 1-16" e	45.00
JR-T-6707-M10	Tubing, FEP, 1-16" x 0.18 mm ID, natural, 10 m-pkg:	139.20	JR-T-96235	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 700 mm, with 1-16" e	45.00
JR-T-6707-M25	Tubing, FEP, 1-16" x 0.18 mm ID, natural, 25 m-pkg:	300.50	JR-T-96240	Tubing, SS, flexible, 1-32" x 0.25 mm ID, length 800 mm, with 1-16" e	45.00
JR-T-6707-M3	Tubing, FEP, 1-16" x 0.18 mm ID, natural, 3 m-pkg:	43.60	JR-T-96305	Tubing, SS, flexible, 1-32" x 0.50 mm ID, length 105 mm, with 1-16" e	45.00
JR-T-6708-M10	Tubing, FEP, 1-16" x 0.20 mm ID, natural, 10 m-pkg:	139.20	JR-T-96310	Tubing, SS, flexible, 1-32" x 0.50 mm ID, length 150 mm, with 1-16" e	45.00
JR-T-6708-M25	Tubing, FEP, 1-16" x 0.20 mm ID, natural, 25 m-pkg:	300.50	JR-T-96315	Tubing, SS, flexible, 1-32" x 0.50 mm ID, length 200 mm, with 1-16" e	45.00
JR-T-6708-M3	Tubing, FEP, 1-16" x 0.20 mm ID, natural, 3 m-pkg:	43.60	JR-T-96320	Tubing, SS, flexible, 1-32" x 0.50 mm ID, length 280 mm, with 1-16" e	45.00
JR-T-6794-M1	Tubing, FEP, 1-32" x 0.10 mm ID, 1 m-pkg:	15.20	JR-T-96325		

JR-T-97025	Tubing, SS, precut 1-16" OD x 0.18 mm ID, length 50mm:	6.80	JR-5504-5	Fitting, PEEK, one-piece fingertight short head, 10-32, 5-pkg:	45.00
JR-T-97030	Tubing, SS, precut 1-16" OD x 0.18 mm ID, length 100mm:	6.80	JR-5507-5	Fitting, PEEK, one-piece fingertight long, 10-32, 5-pkg:	34.50
JR-T-97035	Tubing, SS, precut 1-16" OD x 0.18 mm ID, length 200mm:	6.80	JR-5508-5	Fitting, PEEK, 1-16" OD tubing, one-piece fingertight hex-head, 10-32,	45.00
JR-T-97040	Tubing, SS, precut 1-16" OD x 0.18 mm ID, length 300mm:	6.80	JR-LZNF1KF-5	Fitting, PEEK, No Twist, 10-32, 1-16", long, hex-head with CTFE Ferrul	79.50
JR-T-97045	Tubing, SS, precut 1-16" OD x 0.25 mm ID, length 50mm:	6.80	JR-LZNF1PK-5	Fitting, PEEK, No Twist, 10-32, 1-16", long, hex-head with PEEK Ferrul	79.50
JR-T-97055	Tubing, SS, precut 1-16" OD x 0.25 mm ID, length 100mm:	6.80	JR-LZNF1PKG-5	Fitting, PEEK, No Twist, 10-32, 1-16", long, hex-head with glass fill	81.00
JR-T-97060	Tubing, SS, precut 1-16" OD x 0.25 mm ID, length 200mm:	6.80	JR-MZNF1KF-5	Fitting, PEEK, No Twist, 10-32, 1-16", medium, hex-head with CTFE Ferr	76.00
JR-T-97065	Tubing, SS, precut 1-16" OD x 0.25 mm ID, length 300mm:	6.80	JR-MZNF1PK-5	Fitting, PEEK, No Twist, 10-32, 1-16", medium, hex-head with PEEK Ferr	76.00
JR-T-97075	Tubing, SS, precut 1-16" OD x 0.50 mm ID, length 50mm:	6.80	JR-MZNF1PKG-5	Fitting, PEEK, No Twist, 10-32, 1-16", medium, hex-head with glass fill	77.50
JR-T-97080	Tubing, SS, precut 1-16" OD x 0.50 mm ID, length 100mm:	6.80	JR-ZNF1FKF-5	Fitting, PEEK, No Twist, 10-32, 1-16", fingertight, with CTFE Ferrule,	79.50
JR-T-97085	Tubing, SS, precut 1-16" OD x 0.50 mm ID, length 200mm:	6.80	JR-ZNF1FKF-5	Fitting, PEEK, No Twist, 10-32, 1-16", fingertight, with PEEK Ferrule,	79.50
JR-T-97090	Tubing, SS, precut 1-16" OD x 0.50 mm ID, length 300mm:	6.80	JR-ZNF1FKG-5	Fitting, PEEK, No Twist, 10-32, 1-16", fingertight, with glass filled	81.00
JR-T-97095	Tubing, SS, precut 1-16" OD x 0.75 mm ID, length 50mm:	6.80	JR-ZNF1KF-5	Fitting, PEEK, No Twist, 10-32, 1-16", short, hex-head with glass fill	76.00
JR-T-97100	Tubing, SS, precut 1-16" OD x 0.75 mm ID, length 100mm:	6.80	JR-ZNF1KF-F-5	Ferrule 1-16", CTFE, for No Twist fittings, 5-pkg:	31.50
JR-T-97105	Tubing, SS, precut 1-16" OD x 0.75 mm ID, length 200mm:	6.80	JR-ZNF1PK-5	Fitting, PEEK, No Twist, 10-32, 1-16", short, hex-head with PEEK Ferru	76.00
JR-T-97110	Tubing, SS, precut 1-16" OD x 0.75 mm ID, length 300mm:	6.80	JR-ZNF1PK-F-5	Ferrule 1-16", natural PEEK for No Twist fittings, 5-pkg:	36.00
JR-T-625-04-M10	Tubing, SS, 1-16" x 0.13 mm ID, 10m-pkg:	79.40	JR-ZNF1PKG-5	Fitting, PEEK, No Twist, 10-32, 1-16", short, hex-head with glass fill	77.50
JR-T-625-04-M3	Tubing, SS, 1-16" x 0.13 mm ID, 3m-pkg:	25.00	JR-ZNF1PKG-F-5	Ferrule 1-16", glass-filled PEEK, for No Twist fittings, 5-pkg:	31.50
JR-T-625-05-M10	Tubing, SS, 1-16" x 0.18 mm ID, 10m-pkg:	79.40	JR-5003-5	Ferrule, PEEK, single 1-16", 5-pkg:	16.00
JR-T-625-05-M3	Tubing, SS, 1-16" x 0.18 mm ID, 3m-pkg:	25.00	JR-5010N-5	Ferrule, PEEK HT, UHPLC, 1-16", natural, 5-pkg:	31.00
JR-T-625-10-M10	Tubing, SS, 1-16" x 0.25 mm ID, 10m-pkg:	79.40	JR-5570-5	Nut, PEEK, two-piece fingertight, 10-32, 5-pkg:	31.50
JR-T-625-10-M3	Tubing, SS, 1-16" x 0.25 mm ID, 3m-pkg:	25.00	JR-ZF5PK-5	Ferrule, PEEK, 1-32", 5-pkg:	26.50
JR-T-625-20-M10	Tubing, SS, 1-16" x 0.50 mm ID, 10m-pkg:	72.50	JR-ZF2PK-5	Ferrule, PEEK, 1-8", 5-pkg:	26.80
JR-T-625-20-M3	Tubing, SS, 1-16" x 0.50 mm ID, 3m-pkg:	22.80	JR-ZN5FPK-5	Nut, PEEK, fingertight, 1-32", 5-pkg:	26.60
JR-T-625-30-M10	Tubing, SS, 1-16" x 0.75 mm ID, 10m-pkg:	58.70	JR-ZN2PK-5	Nut, PEEK, Hex-Head 1-8", 5-16"-24, 5-pkg:	26.80
JR-T-625-30-M3	Tubing, SS, 1-16" x 0.75 mm ID, 3m-pkg:	18.50	JR-5004-5	Ferrule, PEEK, double 1-16", 5-pkg:	16.00
JR-T-625-40-M10	Tubing, SS, 1-16" x 1.0 mm ID, 10m-pkg:	51.80	JR-5510-5	Nut, PEEK, hex-head long, 10-32, 5-pkg:	29.00
JR-T-625-40-M3	Tubing, SS, 1-16" x 1.0 mm ID, 3m-pkg:	16.30	JR-5511-5	Nut, PEEK, hex-head short, 10-32, 5-pkg:	29.00
JR-T-626-00-M10	Tubing, SS, 1-8" x 2.1 mm ID, 10m-pkg:	47.20	JR-5580-5	Nut, PEEK, finger-light, 10-32, 5-pkg:	29.00
JR-T-626-00-M3	Tubing, SS, 1-8" x 2.1 mm ID, 3m-pkg:	14.80	JR-408	Plug, PEEK, 10-32:	5.00
JR-T-628-00	Tubing, SS, 1-4" x 4.65 mm:	16.10	JR-409	Plug, PEEK, 1-4"-28:	5.80
JR-TSS.505-M10	Tubing, Premium, SS, 1-32" OD x 0.13 mm ID, 10 m-pkg:	195.00	JR-410	Plug, PEEK, M6:	10.00
JR-TSS.505-M3	Tubing, Premium, SS, 1-32" OD x 0.13 mm ID, 3 m-pkg:	61.50	JR-CCPK-1	Cap, PEEK, female 1-4"-28:	11.30
JR-TSS.507-M10	Tubing, Premium, SS, 1-32" OD x 0.18 mm ID, 10 m-pkg:	195.00	JR-LZP1PK	Plug 1-16", long hex, PEEK:	32.10
JR-TSS.507-M3	Tubing, Premium, SS, 1-32" OD x 0.18 mm ID, 3 m-pkg:	61.50	JR-MZP1PK	Plug 1-16", hex, PEEK:	16.00
JR-TSS.510-M10	Tubing, Premium, SS, 1-32" OD x 0.25 mm ID, 10 m-pkg:	195.00	JR-ZC5FPK	Cap 1-32", fingertight, PEEK:	41.90
JR-TSS.510-M3	Tubing, Premium, SS, 1-32" OD x 0.25 mm ID, 3 m-pkg:	61.50	JR-ZC1PK	Cap, PEEK, female 10-32:	38.50
JR-TSS.520-M10	Tubing, Premium, SS, 1-32" OD x 0.50 mm ID, 10 m-pkg:	195.00	JR-ZP5FPK	Plug 1-32", fingertight, PEEK:	17.80
JR-TSS.520-M3	Tubing, Premium, SS, 1-32" OD x 0.50 mm ID, 3 m-pkg:	61.50	JR-ZP1FPK	Plug 1-16", fingertight, PEEK:	16.00
JR-TSS105-M10	Tubing, Premium, SS, 1-16" OD x 0.13 mm ID, 10 m-pkg:	195.00	JR-FPKBSS5-10	Ferrule, PEEK, 1-32" incl. SS Bushing, pack of 10 sets:	190.00
JR-TSS105-M3	Tubing, Premium, SS, 1-16" OD x 0.13 mm ID, 3 m-pkg:	61.50	JR-FPKBSS1-10	Ferrule, PEEK, 1-16" incl. SS Bushing, pack of 10 sets:	190.00
JR-TSS110-M10	Tubing, Premium, SS, 1-16" OD x 0.25 mm ID, 10 m-pkg:	195.00	JR-061	Union, PEEK, 0.25 mm bore, body only:	8.10
JR-TSS110-M3	Tubing, Premium, SS, 1-16" OD x 0.25 mm ID, 3 m-pkg:	61.50	JR-066	Union, PEEK, 0.50 mm bore, body only, 10-32":	8.00
JR-TSS115-M10	Tubing, Premium, SS, 1-16" OD x 0.38 mm ID, 10 m-pkg:	195.00	JR-067	Union, PEEK, 0.75 mm bore, body only, 10-32":	8.00
JR-TSS115-M3	Tubing, Premium, SS, 1-16" OD x 0.38 mm ID, 3 m-pkg:	61.50	JR-1061	Union, PEEK, 0.25 mm bore, complete:	26.00
JR-TSS120-M10	Tubing, Premium, SS, 1-16" OD x 0.50 mm ID, 10 m-pkg:	195.00	JR-1066	Union, PEEK, 0.50 mm bore, complete:	26.00
JR-TSS120-M3	Tubing, Premium, SS, 1-16" OD x 0.50 mm ID, 3 m-pkg:	61.50	JR-1067	Union, PEEK, 0.75 mm bore, complete:	26.00
JR-TSS130-M10	Tubing, Premium, SS, 1-16" OD x 0.75 mm ID, 10 m-pkg:	195.00	JR-CBN	Jam-Nut, Hex: 1-2"-8-24"-1-8 TH, Nylon:	1.80
JR-TSS130-M3	Tubing, Premium, SS, 1-16" OD x 0.75 mm ID, 3 m-pkg:	61.50	JR-ZBU1CFPK	Bulkhead union PEEK, 0.25 mm bore, complete:	41.90
JR-TSS140-M10	Tubing, Premium, SS, 1-16" OD x 1.00 mm ID, 10 m-pkg:	195.00	JR-ZBU1FPK	Bulkhead union PEEK, 0.75 mm bore, complete:	70.60
JR-TSS140-M3	Tubing, Premium, SS, 1-16" OD x 1.00 mm ID, 3 m-pkg:	61.50	JR-ZBU1MFPK	Bulkhead union PEEK, 0.50 mm bore, complete:	77.10
JR-TSS230-M10	Tubing, Premium, SS, 1-8" OD x 0.75 mm ID, 10 m-pkg:	255.10	JR-ZRU15FPK	Union, PEEK, reducing 1-16" - 1-32", 10-32, bore 0.25mm, complete:	45.00
JR-TSS230-M3	Tubing, Premium, SS, 1-8" OD x 0.75 mm ID, 3 m-pkg:	84.60	JR-ZRU21FPK	Union, PEEK, HP reducing complete, 1-8" to 1-16", thru-hole 0.75 mm:	35.40
JR-TSS240-M10	Tubing, Premium, SS, 1-8" OD x 1.00 mm ID, 10 m-pkg:	255.10	JR-1030	Tea, PEEK, HP, 0.25 mm bore, complete with one piece fittings:	72.00
JR-TSS240-M3	Tubing, Premium, SS, 1-8" OD x 1.00 mm ID, 3 m-pkg:	84.60	JR-1032	Tea, PEEK, HP, 0.50 mm bore, complete with one piece fittings:	72.00
JR-TSS260-M10	Tubing, Premium, SS, 1-8" OD x 1.52 mm ID, 10 m-pkg:	255.10	JR-1033	Tea, PEEK, HP, 0.75 mm bore, complete with one piece fittings:	72.00
JR-TSS260-M3	Tubing, Premium, SS, 1-8" OD x 1.52 mm ID, 3 m-pkg:	84.60	JR-1040	Cross, PEEK, HP, 0.25 mm bore, complete with one piece fittings:	85.00
JR-TSS267-M10	Tubing, Premium, SS, 1-8" OD x 1.70 mm ID, 10 m-pkg:	255.10	JR-1042	Cross, PEEK, HP, 0.50 mm bore, complete with one piece fittings:	85.00
JR-TSS267-M3	Tubing, Premium, SS, 1-8" OD x 1.70 mm ID, 3 m-pkg:	84.60	JR-1043	Cross, PEEK, HP, 0.75 mm bore, complete with one piece fittings:	85.00
JR-TSS285-M10	Tubing, Premium, SS, 1-8" OD x 2.16 mm ID, 10 m-pkg:	240.00	JR-2030	Tea, PEEK, HP 0.25 mm bore, body only:	64.00
JR-TSS285-M3	Tubing, Premium, SS, 1-8" OD x 2.16 mm ID, 3 m-pkg:	75.60	JR-2032	Tea, PEEK, HP 0.50 mm bore, body only:	64.00
JR-55010-5	Color-It, blue, fingertight adapter, 5-pkg:	4.50	JR-2033	Tea, PEEK, HP 0.75 mm bore, body only:	64.00
JR-55011-5	Color-It, yellow, fingertight adapter, 5-pkg:	4.50	JR-2040	Cross, PEEK, HP, 0.25 mm bore, body only:	75.00
JR-55012-5	Color-It, green, fingertight adapter, 5-pkg:	4.50	JR-2042	Cross, PEEK, HP, 0.50 mm bore, body only:	75.00
JR-55013-5	Color-It, black, fingertight adapter, 5-pkg:	4.50	JR-2043	Cross, PEEK, HP, 0.75 mm bore, body only:	75.00
JR-55014-5	Color-It, white, fingertight adapter, 5-pkg:	4.50	JR-9000-0670	Tea, PEEK, mixing, complete, with 10um Titanium frit:	75.00
JR-55015-5	Color-It, red, fingertight adapter, 5-pkg:	4.50	JR-0611	Adapter, PEEK, Waters female to 10-32 male:	15.00
JR-55016-12	Color-It fingertight adapter multi-color, assorted 2 pcs. each color,	10.80	JR-0612	Adapter, PEEK, 1-4"-28 female to 10-32 male:	40.30
JR-55080-10	Adapter, natural, PP, fingertight sleeve, 10-pkg:	7.50	JR-0617	Adapter, PEEK, 10-32 female to 1-4"-28 male:	40.30
JR-55080-5	Adapter, natural, PP, fingertight sleeve, 5-pkg:	3.80	JR-062	Adapter, PEEK, 10-32 female to 1-4"-28 female:	11.50
JR-55081-10	Adapter, white, PP, fingertight sleeve, 10-pkg:	7.50	JR-0622	Adapter, PEEK, 1-4"-28 female to M6 male:	40.30
JR-55081-5	Adapter, white, PP, fingertight sleeve, 5-pkg:	3.80	JR-0623	Adapter, PEEK, 10-32 female to female luer:	32.00
JR-55082-10	Adapter, dark grey, PP, fingertight sleeve, 10-pkg:	7.50	JR-0625	Adapter, PEEK, 1-4"-28 female to female luer:	23.00
JR-55082-5	Adapter, dark grey, PP, fingertight sleeve, 5-pkg:	3.80	JR-0626	Adapter, PEEK, 1-4"-28 female to male luer:	23.00
JR-55083-10	Adapter, black, PP, fingertight sleeve, 10-pkg:	7.50	JR-5505	Adapter, PEEK, M6 female to 10-32 male:	13.00
JR-55083-5	Adapter, black, PP, fingertight sleeve, 5-pkg:	3.80	JR-5595	Adapter, PEEK, 10-32 female to M6 female:	11.50
JR-55084-10	Adapter, lavender, PP, fingertight sleeve, 10-pkg:	7.50	JR-CFLAPK	Female luer adapter to 1-4-28, 1.5mm bore, PEEK:	27.30
JR-55084-5	Adapter, lavender, PP, fingertight sleeve, 5-pkg:	3.80	JR-CMLAPK	Male luer adapter to 1-4-28, 1.5mm bore, PEEK:	27.30
JR-55085-10	Adapter, red, PP, fingertight sleeve, 10-pkg:	7.50	JR-ZUFLPK	Female luer adapter to 10-32 female, 0.75mm bore, PEEK:	70.60
JR-55085-5	Adapter, red, PP, fingertight sleeve, 5-pkg:	3.80	JR-56-5	Nut, SS, 1-16" short, Rheodyne, 10-32, 5-pkg:	25.00
JR-55086-10	Adapter, yellow, PP, fingertight sleeve, 10-pkg:	7.50	JR-57-5	Nut, SS, 1-16" long head, Rheodyne, 10-32, 5-pkg:	25.00
JR-55086-5	Adapter, yellow, PP, fingertight sleeve, 5-pkg:	3.80	JR-58-5	Nut, SS, 1-16" x-long, Rheodyne, 10-32, 5-pkg:	25.00
JR-55087-10	Adapter, orange, PP, fingertight sleeve, 10-pkg:	7.50	JR-60-5	Ferrule, SS, 1-16", 2-step Rheodyne, 5-pkg:	22.50
JR-55087-5	Adapter, orange, PP, fingertight sleeve, 5-pkg:	3.80	JR-LZNI-5	Nut, SS, 1-16" Long, Valco type, 10-32, 5-pkg:	22.00
JR-55088-10	Adapter, brown, PP, fingertight sleeve, 10-pkg:	7.50	JR-MZNI-5	Nut, SS, 1-16" Medium, Valco type, 10-32, 5-pkg:	20.00
JR-55088-5	Adapter, brown, PP, fingertight sleeve, 5-pkg:	3.80	JR-ZN1-5	Nut, SS, 1-32", Valco type, 6-40, 5-pkg:	23.60
JR-55089-10	Adapter, green, PP, fingertight sleeve, 10-pkg:	7.50	JR-ZNI-5	Nut, SS, 1-16", Valco type, 10-32, 5-pkg:	13.50
JR-55089-5	Adapter, green, PP, fingertight sleeve, 5-pkg:	3.80	JR-ZN2-5	Nut, SS, 1-8", Valco type, 5-16"-24, 5-pkg:	16.50
JR-5508X-12	Adapter, PP, fingertight sleeve, 6 colors assorted 2 pcs. each, 12-pkg	9.00	JR-59-5	Ferrule, SS, 1-16", 5-pkg:	17.50
JR-5508X-24	Adapter, PP, fingertight sleeve, assorted 2 pcs. per color, 24-pkg:	18.00	JR-ZC-5	Cap 1-32", SS:	15.80
JR-55090-10	Adapter, blue, PP, fingertight sleeve, 10-pkg:	7.50	JR-ZC1	Cap, SS, female 1-16":	14.30
JR-55090-5	Adapter, blue, PP, fingertight sleeve, 5-pkg:	3.80	JR-ZC2	Cap, SS, female 1-8":	14.30
JR-55091-10	Adapter, purple, PP, fingertight sleeve, 10-pkg:	7.50	JR-ZF5S6-5	Ferrule, 316SS, 1-32", Valco type, 5-pkg:	23.60
JR-55091-5	Adapter, purple, PP, fingertight sleeve, 5-pkg:	3.80	JR-ZP5	Plug, SS, for 1-32" connections:	12.60
JR-55100-5	Fitting, PEEK, one-piece hex-head short, 10-32, 5-pkg:	29.00	JR-ZP1	Plug, SS, for 1-16" connections:	9.50
JR-55110-5	Fitting, PEEK, one-piece hex-head long, 10-32, 5-pkg:	29.00	JR-ZP2	Plug, SS, for 1-8" connections, 5-16"-24:	9.50
JR-5520N-10	Fitting, PEEK HT, 1-16" one-piece hex-head short, natural, 10-32, 100'	120.00	JR-ZF1S6-5	Ferrule, 316SS, 1-16", Valco type, 5-pkg:	23.60
JR-5525N-10	Fitting, PEEK HT, 1-32" one-piece hex-head short, natural, 6-40, 9000 p	110.00	JR-ZT1	Tea, SS, 0.75 mm bore, 1-16", 10-32, complete:	36.30
JR-58000-5	Fitting, PPS, hex-head one-piece, black, 10-32, 5-pkg:	18.50	JR-ZT1C	Tea, SS, 0.25 mm bore, 1-16", 10-32, complete:	50.40
JR-CNFT	Tightening Tool for PEEK hex-head, 1-32" nuts, green:	31.50	JR-ZT1M	Tea, SS, 0.5 mm bore, 1-16", 10-32, complete:	44.10
JR-ZNFT	Tightening Tool for PEEK hex-head, 1-16" nuts, blue:	14.30	JR-ZX1	Cross, SS, 0.75 mm bore, 1-16", 10-32, complete:	55.30
JR-55020-5	Fitting, natural, PEEK, one-piece, 10-32, 5-pkg:	25.00	JR-ZX1C	Cross, SS, 0.25mm bore, 1-16", 10-32, complete:	72.50
JR-55021-5	Fitting, black, PEEK, one-piece, 10-32, 5-pkg:	25.00	JR-ZX1M	Cross, SS, 0.50mm bore, 1-16", 10-32, complete:	63.00
JR-55022-5	Fitting, red, PEEK, one-piece, 10-32, 5-pkg:	25.00	JR-ZF2S6-5	Ferrule, 316SS, 1-8", Valco type, 5-pkg:	18.00
JR-55023-5	Fitting, yellow, PEEK, one-piece, 10-32, 5-pkg:	25.00	JR-ZRU21	Union, SS, reducing 1-8" to 1-16", bore 0.75mm, complete:	25.30
JR-55024-5	Fitting, blue, PEEK, one-piece, 10-32, 5-pkg:	25.00	JR-ZU1CS6	Union, SS, bore 0.25 mm, 1-16", 10-32, complete:	44.10
JR-5502-5	Fitting, PEEK, one-piece, 10-32, 5-pkg:	34.50	JR-ZU1MS6	Union, SS, bore 0.50mm, 1-16", 10-32, complete:	39.50
JR-55025-5	Fitting, green, PEEK, one-piece, 10-32, 5-pkg:	25.00	JR-ZU1S6	Union, SS, bore 0.75mm, 1-16", 10-32, complete:	36.30

JR-ZU1XCS6	Union, SS, bore 0.15 mm, 1-16", 10-32, complete:	139.50	JR-1064	Union, PEEK, LP 0.5 mm bore, complete:	22.00
JR-082	Union, SS, reducing, 1-16" to 2.0mm, 10-32, bore 0.75 mm, complete inc	33.70	JR-1065	Union, PEEK, LP 1.3mm bore, complete:	22.00
JR-083	Ferrule, SS, 2mm, 10-32:	2.70	JR-1068	Union, PEEK, LP 0.75 mm bore, complete:	22.00
JR-083-5	Ferrule, SS, 2mm, for 10-32 nut, 5-pkg:	13.50	JR-CBULPK	Bulkhead Union, PEEK, LP 1.50 mm bore, complete:	37.00
JR-086	Union, SS, reducing, 1-8" to 3.0mm, 5-16"-24, bore 0.75 mm, complete i	50.50	JR-CBUMPK	Bulkhead Union, PEEK, LP 0.75 mm bore, complete:	37.00
JR-087	Ferrule, SS, 3mm, 5-16"-24:	5.80	JR-0640	Reducing Union, PEEK, LP 0.5mm bore, 1-4"-28, with nuts and ferrules,	23.30
JR-087-5	Ferrule, SS, 3mm, 5-16"-24, 5-pkg:	29.00	JR-0650	Reducing Union, PEEK, LP 1.3 mm bore, 1-4"-28, with nuts and ferrules,	22.70
JR-096	Union, SS, reducing, 1-32" to 1.0mm, 6-40 - 10-32, bore 0.25 mm, compl	33.70	JR-0680	Reducing Union, PEEK, LP 0.75 mm bore, 1-4"-28, with nuts and ferrules	23.30
JR-097	Ferrule, SS, 1mm, 10-32:	2.70	JR-CFL-2W-S	Nut, PP, 1-8", white, 1-4"-28, each:	3.60
JR-097-5	Ferrule, SS, 1mm, 10-32, 5-pkg:	13.50	JR-CFL-4D	Nut, Polyacetal, flangeless, 1-4":	9.80
JR-80-5	Nut, SS, 2mm, Valco type, 10-32, 5-pkg:	25.00	JR-CFL-CB4KF-S	Ferrule, CTFE, collapsible, 1-4":	8.00
JR-C-EN5FFPK	Nut, PEEK, External, 1-32":	14.50	JR-CUALPK	Reducing Union, PEEK, LP 1.5 mm bore, 1-4" to 1-8", complete:	145.50
JR-C-NERU1FPK	Union, PEEK, 150 um bore, reducing, Ext.1-16" - Int. 1-32":	77.10	JR-6029	Tee, PEEK, LP bore 0.50 mm, complete:	60.00
JR-C-NEU5FFPK	Union, PEEK, 150 um bore, Int. 1-32" - Ext. 1-32" ZDVf:	56.30	JR-6030	Tee, PEEK, LP bore 0.8 mm, complete:	60.00
JR-C-NEU5XFPK	Union, PEEK, 100 um bore, Int. 1-32" - Ext. 1-32" ZDVf:	69.10	JR-6031	Tee, PEEK, LP bore 1.5 mm, complete:	60.00
JR-C-NINFFPK	Fitting, PEEK, one-piece short, grooved ferrule, 1-32":	12.90	JR-6032	Tee, PEEK, LP bore 0.8 mm, body only:	50.00
JR-EN1FFPK	Nut, PEEK, External, 1-16":	19.40	JR-6033	Tee, PEEK, LP bore 1.5 mm, body only:	50.00
JR-ZGF5PK	Ferrule, PEEK, grooved, 1-32":	7.30	JR-6034	Tee, PEEK, LP bore 0.50 mm, body only:	50.00
JR-ZGF1PK	Ferrule, PEEK, grooved, 1-16":	6.30	JR-6039	Cross, PEEK, LP bore 0.50 mm, complete:	70.00
JR-C360CPK	Cap, 360um, PEEK:	18.90	JR-6040	Cross, PEEK, LP bore 0.8 mm, complete:	70.00
JR-C360ET	Make up extender tool, for 360um nuts:	15.80	JR-6041	Cross, PEEK, LP bore 1.5 mm, complete:	70.00
JR-C360NFPK	Nut, 360um, No Twist, PEEK, with PEEK ferrule:	18.90	JR-6042	Cross, PEEK, LP bore 0.8 mm, body only:	60.00
JR-C360PPK	Plug, 360um, PEEK:	15.80	JR-6043	Cross, PEEK, LP bore 1.5 mm, body only:	60.00
JR-C360QTPK2	Tee, 360um, quick mount, 50um bore, for PEEK and FS Tubing (for < 10 k	139.50	JR-6044	Cross, PEEK, LP bore 0.50 mm, body only:	60.00
JR-C360QTPK4	Tee, 360um, quick mount, 100um bore, for PEEK and FS Tubing (for < 10	130.50	JR-B-C5M1PK	Body, Cheminert manifold 1-4"-28, 1-16" OD tubing, 4 inlets 1 outlet,	168.00
JR-C360QTPK6	Tee, 360um, quick mount, 150um bore, for PEEK and FS Tubing (for < 10	120.00	JR-B-C5M2PK	Body, Cheminert manifold 1-4"-28, 1-8" OD tubing, 4 inlets 1 outlet, 1	168.00
JR-C360QUPK2	Union, 360um, quick mount, 50um bore, for PEEK and FS Tubing (for < 10	110.30	JR-B-C9M1PK	Body, Cheminert manifold 1-4"-28, 1-16" OD tubing, 8 inlets 1 outlet,	245.10
JR-C360QUPK4	Union, 360um, quick mount, 100um bore, for PEEK and FS Tubing (for < 1	102.50	JR-B-C9M2PK	Body, Cheminert manifold 1-4"-28, 1-8" OD tubing, 8 inlets 1 outlet, 1	245.10
JR-C360QUPK6	Union, 360um, quick mount, 150um bore, for PEEK and FS Tubing (for < 1	94.50	JR-C5M1PK	Manifold, PEEK, 5 ports LP 0.75 mm, complete:	193.50
JR-C360QXPK2	Cross, 360um, quick mount, 50um bore, for PEEK and FS Tubing (for < 10	168.00	JR-C5M2PK	Manifold, PEEK, 5 ports LP 0.150 mm, complete:	193.50
JR-C360QXPK4	Cross, 360um, quick mount, 100um bore, for PEEK and FS Tubing (for < 1	157.50	JR-C9M1PK	Manifold, PEEK, 9 ports LP 0.75 mm, complete:	269.30
JR-C360QXPK6	Cross, 360um, quick mount, 150um bore, for PEEK and FS Tubing (for < 1	148.50	JR-C9M2PK	Manifold, PEEK, 9 ports LP 1.50 mm, complete:	269.30
JR-C360RU1PK6	Reducing union 1-16" to 360um, 150um bore, for PEEK+FS tubing (for<10k	50.40	JR-B-CM1XPK	Body, Cheminert mixing tee 1-4"-28, for 1-16" tubing, 0.75mm bore, PEE	183.00
JR-C360UPK2	Union, 360um, 100um bore, for PEEK and FS tubing (for < 10 kpsi):	81.90	JR-B-CM2XPK	Body, Cheminert mixing tee 1-4"-28, for 1-18" tubing, 1.5 mm bore, PEE	183.00
JR-C360UPK4	Union, 360um, 100um bore, for PEEK and FS tubing (for < 10 kpsi):	75.60	JR-CM1XPK	Mixing Tee, PEEK, LP 0.75 mm, complete:	210.00
JR-C360UPK6	Union, 360um, 150um bore, for PEEK and FS tubing (for < 10 kpsi):	69.30	JR-CM2XPK	Mixing Tee, PEEK, LP 1.50 mm, complete:	210.00
JR-C360C	Cap, 360um, SS:	30.00	JR-070101-10	Adapter, PP, female to female Luer, 10-pkg:	29.00
JR-C360CFS	Cap, 360um, SS, for FS tubing > 10'000 psi:	50.40	JR-070111-10	Adapter, PP, female Luer to 1-16" barbed, 10-pkg:	36.00
JR-C360NFS	Nut, 360um, No Twist, for FS tubing (for < 10 kpsi):	37.80	JR-070112-10	Adapter, PP, female Luer to 3-32 barbed, 10-pkg:	36.00
JR-C360NFS6	Nut, 360um, No Twist, SS, with 316 ferrule:	18.90	JR-070113-10	Adapter, PP, female Luer to 1-8" barbed, 10-pkg:	36.00
JR-C360RU.5FS2	Reducing union 1-32" to 360um, 50um bore, for FS tubing (for > 10 kpsi	114.00	JR-070123-10	Adapter, PP, female Luer to 1-4"-28 male, 10-pkg:	15.00
JR-C360RU.5FS4	Reducing union 1-32" to 360um, 100um bore, for FS tubing (for > 10 kps	107.10	JR-070124-10	Adapter, PP, female Luer to 10-32 male, 10-pkg:	29.00
JR-C360RU.5FS6	Reducing union 1-32" to 360um, 150um bore, for FS tubing (for > 10 kps	100.80	JR-070211-10	Adapter, PP, male Luer to 1-16" barbed, 10-pkg:	27.00
JR-C360RU.5S62	Reducing union 1-32" to 360um, 50um bore, for metal tubing (up to 20 k	75.60	JR-070212-10	Adapter, PP, male Luer to 3-32 barbed, 10-pkg:	27.00
JR-C360RU.5S64	Reducing union 1-32" to 360um, 100um bore, for metal tubing (up to 20	69.30	JR-070213-10	Adapter, PP, male Luer to 1-8" barbed, 10-pkg:	27.00
JR-C360RU.5S66	Reducing union 1-32" to 360um, 150um bore, for metal tubing (up to 20	63.00	JR-070224-10	Adapter, PP, male Luer to 10-32 male, 10-pkg:	27.00
JR-C360RU1FS6	Reducing union 1-16" to 360um, 150um bore, for FS tubing (for > 10 kps	94.50	JR-070225-10	Adapter, PP, male Luer to 1-4"-28 male, 10-pkg:	27.00
JR-C360RU1S66	Reducing union 1-16" to 360um, 150um bore, for metal tubing (up to 20	56.80	JR-071123-10	Adapter, PP, 1-4"-28 thread to 1-16" barbed, 10-pkg:	29.00
JR-C360UFS2	Union, 360um, 50um bore, for FS tubing (for > 10 kpsi):	133.50	JR-071124-10	Adapter, PP, 10-32 thread to 1-16" barbed, 10-pkg:	29.00
JR-C360UFS4	Union, 360um, 100um bore, for FS tubing (for > 10 kpsi):	126.00	JR-071323-10	Adapter, PP, 1-4"-28 thread to 1-8" barbed, 10-pkg:	29.00
JR-C360UFS6	Union, 360um, 150um bore, for FS tubing (for > 10 kpsi):	120.00	JR-071324-10	Adapter, PP, 10-32 thread to 1-8" barbed, 10-pkg:	29.00
JR-C360US62	Union, 360um, 50um bore, for metal tubing (up to 20 kpsi):	94.50	JR-072350-10	Plug, PP, 1-4"-28, 10-pkg:	17.00
JR-C360US64	Union, 360um, 100um bore, for metal tubing (up to 20 kpsi):	88.30	JR-072450-10	Plug, PP, 10-32 male, 10-pkg:	17.00
JR-C360US66	Union, 360um, 150um bore, for metal tubing (up to 20 kpsi):	81.90	JR-075013	Barbed hose adapter, PP-PA, 1-4"-28 to 1-8" ID:	2.50
JR-031-10	Ferrule, ETFE, 1 mm, 10-pkg:	34.50	JR-201999-10	Plug, PP, 1-4"-28, black, 10-pkg:	15.00
JR-032-10	Ferrule, ETFE, 1-32", 10-pkg:	34.50	JR-660100	Valve, 3-port, manual, T-flow, complete, 200psi, .06" bore, 1-4-28 f	97.80
JR-041-10	Ferrule, ETFE, 1-16", 10-pkg:	15.00	JR-660110	Valve, 4-port, manual, T-flow, complete, 200psi, .06" bore, 1-4-28 f	103.50
JR-042-10	Ferrule, ETFE, 2.1 mm bore, 10 - pkg:	34.50	JR-660200	Valve, 2-port, manual, 180-flow, complete, 200psi, .06" bore, 1-4-28	92.00
JR-049-10	Ferrule, ETFE, 3 mm, 10-pkg:	34.50	JR-660210	Valve, 4-port, manual, 180-flow, complete, 200psi, .06" bore, 1-4-28 f	103.50
JR-051-10	Ferrule, ETFE, 1-8", 10-pkg:	15.00	JR-660300	Valve, 2-port, manual, 90-flow, complete, 200psi, .06" bore, 1-4-28 f	92.00
JR-201926-10	Ring, PP, flanged 1-16", 10-pkg:	7.00	JR-660310	Valve, 3-port, manual, 90-flow, complete, 200psi, .06" bore, 1-4-28 f	97.80
JR-201928-10	Ring, PP, flanged 1-8", 10-pkg:	7.00	JR-660320	Valve, 4-port, manual, 90-flow, complete, 200psi, .06" bore, 1-4-28 f	103.50
JR-55050-10	Nut, PPS, for collaps ferrule 1-16", 1-4"-28, 10-pkg:	19.00	JR-CFL-CB2KF	Ferrule, CTFE, collapsible, 1-8", 10-pkg:	31.50
JR-55051-10	Nut, PPS, for collaps ferrule 1-8", 1-4"-28, 10-pkg:	19.00	JR-PTAS	Peristaltic Tubing Adapter Set, complete:	50.00
JR-55060-10	Nut, PPS, flanged, 1-16", 1-4"-28, 10-pkg:	19.00	JR-CFE-S10-5	In-line filter Cartridge, 10 um, 5-pkg:	72.80
JR-55061-10	Nut, PPS, flanged, 1-8", 1-4"-28, 10-pkg:	19.00	JR-CFE-S2-5	In-line filter Cartridge, 2 um, 5-pkg:	72.80
JR-55070-10	Nut, PPS, flangeless, 1-16", 1-4"-28, 10-pkg:	20.00	JR-CFE-S75-5	In-line filter Cartridge, 75 um, 5-pkg:	72.80
JR-55071-10	Nut, PPS, flangeless, 1-8", 1-4"-28, 10-pkg:	19.00	JR-4676-10	Filter, SS, Economy mobile phase 10 um, body diam. 19 mm:	15.50
JR-55072-10	Nut, PPS, flangeless, 2.0 mm, 1-4"-28, 10-pkg:	22.00	JR-4676-10TF	Filter, PTFE, Economy mobile phase 10 um, body diam. 19 mm:	15.50
JR-55073-10	Nut, PPS, flangeless, 1.0 mm, 1-4"-28, 10-pkg:	22.00	JR-4676-2	Filter, SS, Economy mobile phase 2 um, body diam. 19 mm:	15.50
JR-CFL-CB1KF	Ferrule, CTFE, collapsible, 1-16", 10-pkg:	31.50	JR-4676-2.5TF	Filter, PTFE, Economy mobile phase 2.5 um, body diam. 19 mm:	15.50
JR-CFL-CB1PK	Ferrule, PEEK, collapsible 1-16", 10-pkg:	24.00	JR-4676-5TF	Filter, PTFE, Economy mobile phase 5 um, body diam. 19 mm:	15.50
JR-040BK-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, black, 10-pkg:	10.00	JR-4677-10	Filter, SS, Economy mobil phase 10 um, body diam. 22 mm:	19.30
JR-040BL-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, blue, 10-pkg:	10.00	JR-4677-10TF	Filter, PTFE, Economy mobile phase, 10 um, body diam. 22 mm:	19.30
JR-040GR-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, green, 10-pkg:	10.00	JR-4677-2	Filter, SS, Economy mobile phase 2 um, body diam. 22 mm:	19.30
JR-040RE-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, red, 10-pkg:	10.00	JR-4677-2.5TF	Filter, PTFE, Economy mobile phase, 2.5 um, body diam. 22 mm:	19.30
JR-040WH-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, white, 10-pkg:	10.00	JR-4677-5TF	Filter, PTFE, Economy mobile phase, 5 um, body diam. 22 mm:	19.30
JR-040WL-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, 1" long, white, 10-pkg:	15.00	JR-9000-0520	Filter, PTFE, Last Drop 2.5 um, tripod stepped tubing connector:	24.00
JR-040YL-10	Nut, Polyacetal, flangeless 1-16", 1-4"-28, yellow, 10-pkg:	10.00	JR-9000-0520F	Filter, PTFE, Last Drop 2.5 um, flangeless connector:	24.00
JR-050BK-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, black, 10-pkg:	10.00	JR-9000-0521	Filter, PTFE, Last Drop 5 um, tripod stepped tubing connector:	24.00
JR-050BL-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, blue, 10-pkg:	10.00	JR-9000-0521F	Filter, PTFE, Last Drop 5 um, flangeless connector:	24.00
JR-050GR-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, green, 10-pkg:	10.00	JR-9000-0522	Filter, PTFE, Last Drop 10 um, tripod stepped tubing connector:	24.00
JR-050RE-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, red, 10-pkg:	10.00	JR-9000-0522F	Filter, PTFE, Last Drop 10 um, flangeless connector:	24.00
JR-050WH-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, white, 10-pkg:	10.00	JR-9000-0522HF	Filter, PE, Last Drop 10 um, hydrophobic, tripod stepped tubing connec	24.00
JR-050WL-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, 1" long, white, 10-pkg:	15.00	JR-9000-0530	Filter, SS, Last Drop 10 um, hydrophobic, flangeless connector:	24.00
JR-050YL-10	Nut, Polyacetal, flangeless 1-8", 1-4"-28, yellow, 10-pkg:	10.00	JR-9000-0530F	Filter, SS, Last Drop 2 um, tripod stepped tubing connector:	24.00
JR-20116-10	Nut, PEEK, flangefree natural 1-8", 1-4"-28, 10-pkg:	97.00	JR-9000-0531	Filter, SS, Last Drop 5 um, tripod stepped tubing connector:	24.00
JR-20124-10	Nut, PEEK, flangefree natural 1-16", 1-4"-28, 10-pkg:	97.00	JR-9000-0531F	Filter, SS, Last Drop 2 um, flangeless connector:	24.00
JR-060-5	Union, Polyamid, LP body only, 1-4"-28, for flanged tubing only, 5-pk	12.00	JR-9000-0532	Filter, SS, Last Drop 10 um, tripod stepped tubing connector:	24.00
JR-201094BK-10	Nut, PP, flanged black 1-16", 1-4"-28, 10-pkg:	11.50	JR-9000-0532F	Filter, SS, Last Drop 10 um, fitting connector:	24.00
JR-201094WH-10	Nut, PP, flanged white 1-16", 1-4"-28, 10-pkg:	11.50	JR-32171	Filter, PTFE, mobile phase No-Met 5 um, 1-8":	48.00
JR-201580BK-10	Nut, PP, flanged black 1-8", 1-4"-28, 10-pkg:	11.50	JR-32172	Filter, PTFE, mobile phase replacement No-Met 5 um:	33.00
JR-201580WH-10	Nut, PP, flanged white 1-8", 1-4"-28, 10-pkg:	11.50	JR-32174	Filter, PE, Economy No-Met 20 um, 1-8":	3.40
JR-202118-10	Nut, PP, flanged black x-long, 1-16", 1-4"-28, 10-pkg:	14.00	JR-32178	Filter, PE, mobile phase No-Met 20 um, 1-8":	20.00
JR-202119-10	Nut, PP, flanged white x-long 1-8", 1-4"-28, 10-pkg:	14.00	JR-32179	Filter, PE, mobile phase replacement, No-Met 20 um:	2.30
JR-202120-10	Nut, PP, flanged white x-long, 1-16", 1-4"-28, 10-pkg:	14.00	JR-9000-0520B	Filter, Glass, Last Drop 1-1.6 um,boro 3.3 filter, incl. connector JR-	65.00
JR-202121-10	Nut, PP, flanged black x-long 1-8", 1-4"-28, 10-pkg:	14.00	JR-9000-0525GC	Connector, PTFE, for 1-8" tubing, Connector for JR-9000-0520B, .0526G	7.50
JR-202122-10	Nut, PP, flanged blue, 1-16", 1-4"-28, 10-pkg:	14.00	JR-9000-0526G	Filter, Glass, Last Drop, 16 um glass frit, incl. connector JR-9000-05	65.00
JR-202123-10	Nut, PP, flanged green, 1-16", 1-4"-28, 10-pkg:	14.00	JR-9000-0528G	Filter, Glass, Last Drop, 100 um glass frit, incl. connector JR-9000-0	65.00
JR-202124-10	Nut, PP, flanged yellow, 1-16", 1-4"-28, 10-pkg:	14.00	JR-367008-10	Filter, SS, mobile phase 10 um, fittings for 1-8" tubing:	20.00
JR-202125-10	Nut, PP, flanged red, 1-16", 1-4"-28, 10-pkg:	14.00	JR-367008-2	Filter, SS, mobile phase 2 um, fittings for 1-8" tubing:	20.00
JR-202142-10	Nut, PP, flanged blue 1-8", 1-4"-28, 10-pkg:	14.00	JR-367016-10	Filter, SS, mobile phase 10 um, fittings for 1-16" tubing:	20.00
JR-202143-10	Nut, PP, flanged green 1-8", 1-4"-28, 10-pkg:	14.00	JR-367016-2	Filter, SS, mobile phase 2 um, fittings for 1-16" tubing:	20.00
JR-202144-10	Nut, PP, flanged yellow 1-8", 1-4"-28, 10-pkg:	14.00	JR-367016-20	Filter, SS, mobile phase 20 um, fittings for 1-16" tubing:	20.00
JR-202145-10	Nut, PP, flanged red 1-8", 1-4"-28, 10-pkg:	14.00	JR-3675-2	Filter, SS, mobile phase 2 um, 1-8" pipe OD:	30.00
JR-064	Union, PEEK, LP 0.5mm bore, body only, 1-4"-28:	11.50	JR-3678-2	Filter, SS, mobile phase 2 um, 1-8" pipe OD:	42.00
JR-065	Union, PEEK, LP 1.3mm bore, body only, 1-4"-28:	12.00			
JR-068	Union, PEEK, LP 0.75 mm bore, body only, 1-4"-28:	12.00			

VICI / VALCO Preisliste in Euro, Stand Januar 2016

JR-3678-25	Filter, SS, mobile phase 25 um, 1-8" pipe OD:	42.00	JR-9000-0007	Cap, ETFE, Eco-Cap GL45:	28.20
JR-9000-0602	Filter-Sparger, PTFE, Last Drop 2.5 um filter, 10 um sparger:	75.00	JR-9000-0013	Kit, ETFE, Eco-Cap GL45, incl. 1 L Safety Coated Bottle:	66.50
JR-9000-0603	Filter-Sparger, PTFE, Last Drop 5 um filter, 10 um sparger:	75.00	JR-9000-0014	Kit, ETFE, Eco-Cap GL45, incl. 2 L Safety Coated Bottle:	99.00
JR-9000-0604	Filter-Sparger, PTFE, Last Drop 10 um filter, 10 um sparger:	75.00	JR-6120-50030	Solviflex, assembly without cap:	55.00
JR-9000-0604H	Filter-Sparger, PE, hydrophobic, last Drop, 10 um filter, 10 um sparger:	75.00	JR-9000-0011	Bottle, Glass, safety-coated 0.25 L with solid cap:	23.00
JR-9000-0640	Filter-Sparger, SS, Last Drop 2 um filter, 10 um sparger:	75.00	JR-9000-0012	Bottle, Glass, safety-coated 0.5 L with solid cap:	25.00
JR-9000-0641	Filter-Sparger, SS, Last Drop 5 um filter, 10 um sparger:	75.00	JR-S-20100	Safety CO2 Filter, for VICI Caps or VICI Safety Caps:	130.00
JR-9000-0642	Filter-Sparger, SS, Last Drop 10 um filter, 10 um sparger:	75.00	JR-S-20200	Safety Humidity Filter, for VICI Caps or VICI Safety Caps:	130.00
JR-0611-SS05-3	Sure-Guard, disposable In-Line Filter, SS frit 0.5 um, 3-pkg:	49.50	JR-F-255-079-10PE-5	Frit, PE, 0.255"OD, 0.079" thick, 10um, 5-pkg:	9.50
JR-0611-TI05-3	Sure-Guard, disposable In-Line Filter, Ti frit 0.5 um, 3-pkg:	49.50	JR-5FR1-5	Frit, SS, 1-16" diam. x 0.030" thickn., 0.5 um, 5-pkg:	10.00
JR-0611-TI2-3	Sure-Guard, disposable In-Line Filter, Ti frit 2.0 um, 3-pkg:	49.50	JR-5FR11T-5	Frit, Ti, 1-16" diam. x 0.062" thickn., 0.5 um, 5-pkg:	35.00
JR-0641-SS05	Sure-Guard, disposable In-Line Filter, SS frit 0.5 um, Waters type:	22.50	JR-5FR2-5	Frit, SS, 1-8" diam. x 0.040" thickn., 0.5 um, 5-pkg:	10.00
JR-0641-SS2	Sure-Guard, disposable In-Line Filter, SS frit 2 um, Waters type:	22.50	JR-5FR4-5	Frit, SS, 1-4" diam. x 0.040" thickn., 0.5 um, 5-pkg:	10.00
JR-0641-TI05	Sure-Guard, disposable In-Line Filter, Ti frit 0.5 um, Waters type:	22.50	JR-5FR6-5	Frit, SS, 3-8" diam. x 0.040" thickn., 0.5 um, 5-pkg:	20.00
JR-0641-TI2	Sure-Guard, disposable In-Line Filter, Ti frit 2 um, Waters type:	22.50	JR-5FR8-5	Frit, SS, 1-2" diam. x 0.040" thickn., 0.5 um, 5-pkg:	10.00
JR-68247	Filter, PEEK, In-Line, complete, frit Ti PEEK-encased 0.5 um:	65.00	JR-10FR1-5	Frit, SS, 1-16" diam. x 0.030" thickn., 10 um, 5-pkg:	10.00
JR-68253	Filter, PEEK, In-Line, frit Ti PEEK-encased 2 um:	59.80	JR-10FR1K-5	Frit, SS, 1" diam. x 0.060" thickn., 10 um, 5-pkg:	38.00
JR-68256	Filter, PEEK, In-Line, complete, frit Ti PEEK-encased 5 um:	65.00	JR-10FR2-5	Frit, SS, 1-8" diam. x 0.040" thickn., 10 um, 5-pkg:	10.00
JR-68257	Filter, PEEK, In-Line, complete, frit Ti PEEK-encased 10 um:	61.00	JR-10FR4-5	Frit, SS, 1-4" diam. x 0.040" thickn., 10 um, 5-pkg:	10.00
JR-68257PE	Filter, PEEK, In-Line, complete, frit PE-PEEK-encased 10 um:	61.00	JR-10FR6-5	Frit, SS, 3-8" diam. x 0.040" thickn., 10 um, 5-pkg:	10.00
JR-68258	Filter, PEEK, pre-column, frit Ti PEEK-encased 0.5 um:	64.00	JR-10FR8-5	Frit, SS, 1-2" diam. x 0.040" thickn., 10 um, 5-pkg:	20.00
JR-68262	Filter, PEEK, pre-column, frit Ti PEEK-encased 2 um:	64.00	JR-10FR8TI-5	Frit, Ti, 1-2" diam. x 0.040" thickn., 10 um, 5-pkg:	79.50
JR-68263	Filter, PEEK, pre-column, frit Ti PEEK-encased 5 um:	65.00	JR-1FR1-5	Frit, SS, 1-16" diam. x 0.030" thickn., 1 um, 5-pkg:	20.50
JR-68264	Filter, PEEK, pre-column, frit Ti PEEK-encased 10 um:	64.00	JR-1FR2-5	Frit, SS, 1-8" diam. x 0.030" thickn., 1 um, 5-pkg:	7.20
JR-68264PE	Filter, PEEK, pre-column, frit PE, PEEK-encased 10 um:	64.00	JR-2FR1-5	Frit, SS, 1-16" diam. x 0.030" thickn., 2 um, 5-pkg:	10.00
JR-69230-05	Filter, SS, pre-column, UHPLC, 0.5 um porosity:	100.00	JR-2FR1K-5	Frit, SS, 1" diam. x 0.060" thickn., 2 um, 5-pkg:	19.00
JR-69230-2	Filter, SS, pre-column, UHPLC, 2 um porosity:	100.00	JR-2FR1K1T-5	Frit, Ti, 1" diam. x 0.060" thickn., 2 um, 5-pkg:	149.00
JR-69230-5	Filter, SS, pre-column, UHPLC, 5 um porosity:	100.00	JR-2FR1TI-5	Frit, Ti, 1-16" diam. x 0.040" thickn., 2 um, 5-pkg:	57.50
JR-69330-05	Filter, SS, pre-column, UHPLC, 0.5 um porosity, complete with nut and	109.00	JR-2FR2-5	Frit, SS, 1-8" diam. x 0.040" thickn., 2 um, 5-pkg:	10.00
JR-69330-2	Filter, SS, pre-column, UHPLC, 2 um porosity, complete with nut and fe	109.00	JR-2FR2TI-5	Frit, Ti, 1-8" diam. x 0.040" thickn., 2 um, 5-pkg:	74.50
JR-69330-5	Filter, SS, pre-column, UHPLC, 5 um porosity, complete with nut and fe	109.00	JR-2FR4-5	Frit, SS, 1-4" diam. x 0.040" thickn., 2 um, 5-pkg:	10.00
JR-68230-05	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 0.5 um:	75.00	JR-2FR4TI-5	Frit, Ti, 1-4" diam. x 0.040" thickn., 2 um, 5-pkg:	99.00
JR-68230-2	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 2 um:	75.00	JR-2FR6-5	Frit, SS, 3-8" diam. x 0.040" thickn., 2 um, 5-pkg:	11.00
JR-68230-5	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 5 um:	75.00	JR-2FR6TI-5	Frit, Ti, 3-8" diam. x 0.040" thickn., 2 um, 5-pkg:	99.00
JR-68231-05	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 0.5 um:	75.00	JR-2FR8-5	Frit, SS, 1-2" diam. x 0.040" thickn., 2 um, 5-pkg:	15.00
JR-68231-2	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 2 um:	75.00	JR-2FR8TI-5	Frit, Ti, 1-2" diam. x 0.040" thickn., 2 um, 5-pkg:	115.50
JR-68231-5	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 5 um:	75.00	JR-1100-05P-5	Frit, SS, PEEK-encased, 1-4" diam. x 0.062" thickn., 0.5 um, 5-pkg:	35.00
JR-68330-05	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 0.5 um, with nuts and	83.00	JR-1100-2P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 2 um, 5-pkg:	35.00
JR-68330-2	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 2 um, with nuts and	83.00	JR-1101-05P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 0.5 um, 5-pkg:	35.00
JR-68330-5	Filter, SS, In-Line ID 0.25 mm, complete, frit SS 5 um, with nuts and	83.00	JR-1101-2P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 2 um, 5-pkg:	35.00
JR-68331-05	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 0.5 um, with nuts and	83.00	JR-1102-05P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 0.5 um, 5-pkg:	35.00
JR-68331-2	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 2 um, with nuts and	83.00	JR-1102-2P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 2 um, 5-pkg:	35.00
JR-68331-5	Filter, SS, In-Line ID 0.75 mm, complete, frit SS 5 um, with nuts and	83.00	JR-1103-05P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.032" thickn., 0.5 um, 5-pkg:	35.00
JR-S-20003	Safety Air Inlet Valve, with 4 mm filter, for VICI Caps or VICI Safety	30.00	JR-1103-2P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.032" thickn., 2 um, 5-pkg:	35.00
JR-S-20004	Safety Air Outlet Valve, with 4 mm filter, for VICI Caps or VICI Safet	30.00	JR-1104-05P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 0.5 um, 5-pkg:	35.00
JR-S-20006	Safety Air Inlet Valve, without filter, for VICI Caps or VICI Safety C	28.00	JR-1104-2P-5	Frit, SS, PEEK enc., 1-4" diam. x 0.062" thickn., 2 um, 5-pkg:	35.00
JR-S-20007	Filter, cellulose, 4 mm, 0.2um for Air Inlet Valve:	5.00	JR-1110-05P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 0.5 um, 5-pkg:	35.00
JR-S-20008	Filter, cellulose, 15mm, 0.2 um for Air Inlet Valve:	5.00	JR-1110-2P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 2 um, 5-pkg:	35.00
JR-S-20009	Safety Air Inlet Valve, with 15 mm filter, for VICI Caps or VICI Safet	30.00	JR-1111-05P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 0.5 um, 5-pkg:	35.00
JR-S-20002	Safety Exhaust Filter, for VICI Caps or VICI Safety Caps:	112.00	JR-1111-10P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 10 um, 5-pkg:	35.00
JR-S-20005	Safety Exhaust filter with Breakthrough Detector, for VICI Caps or VIC	160.00	JR-1111-2P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 2 um, 5-pkg:	35.00
JR-S-40004	Adapter connecting JR-S-20002-JR-S-20005, in SCAT-AIT Caps:	9.50	JR-1111-5P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 5 um, 5-pkg:	35.00
JR-9000-0005	Bottle, Glass, safety-coated 1 L with solid cap:	40.30	JR-1125-05P-5	Frit, Ti, 4.6 mm diam. 0.5 um, PEEK-encased 0.25" x 0.062" thick, 5-p	45.00
JR-9000-0010	Bottle, Glass, safety-coated 2 L with solid cap:	70.00	JR-1125-10P-5	Frit, Ti, 4.6 mm diam. 10 um, PEEK-encased 0.25" x 0.062" thick, 5-pk	45.00
JR-S-11111	VICI-Safety-Cap GL45, 2 ports, Kit 1 L:	170.00	JR-1125-2P-5	Frit, Ti, 4.6 mm diam. 2 um, PEEK-encased 0.25" x 0.062" thick, 5-pkg	45.00
JR-S-11112	VICI-Safety-Cap GL45, 3 ports, Kit 1 L:	220.00	JR-1125-5P-5	Frit, Ti, 4.6 mm diam. 5 um, PEEK-encased 0.25" x 0.062" thick, 5-pkg	45.00
JR-S-11113	VICI-Safety-Cap GL45, 4 ports, Kit 1 L:	256.60	JR-1127-05P-5	Frit, Ti, 3.2 mm diam. 0.5 um, PEEK-encased 0.125 x 0.062" thick, 5-p	45.00
JR-S-11211	VICI-Safety-Cap GL45, 2 ports, Kit 2 L:	200.00	JR-1127-2P-5	Frit, Ti, 3.2 mm diam. 2 um, PEEK-encased 0.125 x 0.062" thick, 5-pkg	45.00
JR-S-11212	VICI-Safety-Cap GL45, 3 ports, Kit 2 L:	237.50	JR-1128-5P-5	Frit, Ti, 2.6 mm diam. 5 um, 5-pkg, PEEK-encased 0.2" x 0.062" thick:	45.00
JR-S-11213	VICI-Safety-Cap GL45, 4 ports, Kit 2 L:	285.00	JR-1150-10P-5	Frit, PE, 2.5 mm diam. 10 um, 5-pkg, PEEK-encased 0.2" x 0.059" thick	30.00
JR-S-40008	O-Ring FEP coated, GL45 Caps:	18.00	JR-1151-10P-5	Frit, PE, 4.9 mm diam. 10 um, 5-pkg, PEEK-encased 0.25" x 0.059" thick	30.00
JR-S-11011	VICI-Safety-Cap GL45, 2 ports, with valves:	115.00	JR-65001NF	Column, PEEK, 30 x 2.1 mm ID, w-o frits:	60.00
JR-S-11012	VICI-Safety-Cap GL45, 3 ports, with valves:	144.00	JR-65002NF	Column, PEEK, 50 x 2.1 mm ID, w-o frits:	65.00
JR-S-11013	VICI-Safety-Cap GL45, 4 ports, with valves:	170.00	JR-65003NF	Column, PEEK, 100 x 2.1 mm ID, w-o frits:	80.00
JR-S-15011	VICI-Safety-Cap DIN 50, 2 ports, with valves:	150.00	JR-65005NF	Column, PEEK, 150 x 2.1 mm ID, w-o frits:	95.00
JR-S-15012	VICI-Safety-Cap DIN 50, 3 ports, with valves:	175.00	JR-65006NF	Column, PEEK, 250 x 2.1 mm ID, w-o frits:	120.00
JR-S-15013	VICI-Safety-Cap DIN 50, 4 ports, with valves:	200.00	JR-66140	Column endfitting, PEEK, for 4.0 and 4.6 mm ID columns:	30.00
JR-201999	Plug, PP, 1-4"-28, black:	1.50	JR-68181NF	Column, PEEK, 50 x 4.0 mm ID, w-o frits:	95.00
JR-S-11001	VICI-Cap GL45, 2 ports:	45.50	JR-68182NF	Column, PEEK, 100 x 4.0 mm ID, w-o frits:	113.50
JR-S-11002	VICI-Cap GL45, 3 ports:	48.00	JR-68183NF	Column, PEEK, 125 x 4.0 mm ID, w-o frits:	130.00
JR-S-11003	VICI-Cap GL45, 4 ports:	50.50	JR-68184NF	Column, PEEK, 150 x 4.0 mm ID, w-o frits:	130.00
JR-S-11005	VICI-Cap GL45, 6 ports:	60.00	JR-68185NF	Column, PEEK, 250 x 4.0 mm ID, w-o frits:	150.00
JR-S-11006	VICI-Cap GL45, 7 ports:	62.00	JR-68186NF	Column, PEEK, 300 x 4.0 mm ID, w-o frits:	180.00
JR-S-11101	VICI-Cap GL45, 2 ports, Kit 1 L:	100.00	JR-27305	Column, PEEK, Packing reservoir, for P-N JR-68242:	160.00
JR-S-11102	VICI-Cap GL45, 3 ports, Kit 1 L:	122.00	JR-65011	Replacement packing seal, PEEK, for 2.1 mm ID columns:	4.50
JR-S-11103	VICI-Cap GL45, 4 ports, Kit 1 L:	148.00	JR-66158	Replacement packing seal, PEEK, for 4.0 and 4.6 mm ID columns:	15.00
JR-S-11201	VICI-Cap GL45, 2 ports, Kit 2 L:	130.00	JR-67140-1B	Packing adapter, column Union, PEEK, 1-2"-20 UNF to 1-4"-28 UNF:	64.00
JR-S-11202	VICI-Cap GL45, 3 ports, Kit 2 L:	154.00	JR-67140-2B	Packing adapter, PEEK, for 4.0 and 4.6 mm ID columns:	64.00
JR-S-11203	VICI-Cap GL45, 4 ports, Kit 2 L:	177.00	JR-67-250-2A	Packing kit, PEEK, for 2.1 mm ID columns, complete:	190.00
JR-S-13001	VICI-Cap GL38, 2 ports:	43.00	JR-67-250-4	Packing Kit, PEEK, for 4.0 and 4.6 mm ID columns, complete:	190.00
JR-S-13002	VICI-Cap GL38, 3 ports:	45.00	JR-68242T1	Column, PEEK, guard cartridge 8.0 x 3.0 mm ID, complete with 2 pcs Ti-	15.50
JR-S-13003	VICI-Cap GL38, 4 ports:	48.00	JR-68242T2	Column, PEEK, guard cartridge 8.0 x 3.0 mm ID, complete with 2 pcs Ti-	17.30
JR-S-14002	VICI-Cap S40, 3 ports:	45.00	JR-68252T1	Column, PEEK, guard cartridge holder, complete, with 1 x guard column	69.00
JR-S-15001	VICI-Cap DIN 50, 2 ports:	85.00	JR-68252T2	Column, PEEK, guard cartridge holder, complete, with 1 x guard column	69.00
JR-S-15002	VICI-Cap DIN 50, 3 ports:	88.00	JR-9	Packing seal, CTFE, Ring, Ke-F, 1-4" x 4.6 x 1.57 mm:	7.00
JR-S-15003	VICI-Cap DIN 50, 4 ports:	90.00	JR-F-197-062-2TINC	Frit, Ti, 0.197 diam., 0.062" thick, 2 um, no chamfer:	3.70
JR-S-40006	Adapter Ring VICI Caps GL 38:	9.00	JR-F-197-062-5TI	Frit, Ti, 0.197 diam., 0.062" thick, 5 um, no chamfer:	3.70
JR-S-40009	O-Ring, FEP coated, GL38 Caps:	15.00	JR-26501	Coupler, red, PEEK, universal 0.13 mm ID:	27.00
JR-S-11023	VICI-Cap GL45, 4 ports, for angled barbed adapter, incl. nuts and ferr	80.00	JR-26502	Coupler, yellow, PEEK, universal 0.17 mm ID:	27.00
JR-S-18004	VICI-Cap GLS 80, 5 ports, incl. nuts, ferrules and Plug 1-4":	187.00	JR-26503	Coupler, blue, PEEK, universal 0.25 mm ID:	27.00
JR-S-18014	VICI-Cap GLS 80, 5 ports, for angled barbed adapt., incl. nuts and ferr	178.00	JR-26504	Coupler, orange, PEEK, universal 0.50 mm ID:	27.00
JR-S-15103	VICI-Cap S 51, 4 ports, incl. nuts, ferrules and Plug 1-4":	112.00	JR-4071-10	Plug, white, Nylon, column endstopper, 10-32, 10-pkg:	8.50
JR-S-15113	VICI-Cap S 51, 4 ports, for angled barbed adapter, incl. nuts and ferr	104.00	JR-4072-10	Plug, black, Nylon, column endstopper, 10-32, 10-pkg:	8.50
JR-S-16003	VICI-Cap DIN 60, 4 ports, incl. nuts, ferrules and Plug 1-4":	112.00	JR-4073-10	Plug, red, Nylon, column endstopper, 10-32, 10-pkg:	8.50
JR-S-16013	VICI-Cap DIN 60, 4 ports, for angled barbed adapt., incl. nuts and ferr	104.00	JR-4074-10	Plug, green, Nylon, column endstopper, 10-32, 10-pkg:	8.50
JR-S-16103	VICI-Cap S 61, 4 ports, incl. nuts, ferrules and Plug 1-4":	110.00	JR-4075-10	Plug, blue, Nylon, column endstopper, 10-32, 10-pkg:	8.50
JR-S-16113	VICI-Cap S 61, 4 ports, for angled barbed adapter, incl. nuts and ferr	104.00	JR-4081-10	Plug, white, Nylon, column endstopper, 10-32, 10-pkg:	6.00
JR-S-15303	VICI-Cap B 53, 4 ports, incl. nuts, ferrules and Plug 1-4":	187.00	JR-4082-10	Plug, black, Nylon, column endstopper, 10-32, 10-pkg:	6.00
JR-S-15313	VICI-Cap B 53, 4 ports, for angled barbed adapter, incl. nuts and ferr	178.00	JR-4083-10	Plug, red, Nylon, column endstopper, 10-32, 10-pkg:	6.00
JR-S-18304	VICI-Cap B 83, 5 ports, incl. nuts, ferrules and Plug 1-4":	237.50	JR-4084-10	Plug, green, Nylon, column endstopper, 10-32, 10-pkg:	6.00
JR-S-18314	VICI-Cap B 83, 5 ports, for angled barbed adapt., incl. nuts and ferru	242.00	JR-4085-10	Plug, blue, Nylon, column endstopper, 10-32, 10-pkg:	6.00
JR-S-40007	Plug, PTFE, 1-2"-20, for JR-CFL-4D:	9.00	JR-800	Tool, ValvTool 1-4" and 5-16" open wrench:	30.00
JR-S-40104	Adapter, angled, Nylon, barbed for 4 mm ID tubing, to thread:	6.00	JR-5005-5	Frit Ferrule, PEEK, 1-16", 5-pkg:	16.00
JR-S-40106	Adapter, angled, Nylon, barbed for 6 mm ID tubing, to thread:	6.00	JR-SLC-85-10	Sample Loop, PEEK, Cheminert, 10 ul:	28.00
JR-S-40108	Adapter, angled, Nylon, barbed for 8 mm ID tubing, to thread:	6.00	JR-SLC-85-100	Sample Loop, PEEK, Cheminert, 100 ul:	33.00
JR-S-40200	1-2-20 to 1-4-28 Adapter, for Waste Caps:	1			

JR-SLC-85-200	Sample Loop, PEEK, Cheminert, 200 ul:	33.00	JR-T-6812C	Tubing, FEP, 1-16" x 0.25 mm ID, blue solid:	12.70
JR-SLC-85-250	Sample Loop, PEEK, Cheminert, 250 ul:	33.00	JR-T-6105	Tubing, FEP, 1.0 x 0.50 mm ID, natural:	6.30
JR-SLC-85-300	Sample Loop, PEEK, Cheminert, 300 ul:	33.00	JR-T-6210	Tubing, FEP, 2.0 x 1.0 mm ID, natural:	6.30
JR-SLC-85-5	Sample Loop, PEEK, Cheminert, 5 ul:	28.00	JR-T-6310	Tubing, FEP, 3.0 x 1.0 mm ID, natural:	10.40
JR-SLC-85-50	Sample Loop, PEEK, Cheminert, 50 ul:	28.00	JR-T-6320	Tubing, FEP, 3.0 mm OD x 2.0 mm ID:	9.80
JR-SLC-85-500	Sample Loop, PEEK, Cheminert, 500 ul:	42.00	JR-T-6605	Tubing, FEP, 1-32" x 0.13 mm ID, natural:	12.70
JR-SLR-2190	Sample Loop, PEEK, Rheodyne, 1 ul:	29.00	JR-T-6606	Tubing, FEP, 1-32" x 0.15 mm ID, natural:	12.70
JR-SLR-2191	Sample Loop, PEEK, Rheodyne, 2 ul:	29.00	JR-T-6607	Tubing, FEP, 1-32" x 0.18 mm ID, natural:	12.70
JR-SLR-2192	Sample Loop, PEEK, Rheodyne, 3 ul:	29.00	JR-T-6610	Tubing, FEP, 1-32" x 0.25 mm ID, natural:	12.70
JR-SLR-2193	Sample Loop, PEEK, Rheodyne, 4 ul:	29.00	JR-T-6615	Tubing, FEP, 1-32" x 0.38 mm ID, natural:	12.70
JR-SLR-2194	Sample Loop, PEEK, Rheodyne, 5 ul:	29.00	JR-T-6620	Tubing, FEP, 1-32" x 0.50 mm ID, natural:	12.70
JR-SLR-2195	Sample Loop, PEEK, Rheodyne, 20 ul:	32.00	JR-T-6702	Tubing, FEP, 1-16" x 0.30 mm ID, natural:	12.70
JR-SLR-2196	Sample Loop, PEEK, Rheodyne, 10 ul:	30.50	JR-T-6704	Tubing, FEP, 1-16" x 0.10 mm ID, natural:	12.70
JR-SLR-2200	Sample Loop, PEEK, Rheodyne, 30 ul:	31.50	JR-T-6705	Tubing, FEP, 1-16" x 0.13 mm ID, natural:	12.70
JR-SLR-2201	Sample Loop, PEEK, Rheodyne, 40 ul:	33.00	JR-T-6706	Tubing, FEP, 1-16" x 0.15 mm ID, natural:	12.70
JR-SLR-2202	Sample Loop, PEEK, Rheodyne, 50 ul:	31.50	JR-T-6707	Tubing, FEP, 1-16" x 0.18 mm ID, natural:	12.70
JR-SLR-2204	Sample Loop, PEEK, Rheodyne, 100 ul:	34.00	JR-T-6708	Tubing, FEP, 1-16" x 0.20 mm ID, natural:	12.70
JR-SLR-2206	Sample Loop, PEEK, Rheodyne, 200 ul:	36.00	JR-T-6794	Tubing, FEP, 1-32" x 0.10 mm ID:	12.70
JR-SLR-2207	Sample Loop, PEEK, Rheodyne, 250 ul:	38.00	JR-T-6802	Tubing, FEP, 1-16" x 0.50 mm ID:	3.60
JR-SLR-2210	Sample Loop, PEEK, Rheodyne, 500 ul:	48.50	JR-T-6803	Tubing, FEP, 1-16" x 0.75 mm ID:	3.20
JR-SLR-2222	Sample Loop, PEEK, Rheodyne, 1 mL:	66.50	JR-T-6804	Tubing, FEP, 1-8" OD x 1.59 mm ID:	9.00
JR-SLV-75-10	Sample Loop, PEEK, Valco, 10 ul:	30.50	JR-T-6806	Tubing, FEP, 1-16" x 1.0 mm ID:	3.10
JR-SLV-75-100	Sample Loop, PEEK, Valco, 100 ul:	33.00	JR-T-6809	Tubing, FEP, 1-4" x 4.35 mm ID:	9.80
JR-SLV-75-1000	Sample Loop, PEEK, Valco, 1 mL:	62.00	JR-T-6812	Tubing, FEP, 1-16" x 0.25 mm ID:	4.00
JR-SLV-75-20	Sample Loop, PEEK, Valco, 20 ul:	32.00	JR-T-6813	Tubing, FEP, 1-8" x 2.1 mm ID:	10.40
JR-SLV-75-250	Sample Loop, PEEK, Valco, 250 ul:	49.00	JR-T-6835	Tubing, FEP, 3-16" x 3.18 mm ID:	13.80
JR-SLV-75-5	Sample Loop, PEEK, Valco, 5 ul:	30.50	JR-T-4011	Tubing, PTFE, 1-16" x 0.25 mm ID:	2.40
JR-SLV-75-50	Sample Loop, PEEK, Valco, 50 ul:	32.00	JR-T-4011C	Tubing, PTFE, 1-16" x 0.25 mm ID, blue:	2.80
JR-SLV-75-500	Sample Loop, PEEK, Valco, 500 ul:	49.00	JR-T-4036	Tubing, PTFE, 1-16" x 0.75 mm ID:	2.40
JR-SLC-86-10	Sample Loop, SS, Cheminert, 10 ul:	37.00	JR-T-4036C	Tubing, PTFE, 1-16" x 0.75 mm ID green:	2.60
JR-SLC-86-100	Sample Loop, SS, Cheminert, 100 ul:	32.40	JR-T-4037	Tubing, PTFE, 1-8" x 2.40 mm ID:	3.40
JR-SLC-86-1000	Sample Loop, SS, Cheminert, 1 ml:	60.40	JR-T-4039	Tubing, PTFE, 4.0 x 3.0 mm ID:	5.10
JR-SLC-86-20	Sample Loop, SS, Cheminert, 20 ul:	32.40	JR-T-4183	Tubing, PTFE, 1-16" x 0.50 mm ID:	2.40
JR-SLC-86-250	Sample Loop, SS, Cheminert, 250 ul:	37.00	JR-T-4183C	Tubing, PTFE, 1-16" x 0.50 mm orange:	2.60
JR-SLC-86-5	Sample Loop, SS, Cheminert, 5 ul:	32.40	JR-T-6800	Tubing, PTFE, 1-8" x 1.59 mm ID:	3.70
JR-SLC-86-50	Sample Loop, SS, Cheminert, 50 ul:	32.40	JR-T-6801	Tubing, PTFE, 2.0 x 1.70 mm ID:	1.80
JR-SLC-86-500	Sample Loop, SS, Cheminert, 500 ul:	37.00	JR-T-6805	Tubing, PTFE, 1-16" x 0.18 mm ID:	1.80
JR-SLV-76-10	Sample Loop, SS, Valco, 10 ul:	27.60	JR-T-6807	Tubing, PTFE, 1-16" x 1.0 mm ID:	1.80
JR-SLV-76-100	Sample Loop, SS, Valco, 100 ul:	27.60	JR-T-6808	Tubing, PTFE, 1-16" x 0.25 mm ID, black:	2.90
JR-SLV-76-1000	Sample Loop, SS, Valco, 1 mL:	42.20	JR-T-6811	Tubing, PTFE, 1-16" x 0.50 mm ID, black:	2.90
JR-SLV-76-20	Sample Loop, SS, Valco, 20 ul:	27.60	JR-6141	Insert, KEL-F, for Impermeable fitting:	4.00
JR-SLV-76-250	Sample Loop, SS, Valco, 250 ul:	33.10	JR-T-6130	Tubing, Impermeable, 1-8" x 1.65 mm ID:	16.90
JR-SLV-76-5	Sample Loop, SS, Valco, 5 ul:	27.60	JR-T-625-04	Tubing, SS, 1-16" x 0.13 mm ID:	7.90
JR-SLV-76-50	Sample Loop, SS, Valco, 50 ul:	27.60	JR-T-625-05	Tubing, SS, 1-16" x 0.18 mm ID:	7.90
JR-SLV-76-500	Sample Loop, SS, Valco, 500 ul:	36.20	JR-T-625-10	Tubing, SS, 1-16" x 0.25 mm ID:	7.90
JR-SLR-111	Sample Loop, SS, Rheodyne, 5 ul:	42.30	JR-T-625-20	Tubing, SS, 1-16" x 0.50 mm ID:	7.20
JR-SLR-111-77	Sample Loop, SS, Rheodyne 7725, 5 ul:	42.30	JR-T-625-30	Tubing, SS, 1-16" x 0.75 mm ID:	5.90
JR-SLR-112	Sample Loop, SS, Rheodyne, 10 ul:	38.60	JR-T-625-40	Tubing, SS, 1-16" x 1.0 mm ID:	5.20
JR-SLR-112-77	Sample Loop, SS, Rheodyne 7725, 10 ul:	38.60	JR-T-626-00	Tubing, SS, 1-8" x 2.1 mm ID:	4.70
JR-SLR-113	Sample Loop, SS, Rheodyne, 20 ul:	38.60	JR-TSS.505	Tubing, Premium, SS, 1-32" OD x 0.13 mm ID:	19.50
JR-SLR-113-77	Sample Loop, SS, Rheodyne 7725, 20 ul:	38.60	JR-TSS.507	Tubing, Premium, SS, 1-32" OD x 0.18 mm ID:	19.50
JR-SLR-114	Sample Loop, SS, Rheodyne, 50 ul:	38.60	JR-TSS.510	Tubing, Premium, SS, 1-32" OD x 0.25 mm ID:	19.50
JR-SLR-114-77	Sample Loop, SS, Rheodyne 7725, 50 ul:	38.60	JR-TSS.520	Tubing, Premium, SS, 1-32" OD x 0.50 mm ID:	19.50
JR-SLR-115	Sample Loop, SS, Rheodyne, 100 ul:	38.60	JR-TSS105	Tubing, Premium, SS, 1-16" OD x 0.18 mm ID:	19.50
JR-SLR-115-77	Sample Loop, SS, Rheodyne 7725, 100 ul:	38.60	JR-TSS110	Tubing, Premium, SS, 1-16" OD x 0.25 mm ID:	19.50
JR-SLR-116	Sample Loop, SS, Rheodyne, 200 ul:	43.10	JR-TSS115	Tubing, Premium, SS, 1-16" OD x 0.38 mm ID:	19.50
JR-SLR-116-77	Sample Loop, SS, Rheodyne 7725, 200 ul:	42.60	JR-TSS120	Tubing, Premium, SS, 1-16" OD x 0.50 mm ID:	19.50
JR-SLR-117	Sample Loop, SS, Rheodyne, 500 ul:	48.30	JR-TSS130	Tubing, Premium, SS, 1-16" OD x 0.75 mm ID:	19.50
JR-SLR-117-77	Sample Loop, SS, Rheodyne 7725, 500 ul:	48.30	JR-TSS140	Tubing, Premium, SS, 1-16" OD x 1.00 mm ID:	19.50
JR-SLR-118	Sample Loop, SS, Rheodyne, 1 mL:	54.60	JR-TSS230	Tubing, Premium, SS, 1-8" OD x 0.75 mm ID:	26.90
JR-SLR-118-77	Sample Loop, SS, Rheodyne 7725, 1 mL:	54.60	JR-TSS240	Tubing, Premium, SS, 1-8" OD x 1.00 mm ID:	26.90
JR-201531	Easy-Flange, clamp pair, Spare part for JR-201540B:	69.00	JR-TSS260	Tubing, Premium, SS, 1-8" OD x 1.52 mm ID:	26.90
JR-201532	Easy-Flange, flanger and distance gauge:	29.90	JR-TSS267	Tubing, Premium, SS, 1-8" OD x 1.70 mm ID:	26.90
JR-201536	Easy-Flange, flanging disc with 1.3 mm polymer pin:	13.80	JR-TSS285	Tubing, Premium, SS, 1-8" OD x 2.16 mm ID:	24.00
JR-201537	Easy-Flange, flanging disc with 1.3 mm Titanium pin:	23.00	JR-55010	Color-It, blue, fingertight adapter, 10-pkg:	9.00
JR-201539	Easy-Flange, combi kit in plastic case:	207.00	JR-55010A	Color-It, blue, fingertight adapter:	9.00
JR-201540	Easy-Flange, kit in plastic case:	199.10	JR-55011	Color-It, yellow, fingertight adapter, 10-pkg:	9.00
JR-201540L	Box, for JR-201540, with foam insert:	18.40	JR-55011A	Color-It, yellow, fingertight adapter:	9.00
JR-201541	Easy-Flange, flanging disc with 0.8 mm polymer pin:	13.80	JR-55012	Color-It, green, fingertight adapter, 10-pkg:	9.00
JR-201554	Easy-Flange, flanging disc with 0.8 mm Titanium pin:	23.00	JR-55012A	Color-It, green, fingertight adapter:	9.00
JR-202235	Easy-Flange flanging disc, with 0.5 mm SS pin for PEEK tubing:	23.00	JR-55013	Color-It, black, fingertight adapter, 10-pkg:	9.00
JR-357090-5	Tubing Elbow 90°, 5-pkg:	9.00	JR-55013A	Color-It, black, fingertight adapter:	9.00
JR-357180-5	Tubing Elbow 180°, 5-pkg:	10.50	JR-55014	Color-It, white, fingertight adapter, 10-pkg:	9.00
JR-794	Tool, Guillotine Cutter for polymer tubing:	8.50	JR-55014A	Color-It, white, fingertight adapter:	9.00
JR-795	Tool, replacement blade for JR-794:	3.20	JR-55015	Color-It, red, fingertight adapter, 10-pkg:	9.00
JR-797	Tool, Clean-Cut Tubing Cutter:	19.00	JR-55015A	Color-It, red, fingertight adapter:	9.00
JR-798	Tool, replacement blade for JR-797:	2.50	JR-55080	Adapter, natural, PP, fingertight sleeve:	8.00
JR-9001	Tubing Clip:	2.60	JR-55081	Adapter, white, PP, fingertight sleeve:	8.00
JR-792	Tool, Tubing Cutter for metal tubing:	79.00	JR-55082	Adapter, dark grey, PP, fingertight sleeve:	8.00
JR-793	Tool, replacement cutter wheel for JR-792:	14.00	JR-55083	Adapter, black, PP, fingertight sleeve:	8.00
JR-796	Tool, Tubing Plier for metal tubing:	16.70	JR-55084	Adapter, lavender, PP, fingertight sleeve:	8.00
JR-802	Tool, file:	19.00	JR-55086	Adapter, yellow, PP, fingertight sleeve:	8.00
JR-BPR1	Backpressure Regulator, variable 15 - 300psi, max. 50C, complete, for	95.00	JR-55087	Adapter, orange, PP, fingertight sleeve:	8.00
JR-BPR1-KF	Backpressure Regulator, variable 15 - 300 psi, max. 50 C, complete, fo	115.00	JR-55088	Adapter, brown, PP, fingertight sleeve:	8.00
JR-BPR2	Backpressure Regulator, variable 300 - 1500psi, max. 50C, complete, fo	95.00	JR-55089	Adapter, green, PP, fingertight sleeve:	8.00
JR-BPR2-KF	Backpressure Regulator, variable 300 - 1500 psi, max. 50 C, complete,	115.00	JR-55090	Adapter, blue, PP, fingertight sleeve:	8.00
JR-804	Tool, wrench 1-4" x 5-16":	15.00	JR-55091	Adapter, purple, PP, fingertight sleeve:	8.00
JR-805	Tool, wrench 3-8" x 7-16":	15.00	JR-55100	Fitting, PEEK, one-piece hex-head short:	5.80
JR-806	Tool, Tweezers, Polypropylen, Pinzette:	9.00	JR-55110	Fitting, PEEK, one-piece hex-head long:	5.80
JR-FRK1	Ferrule removal kit:	36.30	JR-5520N	Fitting, PEEK HT, 1-16" one-piece hex-head short, natural, 10-32, 10'	12.00
JR-FRK2	Ferrule removal kit, For 1-16" and 1-8" ferrules:	60.00	JR-5525N	Fitting, PEEK HT, 1-32" one-piece hex-head short, natural, 6-40, 9'000	11.00
JR-HKS	Hex key set:	18.90	JR-58000	Fitting, PPS, one-piece fingertight, narrow hex-head, 10-32:	3.70
JR-35P	PEEK Starter Kit:	332.50	JR-5502	Fitting, PEEK, one-piece, 10-32:	6.90
JR-35S	Stainless Steel Starter Kit:	437.00	JR-55020-1	Fitting, natural, PEEK, one-piece, 10-32:	5.00
JR-34N	Kit, Chrombox:	437.00	JR-55021-1	Fitting, black, PEEK, one-piece, 10-32:	5.00
JR-T-6604C	Tubing, FEP, 1-32" x 0.10 mm ID, black solid:	12.70	JR-55022-1	Fitting, red, PEEK, one-piece, 10-32:	5.00
JR-T-6605C	Tubing, FEP, 1-32" x 0.13 mm ID, red solid:	12.70	JR-55023-1	Fitting, yellow, PEEK, one-piece, 10-32:	5.00
JR-T-6606C	Tubing, FEP, 1-32" x 0.15 mm ID, purple solid:	12.70	JR-55024-1	Fitting, blue, PEEK, one-piece, 10-32:	5.00
JR-T-6607C	Tubing, FEP, 1-32" x 0.18 mm ID, yellow solid:	12.70	JR-55025-1	Fitting, green, PEEK, one-piece, 10-32:	5.00
JR-T-6610C	Tubing, FEP, 1-32" x 0.25 mm ID, blue solid:	12.70	JR-5504	Fitting, PEEK, one-piece fingertight short head:	9.00
JR-T-6620C	Tubing, FEP, 1-32" x 0.50 mm ID, orange solid:	12.70	JR-5507	Fitting, PEEK, one-piece fingertight long:	6.90
JR-T-6704C	Tubing, FEP, 1-16" x 0.10 mm ID, black, solid:	12.70	JR-5508	Fitting, PEEK, 1-16" OD tubing, one-piece fingertight hex-head, 10-32:	9.00
JR-T-6705C	Tubing, FEP, 1-16" x 0.13 mm ID, red solid:	12.70	JR-LZNF1KF	Fitting, PEEK, No Twist, 10-32, 1-16", long, hex-head with CTFE Ferrul	15.90
JR-T-6706C	Tubing, FEP, 1-16" x 0.15 mm ID, purple solid:	12.70	JR-LZNF1PK	Fitting, PEEK, No Twist, 10-32, 1-16", long, hex-head with PEEK Ferrul	15.90
JR-T-6707C	Tubing, FEP, 1-16" x 0.18 mm ID, yellow solid:	12.70	JR-LZNF1PKG	Fitting, PEEK, No Twist, 10-32, 1-16", long, hex-head with glass file	16.20
JR-T-6802C	Tubing, FEP, 1-16" x 0.50 mm ID, orange solid:	12.70	JR-MZNF1KF	Fitting, PEEK, No Twist, 10-32, 1-16", medium, hex-head with CTFE Ferr	15.20
JR-T-6803C	Tubing, FEP, 1-16" x 0.75 mm ID, green solid:	12.70	JR-MZNF1PK	Fitting, PEEK, No Twist, 10-32, 1-16", medium, hex-head with PEEK Ferr	15.20
JR-T-6806C	Tubing, FEP, 1-16" x 1.0 mm ID, black solid:	12.70	JR-MZNF1PKG	Fitting, PEEK, No Twist, 10-32, 1-16", medium, hex-head with glass fil	15.50

JR-ZNF1FKF	Fitting, PEEK, No Twist, 10-32, 1-16", fingertight, with CTFE Ferrule:	15.90	JR-58	Nut, SS, 1-16" x-long, Rheodyne, 10-32:	5.00
JR-ZNF1FKF	Fitting, PEEK, No Twist, 10-32, 1-16", fingertight, with PEEK Ferrule:	15.90	JR-0611-SS05	Sure-Guard, disposable In-Line Filter, SS frit 0.5 um:	16.50
JR-ZNF1FKPG	Fitting, PEEK, No Twist, 10-32, 1-16", fingertight, with glass filled	16.20	JR-0611-SS2	Sure-Guard, disposable In-Line Filter, SS frit 2.0 um:	16.50
JR-ZNF1KF	Fitting, PEEK, No Twist, 10-32, 1-16", short, hex-head with CTFE Ferru	15.20	JR-0611-T105	Sure-Guard, disposable In-Line Filter, TI frit 0.5 um:	16.50
JR-ZNF1KF-F	Ferrule 1-16", CTFE, for No Twist fittings:	6.30	JR-0611-T12	Sure-Guard, disposable In-Line Filter, TI frit 2.0 um:	16.50
JR-ZNF1PK	Fitting, PEEK, No Twist, 10-32, 1-16", short, hex-head with PEEK Ferru	15.20	JR-69230-02	Filter, SS, pre-column, UHPLC, 0.2 um porosity:	100.00
JR-ZNF1PK-F	Ferrule 1-16", natural PEEK for No Twist fittings:	7.20	JR-69230-02	Filter, SS, pre-column, UHPLC, 0.2 um porosity, complete with nut and	109.00
JR-ZNF1PKG	Fitting, PEEK, No Twist, 10-32, 1-16", short, hex-head with glass fill	15.50	JR-T-36100	Tubing, PEEK, 360um OD x 100um ID, grey striped:	15.00
JR-ZNF1PKG-F	Ferrule 1-16", glass-filled PEEK, for No Twist fittings:	6.30	JR-T-36125	Tubing, PEEK, 360um OD x 125um ID, red striped:	15.00
JR-5003	Ferrule, PEEK, single 1-16":	3.20	JR-T-36150	Tubing, PEEK, 360um OD x 150um ID, black striped:	15.00
JR-5010N	Ferrule, PEEK HT, UHPLC, 1-16", natural:	6.20	JR-T-3650	Tubing, PEEK, 360um OD x 50um ID, orange striped:	15.00
JR-5570	Nut, PEEK, two-piece fingertight, 10-32:	6.30	JR-T-3675	Tubing, PEEK, 360um OD x 75um ID, green striped:	15.00
JR-ZF5PK	Ferrule, PEEK, 1-32":	5.30	JR-T-5702	Tubing, PEEK, 1-32" x 50 um - .002" ID, orange striped:	14.40
JR-ZF2PK	Ferrule, PEEK, 1-8":	5.30	JR-T-5703	Tubing, PEEK, 1-32" x 75 um - .003" ID, green striped:	14.40
JR-ZN5FPK	Nut, PEEK, fingertight, 1-32":	5.30	JR-T-5704	Tubing, PEEK, 1-32" x 100 um - .004" ID, black striped:	14.40
JR-ZN2PK	Nut, PEEK, Hex-Head 1-8":	5.30	JR-T-5705	Tubing, PEEK, 1-32" x 0.13 mm - .005" ID, red striped:	14.40
JR-5004	Ferrule, PEEK, double 1-16":	3.20	JR-T-5707	Tubing, PEEK, 1-32" x 0.18 mm - .007" ID, yellow striped:	14.40
JR-5510	Nut, PEEK, hex-head long, 10-32:	5.80	JR-T-5708	Tubing, PEEK, 1-32" x 0.20 mm - .008" ID, orange striped:	14.40
JR-5511	Nut, PEEK, hex-head short, 10-32:	5.80	JR-T-5710	Tubing, PEEK, 1-32" x 0.25 mm - .010" ID, blue striped:	14.40
JR-5580	Nut, PEEK, finger-tight, 10-32:	5.80	JR-T-5720	Tubing, PEEK, 1-32" x 0.50 mm ID, orange striped:	14.40
JR-56	Nut, SS, 1-16" short, Rheodyne, 10-32:	5.00	JR-T-5764	Tubing, PEEK, 1-32" x 64 um - .0025" ID, pink striped:	14.40
JR-57	Nut, SS, 1-16" long head, Rheodyne, 10-32:	5.00	JR-T-5802	Tubing, PEEK, 1-16" x 0.050 mm ID, orange striped:	12.70
JR-LZN1	Nut, SS, 1-16" Long, Valco type, 10-32:	4.40	JR-T-5803	Tubing, PEEK, 1-16" x 0.075 mm ID, green striped:	12.70
JR-MZN1	Nut, SS, 1-16" Medium, Valco type, 10-32:	4.00	JR-T-5804	Tubing, PEEK, 1-16" x 0.100 mm ID, black striped:	12.70
JR-ZN.5	Nut, SS, 1-32", Valco type, 6-40:	4.80	JR-T-5998C	Tubing, PEEK, 1-16" x 0.064 mm ID, pink striped, tolerance OD-ID ±0.00	8.90
JR-ZN1	Nut, SS, 1-16", Valco type, 10-32:	2.70	JR-T-5999	Tubing, PEEK, 1-16" x 0.13 mm ID, red striped:	8.90
JR-ZN2	Nut, SS, 1-8", Valco type, 5-16"-24:	3.30	JR-T-6000	Tubing, PEEK, 1-16" x 0.18 mm ID, yellow striped:	8.90
JR-59	Ferrule, SS, 1-16", 316SS:	3.50	JR-T-6000-M5	Tubing, PEEK, 1-16" x 0.18 mm ID, yellow striped, 5 m-pkg:	49.80
JR-60	Ferrule, SS, 1-16", 2-step Rheodyne:	4.50	JR-T-6001	Tubing, PEEK, 1-16" x 0.25 mm ID, blue striped:	8.10
JR-ZF5S6	Ferrule, SS, 1-32", Valco type:	4.80	JR-T-6001-M5	Tubing, PEEK, 1-16" x 0.25 mm ID, blue striped, 5 m-pkg:	45.10
JR-ZF1S6	Ferrule, SS, 1-16", Valco type:	4.80	JR-T-6002	Tubing, PEEK, 1-16" x 0.50 mm ID, orange striped:	8.10
JR-ZF2S6	Ferrule, SS, 1-8", Valco type:	3.60	JR-T-6002-M5	Tubing, PEEK, 1-16" x 0.50 mm ID, orange striped, 5 m-pkg:	45.10
JR-55085	Adapter, red, PP, fingertight sleeve:	.80	JR-T-6003	Tubing, PEEK, 1-16" x 0.75 mm ID, green striped:	6.90
JR-031	Ferrule, ETFE, 1 mm:	3.40	JR-T-60031	Tubing, PEEK, 1-16" x 1.00 mm ID, grey striped:	8.10
JR-032	Ferrule, ETFE, 1-32":	3.40	JR-T-60031-M5	Tubing, PEEK, 1-16" x 1.00 mm ID, grey striped, 5 m-pkg:	45.10
JR-041	Ferrule, ETFE, 1-16":	1.50	JR-T-60032	Tubing, PEEK, 1-16" x 1.40 mm ID, black striped:	8.10
JR-042	Ferrule, ETFE, 2.1 mm bore:	3.40	JR-T-60032-M5	Tubing, PEEK, 1-16" x 1.40 mm ID, black striped, 5 m-pkg:	45.10
JR-049	Ferrule, ETFE, 3 mm:	3.40	JR-T-6003-M5	Tubing, PEEK, 1-16" x 0.75 mm ID, green stripe, 5 m-pkg:	38.60
JR-051	Ferrule, ETFE, 1-8":	1.50	JR-070350-6	Plug, PP, male Luer:	1.30
JR-201926	Ring, PP, flanged 1-16":	.70	JR-TD-5804	Tubing, Dual Layer PEEK, 1-16" x 100 um ID, solid black outside, natu	12.70
JR-201928	Ring, PP, flanged 1-8":	.70	JR-TD-6007	Tubing, Dual Layer PEEK, 1-16" x 0.13 mm ID, solid red outside, natur	9.20
JR-55050	Nut, PPS, for collaps. ferrule 1-16", 1-4"-28:	1.90	JR-TD-6008	Tubing, Dual Layer PEEK, 1-16" x 0.18 mm ID, solid yellow outside, na	9.20
JR-55051	Nut, PPS, for collaps. ferrule 1-8", 1-4"-28:	1.90	JR-TD-6009	Tubing, Dual Layer PEEK, 1-16" x 0.25 mm ID, solid blue outside, natu	9.20
JR-55060	Nut, PPS, flanged, 1-16", 1-4"-28:	1.90	JR-TD-6010	Tubing, Dual Layer PEEK, 1-16" x 0.50 mm ID, solid orange outside, na	9.20
JR-55061	Nut, PPS, flanged, 1-8", 1-4"-28:	1.90	JR-TD-6011	Tubing, Dual Layer PEEK, 1-16" x 0.75 mm ID, solid green outside, nat	9.20
JR-55070	Nut, PPS, flangeless, 1-16", 1-4"-28:	2.00	JR-F-255-079-10PE	Frit, PE, 0.255"OD, 0.079" thick, 10um:	1.90
JR-55071	Nut, PPS, flangeless, 1-8", 1-4"-28:	1.90	JR-5FR1	Frit, SS, 1-16" diam. x 0.030" thickn., 0.5 um:	2.00
JR-55072	Nut, PPS, flangeless, 2.0 mm, 1-4"-28:	2.20	JR-5FR1TI	USE JR-5FR1TI-5, Frit, Ti, 1-16" diam. x 0.062" thickn., 0.5 um:	.00
JR-55073	Nut, PPS, flangeless, 1.0 mm, 1-4"-28:	2.20	JR-5FR2	Frit, SS, 1-8" diam. x 0.040" thickn., 0.5 um:	2.00
JR-CFL-CB1KF-S	Ferrule, CTFE, collapsible, 1-16":	3.20	JR-5FR4	Frit, SS, 1-4" diam. x 0.040" thickn., 0.5 um:	2.00
JR-CFL-CB1PK-S	Ferrule, PEEK, collapsible 1-16", each:	2.40	JR-5FR6	Frit, SS, 3-8" diam. x 0.040" thickn., 0.5 um:	4.00
JR-040BLACK	Nut, Polyacetal, flangeless 1-16", 1-4"-28, black:	1.00	JR-5FR8	Frit, SS, 1-2" diam. x 0.040" thickn., 0.5 um:	2.00
JR-040BLUE	Nut, Polyacetal, flangeless 1-16", 1-4"-28, blue:	1.00	JR-10FR1	Frit, SS, 1-16" diam. x 0.030" thickn., 10 um:	2.00
JR-040GREEN	Nut, Polyacetal, flangeless 1-16", 1-4"-28, green:	1.00	JR-10FR1K	Frit, SS, 1" diam. x 0.060" thickn., 10 um:	7.80
JR-040RED	Nut, Polyacetal, flangeless 1-16", 1-4"-28, red:	1.00	JR-10FR2	Frit, SS, 1-8" diam. x 0.040" thickn., 10 um:	2.00
JR-040WHITE	Nut, Polyacetal, flangeless 1-16", 1-4"-28, white:	1.00	JR-10FR4	Frit, SS, 1-4" diam. x 0.040" thickn., 10 um:	2.00
JR-040WHITELONG	Nut, Polyacetal, flangeless 1-16", 1-4"-28, 1" long, white:	1.50	JR-10FR6	Frit, SS, 3-8" diam. x 0.040" thickn., 10 um:	2.00
JR-040YELLOW	Nut, Polyacetal, flangeless 1-16", 1-4"-28, yellow:	1.00	JR-10FR8	Frit, SS, 1-2" diam. x 0.040" thickn., 10 um:	4.00
JR-050BLACK	Nut, Polyacetal, flangeless 1-8", 1-4"-28, black:	1.00	JR-10FR8TI	Frit, Ti, 1-2" diam. x 0.040" thickn., 10 um:	15.90
JR-050BLUE	Nut, Polyacetal, flangeless 1-8", 1-4"-28, blue:	1.00	JR-1FR1	Frit, SS, 1-16" diam. x 0.030" thickn., 1 um:	4.10
JR-050GREEN	Nut, Polyacetal, flangeless 1-8", 1-4"-28, green:	1.00	JR-1FR2	Frit, SS, 1-8" diam. x 0.030" thickn., 1 um:	1.40
JR-050RED	Nut, Polyacetal, flangeless 1-8", 1-4"-28, red:	1.00	JR-2FR1	Frit, SS, 1-16" diam. x 0.030" thickn., 2 um:	2.00
JR-050WHITE	Nut, Polyacetal, flangeless 1-8", 1-4"-28, white:	1.00	JR-2FR1K	Frit, SS, 1" diam. x 0.060" thickn., 2 um:	3.80
JR-050WHITELONG	Nut, Polyacetal, flangeless 1-8", 1-4"-28, 1" long, white:	1.50	JR-2FR1KT	Frit, Ti, 1" diam. x 0.060" thickn., 2 um:	29.80
JR-050YELLOW	Nut, Polyacetal, flangeless 1-8", 1-4"-28, yellow:	1.00	JR-2FR1TI	Frit, Ti, 1-16" diam. x 0.040" thickn., 2 um:	11.50
JR-20116	Nut, PEEK, flangeless natural 1-8", 1-4"-28:	9.70	JR-2FR2	Frit, SS, 1-8" diam. x 0.040" thickn., 2 um:	2.00
JR-20124	Nut, PEEK, flangeless natural 1-16", 1-4"-28:	9.70	JR-2FR2TI	Frit, Ti, 1-8" diam. x 0.040" thickn., 2 um:	14.90
JR-060	Union, Polyamid, LP body only, 1-4"-28:	2.40	JR-2FR4	Frit, SS, 1-4" diam. x 0.040" thickn., 2 um:	2.00
JR-201094BLACK	Nut, PP, flanged black 1-16", 1-4"-28:	1.20	JR-2FR4TI	Frit, Ti, 1-4" diam. x 0.040" thickn., 2 um:	19.80
JR-201094WHITE	Nut, PP, flanged white 1-16", 1-4"-28:	1.20	JR-2FR6	Frit, SS, 3-8" diam. x 0.040" thickn., 2 um:	2.20
JR-201580BLACK	Nut, PP, flanged black 1-8", 1-4"-28:	1.20	JR-2FR6TI	Frit, Ti, 3-8" diam. x 0.040" thickn., 2 um:	19.80
JR-201580WHITE	Nut, PP, flanged white 1-8", 1-4"-28:	1.20	JR-2FR8	Frit, SS, 1-2" diam. x 0.040" thickn., 2 um:	3.00
JR-202118	Nut, PP, flanged black x-long, 1-16", 1-4"-28:	1.40	JR-2FR8TI	Frit, Ti, 1-2" diam. x 0.040" thickn., 2 um:	23.10
JR-202119	Nut, PP, flanged white x-long, 1-8", 1-4"-28:	1.40	JR-1100-05P	Frit, SS, 4.6 mm diam. 0.5 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202120	Nut, PP, flanged white x-long, 1-16", 1-4"-28:	1.40	JR-1100-2P	Frit, SS, 4.6 mm diam. 2 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202121	Nut, PP, flanged black x-long, 1-8", 1-4"-28:	1.40	JR-1101-05P	Frit, SS, 3.9 mm diam. 0.5 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202122	Nut, PP, flanged blue, 1-16", 1-4"-28:	1.40	JR-1101-2P	Frit, SS, 3.9 mm diam. 2 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202123	Nut, PP, flanged green, 1-16", 1-4"-28:	1.40	JR-1102-05P	Frit, SS, 3.2 mm diam. 0.5 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202124	Nut, PP, flanged yellow, 1-16", 1-4"-28:	1.40	JR-1102-2P	Frit, SS, 3.2 mm diam. 2 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202125	Nut, PP, flanged red, 1-16", 1-4"-28:	1.40	JR-1103-05P	Frit, SS, 3.2 mm diam. 0.5 um, PEEK-encased 0.25 x 0.032" thick:	7.00
JR-202142	Nut, PP, flanged blue 1-8", 1-4"-28:	1.40	JR-1103-2P	Frit, SS, 3.2 mm diam. 2 um, PEEK-encased 0.25 x 0.032" thick:	7.00
JR-202143	Nut, PP, flanged green 1-8", 1-4"-28:	1.40	JR-1104-05P	Frit, SS, 2.0 mm diam. 0.5 um, PEEK-encased 0.25 x 0.062" thickn.:	7.00
JR-202144	Nut, PP, flanged yellow 1-8", 1-4"-28:	1.40	JR-1104-2P	Frit, SS, 2.0 mm diam. 2 um, PEEK-encased 0.25 x 0.062" thick:	7.00
JR-202145	Nut, PP, flanged red 1-8", 1-4"-28:	1.40	JR-1110-02P	Frit, SS, 0.038 diam. 0.2 um, PEEK-encased 0.115" x 0.028" thick:	14.60
JR-070101-6	Adapter, PP, female to female Luer:	2.90	JR-1110-02P-5	Frit, SS, PEEK enc., 0.115" diam. x 0.028" thickn., 0.2 um, 5-pkg:	73.00
JR-070111-6	Adapter, PP, female Luer to 1-16" barbed:	3.60	JR-1110-05P	Frit, SS, 0.038 diam. 0.5 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070112-6	Adapter, PP, female Luer to 3-32 barbed:	3.60	JR-1110-2P	Frit, SS, 0.038 diam. 2 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070113-6	Adapter, PP, female Luer to 1-8" barbed:	3.60	JR-1110-5P	Frit, SS, 0.038 diam. 5 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070123-6	Adapter, PP, female Luer to 1-4"-28 male:	1.50	JR-1111-05P	Frit, SS, 0.077 diam. 0.5 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070124-6	Adapter, PP, female Luer to 10-32 male:	2.90	JR-1111-10P	Frit, SS, 0.077 diam. 10 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070211-6	Adapter, PP, male Luer to 1-16" barbed:	2.70	JR-1111-2P	Frit, SS, 0.077 diam. 2 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070212-6	Adapter, PP, male Luer to 3-32 barbed:	2.70	JR-1111-5P	Frit, SS, 0.077 diam. 5 um, PEEK-encased 0.115" x 0.028" thick:	7.00
JR-070213-6	Adapter, PP, male Luer to 1-8" barbed:	2.70	JR-1125-05P	Frit, Ti, 4.6 mm diam. 0.5 um, PEEK-encased 0.25" x 0.062" thick:	9.00
JR-070224-6	Adapter, PP, male Luer to 10-32 male:	2.70	JR-1125-10P	Frit, Ti, 4.6 mm diam. 10 um, PEEK-encased 0.25" x 0.062" thick:	9.00
JR-070225-6	Adapter, PP, male Luer to 1-4"-28 male:	2.70	JR-1125-2P	Frit, Ti, 4.6 mm diam. 2 um, PEEK-encased 0.25" x 0.062" thick:	9.00
JR-071123-6	Adapter, PP, 1-4"-28 thread to 1-16" barbed:	2.90	JR-1125-5P	Frit, Ti, 4.6 mm diam. 5 um, PEEK-encased 0.25" x 0.062" thick:	9.00
JR-071124-6	Adapter, PP, 10-32 thread to 1-16" barbed:	2.90	JR-1127-05P	Frit, Ti, 3.2 mm diam. 0.5 um, PEEK-encased 0.125 x 0.062" thick:	9.00
JR-071323-6	Adapter, PP, 1-4"-28 thread to 1-8" barbed:	2.90	JR-1127-2P	Frit, Ti, 3.2 mm diam. 2 um, PEEK-encased 0.125 x 0.062" thick:	9.00
JR-071324-6	Adapter, PP, 10-32 thread to 1-8" barbed:	2.90	JR-1128-5P	Frit, Ti, 2.6 mm diam. 5 um, PEEK-encased 0.2" x 0.062" thick:	9.00
JR-072350-6	Plug, PP, 1-4"-28:	1.70	JR-1150-10P	Frit, PE, 2.5 mm diam. 10 um, PEEK-encased 0.2" x 0.059" thick:	6.00
JR-072450-6	Plug, PP, 10-32 male:	1.70	JR-1151-10P	Frit, PE, 4.9 mm diam. 10 um, PEEK-encased 0.25" x 0.059" thick:	6.00
JR-CFL-CB2KF-S	Ferrule, CTFE, collapsible, 1-8":	3.20	JR-4071	Plug, white, Nylon, column endstopper:	.80
JR-T-5993	Tubing, PEEK, 1-32" x 0.13 mm ID, natural:	14.40	JR-4072	Plug, black, Nylon, column endstopper:	.80
JR-T-5998	Tubing, PEEK, 1-16" x 0.064 mm ID, natural, tolerance OD-ID ±0.001"0.	8.90	JR-4073	Plug, red, Nylon, column endstopper:	.80
JR-T-6004	Tubing, PEEK, 1-8" x 1.59 mm ID, natural:	17.80	JR-4074	Plug, green, Nylon, column endstopper:	.80
JR-T-60041	Tubing, PEEK, 1-8" x 0.75 mm ID, natural:	17.80	JR-4075	Plug, blue, Nylon, column endstopper:	.80
JR-T-60042	Tubing, PEEK, 1-8" x 2.0 mm ID, natural:	17.80	JR-4081	Plug, white, Nylon, column endstopper:	.60
JR-T-6060	Tubing, PEEK, 0.36 mm x 0.075 mm ID, natural:	13.60	JR-4082	Plug, black, Nylon, column endstopper:	.60

JR-4083	Plug, red, Nylon, column endstopper:	.60
JR-4084	Plug, green, Nylon, column endstopper :	.60
JR-4085	Plug, blue, Nylon, column endstopper :	.60
JR-T-37100	Tubing, PEEK, 360um OD x 100um ID, grey solid:	15.00
JR-T-37125	Tubing, PEEK, 360um OD x 125um ID, red solid:	15.00
JR-T-37150	Tubing, PEEK, 360um OD x 150um ID, black solid:	15.00
JR-T-3750	Tubing, PEEK, 360um OD x 50um ID, orange solid:	15.00
JR-T-3775	Tubing, PEEK, 360um OD x 75um ID, green solid:	15.00
JR-T-5602	Tubing, PEEK, 1-32" x 50 um - .002" ID, orange solid:	14.40
JR-T-5603	Tubing, PEEK, 1-32" x 75 um - .003" ID, green solid:	14.40
JR-T-5604	Tubing, PEEK, 1-32" x 100 um - .004" ID, black solid:	14.40
JR-T-5605	Tubing, PEEK, 1-32" x 0.13 mm - .005" ID, red solid:	14.40
JR-T-5606	Tubing, PEEK, 1-32" x 0.15 mm - .006" ID, purple solid:	14.40
JR-T-5607	Tubing, PEEK, 1-32" x 0.18 mm - .007" ID, yellow solid:	14.40
JR-T-5608	Tubing, PEEK, 1-32" x 0.20 mm - .008" ID, orange solid:	14.40
JR-T-5610	Tubing, PEEK, 1-32" x 0.25 mm - .010" ID, blue solid:	14.40
JR-T-5620	Tubing, PEEK, 1-32" x 0.50 mm - .020 " ID, orange solid:	14.40
JR-T-5664	Tubing, PEEK, 1-32" x 64 um - .0025" ID, pink solid:	14.40
JR-T-5706	Tubing, PEEK, 1-32" x 0.15 mm - .006" ID, natural:	14.40
JR-T-5715	Tubing, PEEK, 1-32" x 0.38 mm - .015" ID, natural:	14.40
JR-T-5994	Tubing, PEEK, 1-32" x 0.18 mm ID, natural:	14.40
JR-T-5995	Tubing, PEEK, 1-32" x 0.25 mm ID, natural:	14.40
JR-T-6007	Tubing, PEEK, 1-16" x 0.13 mm ID, solid red:	8.10
JR-T-6008	Tubing, PEEK, 1-16" x 0.18 mm ID, solid yellow:	8.10
JR-T-6009	Tubing, PEEK, 1-16" x 0.25 mm ID, solid blue:	8.10
JR-T-6010	Tubing, PEEK, 1-16" x 0.50 mm ID, solid orange:	8.10
JR-T-6011	Tubing, PEEK, 1-16" x 0.75 mm ID, solid green:	8.10
JR-T-6020	Tubing, PEEK, 1-16" x 0.10 mm ID, black solid:	8.10
JR-T-6030	Tubing, PEEK, 1-16" x 0.15 mm ID, purple solid:	8.10
JR-T-6040	Tubing, PEEK, 1-16" x 0.38 mm ID, grey solid:	8.10
JR-5005	Ferrule, PEEK, special 1-16":	3.20
JR-357090	Tubing Elbow 90°:	1.80
JR-357180	Tubing Elbow 180°:	2.10
JR-T-078	Tubing, ETFE, 1-16" x 0.17 mm ID:	8.40
JR-T-080	Tubing, ETFE, 1-16" x 0.25 mm ID, OD-ID tolerance \pm 0.05 mm:	5.90
JR-T-082	Tubing, ETFE, 1-16" x 0.50 mm ID:	5.60
JR-T-083	Tubing, ETFE, 1-16" x 0.75 mm ID:	5.30
JR-T-084	Tubing, ETFE, 1-32" x 0.25 mm ID:	5.30
JR-T-085	Tubing, ETFE, 1-16" x 1.00 mm ID:	4.40
JR-T-086	Tubing, ETFE, 1-8" x 1.59 mm ID:	11.40
JR-T-087	Tubing, ETFE, 3.0 x 1.0 mm:	11.40
JR-T-088	Tubing, ETFE, 6.0 x 4.0 mm:	12.40
JR-T-4001	Tubing, PFA, 1-16" x 0.50 mm ID:	8.30
JR-T-4002	Tubing, PFA, 1-16" x 0.75 mm ID:	7.60
JR-T-4003	Tubing, PFA, 1-8" x 1.59 mm ID:	17.70
JR-T-4007	Tubing, PFA, 1-16" x 1.0 mm ID:	7.00
JR-T-436100	Tubing, PFA, 360 um x 100 um ID:	12.70
JR-T-43650	Tubing, PFA, 360 um x 50 um ID:	12.70
JR-T-43675	Tubing, PFA, 360 um x 75 um ID:	12.70
veerr	Version 16.01.2016 (wm):	.00